



MBA

2022.1

High Precision Ball Bearings

High Precision and Super Precision ISO P5, ISO P4, ABEC 5, ABEC 7

Included in This Catalogue

Flanged
Unflanged
Wide Inner Ring

Chrome Steel
440C Stainless Steel

P4, P5
Abec 5, Abec 7

Lubricant Options

Radial Clearance Options

All listed in order of size
with the type of bearing
shown next to the part
number.



Type the part number from this catalogue into the search box on any web page for delivery, stock levels and pricing.

Prefixes and Suffixes

S F W R133A - ZS - MC34 - GR7 - G58

1 2 2 3 4 5 6 7 8

1 Bearing Material:

S: 440C Grade Stainless Steel
 No Prefix: AISI 52100 Chrome Steel

2 Configuration:

F: Flanged
 W: Wide Inner Ring
 FW: Flanged with Wide Inner Ring

3 Basic Bearing Number:

MRxxxx...: Usually indicates a metric bearing
 Rxxxx...: Usually indicates an inch sized bearing

4 Closures:

Z: Single Metal Shield
 ZS: Single Removable Metal Shield
 ZZ: Two Metal Shields
 ZZS: Two Removable Metal Shields

5 Internal Radial Clearance:

MC1: 0-5 um
 MC2: 3-8um
 MC3: 5-10um
 MC4: 8-13um
 MC5: 13-20um
 MC6: 20-28um
 MC34: 5-13um

Bearings with 10mm Bore or greater
 Use standard ISO scale C2, CN, C3, C4 and C5

6 Country of Origin:

j: Japan
 u: USA
 gr: Germany
 s: Switzerland
 E: Other European

7 Precision Grade:

5: Abec 5 7: Abec 7
 P5: ISO P5 P4: ISO P4


8 Lubrication:

Lxxx: Oil Lubrication
 Gxxx: Grease Lubrication

(Refer Back of Catalogue for Main Types)

These are just some of the most commonly used suffixes. Please refer to MBA for information on suffixes not listed.

Diagrams



Standard

Flanged

Wide Inner

Flanged
Wide Inner

Only the most common diagrams are shown. Other types are also listed in this catalogue.

d	D	B	Bn	DF	BF	Part Number	Type
0.600 x 2.000 mm (0.024 x 0.079 in.)							
0.600	2.000	0.800				Open SMR2-0060-J5-MC3	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown Cage - Grease: Standard Unspecified - Abec 5
0.635 x 2.540 mm (0.025 x 0.100 in.)							
0.635	2.540	0.792				Open * MR254-0635-FC-MC3-U7-L23	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - - Oil: L23 Windsortube L245X - Abec 7
1.000 x 3.000 mm (0.039 x 0.118 in.)							
1.000	3.000	1.000				Open S681-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.000	3.000	1.000				Open S681-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.016 x 3.175 mm (0.040 x 0.125 in.)							
1.016	3.175	1.191				Open SR09-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.016	3.175	1.191				Open SR09-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.016	3.175	1.191				Open SR09-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.016	3.175	1.191	4.343	0.330		Open SFR09-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.016	3.175	1.191	4.343	0.330		Open SFR09-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.016	3.175	1.191	4.343	0.330		Open SFR09-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.191 x 3.967 mm (0.047 x 0.156 in.)							
1.191	3.967	1.588				Open SR0-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.191	3.967	1.588				Open SR0-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.191	3.967	1.588				Open SR0-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.191	3.967	1.588				Open SR0-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.191	3.967	1.588				Open SR0-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.191	3.967	1.588				Open SR0-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.191	3.967	1.588				Open SR0-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.191	3.967	1.588				Open SR0-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF		Part Number	Type
1.191 x 3.967 mm				<i>(0.047 x 0.156 in.)</i>				
1.191	3.967	1.588		5.156	0.330	Open	SFR0-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.191	3.967	1.588		5.156	0.330	Open	SFR0-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.191	3.967	1.588	2.381			Open	SWR0-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.191	3.967	1.588	2.381			Open	SWR0-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.191	3.967	1.588	2.381	5.156	0.330	Open	SFWR0-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.191	3.967	1.588	2.381	5.156	0.330	Open	SFWR0-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.191	3.967	2.381				Z	SR0A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.191	3.967	2.381				Z	SR0A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.191	3.967	2.381				Z	SR0A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.191	3.967	2.381				Z	SR0A-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.191	3.967	2.381				Z	SR0A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.191	3.967	2.381				Z	SR0A-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.191	3.967	2.381				ZZS	SR0A-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.191	3.967	2.381				ZZS	SR0A-ZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.191	3.967	2.381				ZZS	SR0A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.191	3.967	2.381				ZZS	SR0A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.191	3.967	2.381				ZZS	SR0A-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.191	3.967	2.381				ZZS	SR0A-ZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.191	3.967	2.381				ZZS	SR0A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.191	3.967	2.381				ZZS	SR0A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.191	3.967	2.381		5.156	0.787	Z	SFR0A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.191	3.967	2.381		5.156	0.787	Z	SFR0A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.191	3.967	2.381		5.156	0.787	Z	SFR0A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.191	3.967	2.381		5.156	0.787	Z	SFR0A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.191	3.967	2.381		5.156	0.787	Z	SFR0A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.191	3.967	2.381		5.156	0.787	Z	SFR0A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.191	3.967	2.381		5.156	0.787	ZZS	SFR0A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
1.191 x 3.967 mm				<i>(0.047 x 0.156 in.)</i>			
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.397 x 4.763 mm				<i>(0.055 x 0.188 in.)</i>			
1.397	4.763	1.984				Open SR1-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G5 Exxon Beacon 325 - Abec 7
1.397	4.763	1.984				Open SR1-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G5 Exxon Beacon 325 - Abec 5
1.397	4.763	1.984				Open SR1-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.397	4.763	1.984				Open SR1-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.397	4.763	1.984				Open SR1-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.397	4.763	1.984				Open SR1-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.397	4.763	1.984				Open SR1-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.397	4.763	1.984				Open SR1-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.397	4.763	2.381				Z * SR1A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.397	4.763	2.381				Z * SR1A-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.397	4.763	2.381				Z * SR1A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
1.397 x 4.763 mm				<i>(0.055 x 0.188 in.)</i>			
1.397	4.763	2.381				Z * SR1A-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.397	4.763	2.381				Z * SR1A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
1.397	4.763	2.381				Z * SR1A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
1.397	4.763	2.779				FF SR1B-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.397	4.763	2.779				FF SR1B-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-C615-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.397	4.763	2.779				ZZS SR1B-ZZS-C615-GR7-G36	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G36 Mobil Grease 28 - Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.397	4.763	2.779	5.944	0.787		FF SFR1B-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.397	4.763	2.779	5.944	0.787		FF SFR1B-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.397	4.763	2.779	5.944	0.787		ZZS SFR1B-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.397	4.763	2.779	5.944	0.787		ZZS SFR1B-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.397	4.763	2.779	5.944	0.787		ZZS SFR1B-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.397	4.763	2.779	5.944	0.787		ZZS SFR1B-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
1.397 x 4.763 mm (0.055 x 0.188 in.)							
1.397	4.763	2.779		5.944	0.787	ZZS SFR1B-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.397	4.763	2.779		5.944	0.787	ZZS SFR1B-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.397	4.763	2.779		5.944	0.787	ZZS SFR1B-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.397	4.763	2.779		5.944	0.787	ZZS SFR1B-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.397	4.763	2.779	3.571			ZZ * SWR1B-ZZ-MC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
1.500 x 4.000 mm (0.059 x 0.157 in.)							
1.500	4.000	1.200				Open S681X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.500	4.000	1.200				Open S681X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.500	4.000	1.200		5.000	0.400	Open SF681X-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.500	4.000	1.200		5.000	0.400	Open SF681X-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.500	4.000	2.000				ZZS S681XA-R-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.500	4.000	2.000				ZZS S681XA-R-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.500	4.000	2.000		5.000	0.600	ZZS SF681XA-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.500	4.000	2.000		5.000	0.600	ZZS SF681XA-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.500 x 5.000 mm (0.059 x 0.197 in.)							
1.500	5.000	2.000				FF S691X-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.500	5.000	2.000				FF S691X-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.500	5.000	2.000				Open S691X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.500	5.000	2.000				Open S691X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.500	5.000	2.000				ZZS S691X-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.500	5.000	2.000				ZZS S691X-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.500	5.000	2.000		6.500	0.600	Open * SF691X-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
1.500	5.000	2.000		6.500	0.600	Open * SF691X-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
1.500	5.000	2.000		6.500	0.600	ZZ * SF691X-ZZ-MC3B7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
1.500	5.000	2.600				ZZ * S691XA-ZZ-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
1.500	5.000	2.600				ZZ * S691XA-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
1.500	5.000	2.600		6.500	0.800	ZZ * SF691XA-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
1.500	5.000	2.600		6.500	0.800	ZZ * SF691XA-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
1.984 x 4.763 mm (0.078 x 0.188 in.)							
1.984	4.763	2.381				ZZ * SR1-3A-ZZ-MC3-B5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
1.984 x 6.350 mm (0.078 x 0.250 in.)							
1.984	6.350	1.588		7.518	0.457	Open * SFR1-4C-MC3-U5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: L23 Windsortube L245X - Abec 5
1.984	6.350	2.381				Open SR1-4-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.984	6.350	2.381				Open SR1-4-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.984	6.350	2.381				Open SR1-4-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.984	6.350	2.381				Open SR1-4-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.984	6.350	2.381				Open SR1-4-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.984	6.350	2.381				Open SR1-4-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.984	6.350	2.381				Open SR1-4-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.984	6.350	2.381				Open SR1-4-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.984	6.350	2.381		7.518	0.457	ZZ * SFR1-4UF0457-ZZU5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.984	6.350	2.779				Z * SR1-4A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
1.984	6.350	2.779				Z * SR1-4A-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.984	6.350	2.779				Z * SR1-4A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
1.984	6.350	2.779				Z * SR1-4A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.984	6.350	2.779				Z * SR1-4A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.984	6.350	2.779				Z * SR1-4A-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
1.984 x 6.350 mm				<i>(0.078 x 0.250 in.)</i>			
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Ribbon Cage Tightly Crimped (480) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR5-DRY	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Ribbon Cage Tightly Crimped (480) - Dry: No Lubricant - Abec 5
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Ribbon Cage Tightly Crimped (480) - Grease: Standard Unspecified - Abec 7
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Ribbon Cage Tightly Crimped (480) - Grease: Standard Unspecified - Abec 5
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Ribbon Cage Tightly Crimped (480) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Ribbon Cage Tightly Crimped (480) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.984	6.350	3.571	7.518	0.787		FF SFR1-4B-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.984	6.350	3.571	7.518	0.787		FF SFR1-4B-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.000 x 4.000 mm				<i>(0.079 x 0.157 in.)</i>			
2.000	4.000	1.200				Open SMR42-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	4.000	1.200				Open SMR42-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
2.000 x 5.000 mm (0.079 x 0.197 in.)							
2.000	5.000	1.500				Open S682-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	5.000	1.500				Open S682-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000	5.000	1.500				Open * S682-MC3-J5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.000	5.000	1.500	6.100	0.500		Open SF682-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000	5.000	2.300				ZZS S682A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	5.000	2.300				ZZS S682A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000	5.000	2.300				ZZS S682A-ZZS-MC2-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	5.000	2.300	6.100	0.600		ZZS SF682A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	5.000	2.300	6.100	0.600		ZZS SF682A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000 x 6.000 mm (0.079 x 0.236 in.)							
2.000	6.000	2.300				FF S692-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	6.000	2.300				FF S692-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000	6.000	2.300				Open S692-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	6.000	2.300				Open S692-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
2.000	6.000	2.300				Open S692-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
2.000	6.000	2.300				Open S692-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000	6.000	2.300				ZZS S692-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000	6.000	2.300				ZZS S692-ZZS-MC3-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.000	6.000	2.300	7.500	0.600		FF SF692-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	6.000	2.300	7.500	0.600		FF SF692-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000	6.000	2.300	7.500	0.600		Open SF692-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	6.000	2.300	7.500	0.600		Open SF692-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000	6.000	2.300	7.500	0.600		Open SF692-MC34-GRP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
2.000	6.000	2.300	7.500	0.600		Open SF692-MC34-GRP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
2.000	6.000	2.300	7.500	0.600		ZZS SF692-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.000	6.000	2.300	7.500	0.600		ZZS SF692-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.000	6.000	3.000				ZZ * S692A-ZZ-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
2.000 x 6.000 mm (0.079 x 0.236 in.)							
2.000	6.000	3.000				ZZ * S692A-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
2.000	6.000	3.000				ZZS * S692A-ZZS-MC34-UP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
2.000	6.000	3.000				ZZS * S692A-ZZS-MC34-UP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
2.000	6.000	3.000	7.500	0.800		ZZS * SF692A-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
2.000	6.000	3.000	7.500	0.800		ZZS * SF692A-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
2.381 x 4.763 mm (0.094 x 0.188 in.)							
2.381	4.763	1.588				Open SR133-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	4.763	1.588				Open SR133-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	4.763	1.588				Open SR133-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	4.763	1.588				Open SR133-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	4.763	1.588				Open SR133-MC34-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	4.763	1.588				Open SR133-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	4.763	1.588				Open SR133-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	4.763	1.588				Open SR133-MC34-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	4.763	1.588	5.944	0.457		Open SFR133-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	4.763	1.588	5.944	0.457		Open SFR133-MC34-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	4.763	1.588	5.944	0.457		Open SFR133-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	4.763	1.588	5.944	0.457		Open SFR133-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	4.763	1.588	5.944	0.457		Open SFR133-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	4.763	1.588	5.944	0.457		Open SFR133-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	4.763	1.588	5.944	0.457		Open SFR133-MC34-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	4.763	1.588	5.944	0.457		Open SFR133-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	4.763	1.588				Open * SFR133-FC-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: L23 Windsortube L245X - Abec 7
2.381	4.763	1.588	2.381			Open SWR133-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	4.763	1.588	2.381			Open SWR133-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	4.763	1.588	2.381	5.944	0.457	Open SFWR133-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	4.763	1.588	2.381	5.944	0.457	Open SFWR133-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
2.381 x 4.763 mm		<i>(0.094 x 0.188 in.)</i>					
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	4.763	2.381				ZZS SR133A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	4.763	2.381				ZZS SR133A-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	4.763	2.381				ZZS SR133A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	4.763	2.381				ZZS SR133A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	4.763	2.381				ZZS SR133A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS * SFR133A-ZZS-GR5-D78	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
2.381	4.763	2.381	3.175			ZZ * WR133A-ZZ-MC3GR5	Bearings - Ball - WIR - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
2.381 x 4.763 mm (0.094 x 0.188 in.)							
2.381	4.763	2.381	3.175			ZZ * WR133A-ZZ-MC3GR7	Bearings - Ball - WIR - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
2.381	4.763	2.381	3.175	5.944	0.787	ZZ * SFWR133A-ZZ-MC3GR7	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 1
2.381	4.763	2.381	3.175	5.944	0.787	ZZS SFWR133A-ZZS-MC3-GR5	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 1
2.381 x 6.350 mm (0.094 x 0.250 in.)							
2.381	6.350	2.381				ZZ * SR143A-ZZ-MC3-U5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
2.381	6.350	2.381		7.520	0.580	Open * SFR143A-MC3-BP4	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: Standard Unspecified - P4
2.381	6.350	2.779				ZZS * SR143B-ZZS-MC3-U5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
2.381	6.350	2.779		7.520	0.790	ZZ * SFR143B-ZZ-MC3BP4	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: Standard Unspecified - P4
2.381 x 7.938 mm (0.094 x 0.313 in.)							
2.381	7.938	2.779				Open SR1-5-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	7.938	2.779				Open SR1-5-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	7.938	2.779				Open SR1-5-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	7.938	2.779				Open SR1-5-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	7.938	2.779				Open SR1-5-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	7.938	2.779				Open SR1-5-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	7.938	2.779				Open SR1-5-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	7.938	2.779				Open SR1-5-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	7.938	2.779				Z * SR1-5-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	7.938	2.779				Z * SR1-5-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
2.381	7.938	2.779				Z * SR1-5-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	7.938	2.779				Z * SR1-5-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	7.938	2.779				Z * SR1-5-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	7.938	2.779				Z * SR1-5-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF		Part Number	Type
2.381 x 7.938 mm				<i>(0.094 x 0.313 in.)</i>				
2.381	7.938	2.779		9.119	0.457	Open	SFR1-5-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	7.938	2.779		9.119	0.584	Open	SFR1-5-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	7.938	2.779		9.119	0.584	Open	SFR1-5-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	7.938	2.779	3.571			Open	SWR1-5-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	7.938	2.779	3.571			Open	SWR1-5-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	7.938	2.779	3.571	9.119	0.584	Open	SFWR1-5-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	7.938	2.779	3.571	9.119	0.584	Open	SFWR1-5-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	7.938	3.571					ZZS SR1-5A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	7.938	3.571					ZZS SR1-5A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	7.938	3.571					ZZS SR1-5A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	7.938	3.571					ZZS SR1-5A-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	7.938	3.571					ZZS SR1-5A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	7.938	3.571					ZZS SR1-5A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	7.938	3.571					ZZS SR1-5A-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	7.938	3.571					ZZS SR1-5A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	7.938	3.571		9.119	0.787	FF	SFR1-5A-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	7.938	3.571		9.119	0.787	FF	SFR1-5A-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	7.938	3.571		9.119	0.787	Z	SFR1-5A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.381	7.938	3.571		9.119	0.787	Z	SFR1-5A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	7.938	3.571		9.119	0.787	Z	SFR1-5A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
2.381	7.938	3.571		9.119	0.787	Z	SFR1-5A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	7.938	3.571		9.119	0.787	Z	SFR1-5A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	7.938	3.571		9.119	0.787	Z	SFR1-5A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	7.938	3.571		9.119	0.787	ZZS	SFR1-5A-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.381	7.938	3.571		9.119	0.787	ZZS	SFR1-5A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
2.381	7.938	3.571		9.119	0.787	ZZS	SFR1-5A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
2.381	7.938	3.571		9.119	0.787	ZZS	SFR1-5A-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
2.381 x 7.938 mm (0.094 x 0.313 in.)							
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
2.500 x 5.000 mm (0.098 x 0.197 in.)							
2.500	5.000	1.500				Open SMR5-025-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500 x 6.000 mm (0.098 x 0.236 in.)							
2.500	6.000	1.800				Open S682X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	6.000	1.800				Open S682X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500	6.000	1.800		7.100	0.500	Open SF682X-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	6.000	1.800		7.100	0.500	Open SF682X-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500	6.000	2.600				ZZS S682XA-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500	6.000	2.600				ZZS S682XA-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	6.000	2.600		7.100	0.800	ZZS SF682XA-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	6.000	2.600		7.100	0.800	ZZS SF682XA-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500 x 7.000 mm (0.098 x 0.276 in.)							
2.500	7.000	2.500				Open S692X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500	7.000	2.500				Open S692X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	7.000	2.500				ZZS S692X-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	7.000	2.500				ZZS S692X-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500	7.000	2.500		8.500	0.700	Open * SF692X-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
2.500	7.000	2.500		8.500	0.700	Open * SF692X-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
2.500	7.000	2.500		8.500	0.700	ZZ * SF692X-ZZ-MC3B7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
2.500	7.000	3.500				ZZ * S692XA-ZZ-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
2.500	7.000	3.500				ZZ * S692XA-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
2.500	7.000	3.500		8.500	0.900	ZZ * SF692XA-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
2.500	7.000	3.500		8.500	0.900	ZZ * SF692XA-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
2.500	7.000	3.500		8.500	0.900	ZZS SF692XA-ZZS-MC3-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
2.500 x 8.000 mm		<i>(0.098 x 0.315 in.)</i>					
2.500	8.000	2.800				FF S602X-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	8.000	2.800				FF S602X-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500	8.000	2.800				Open S602X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	8.000	2.800				Open S602X-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
2.500	8.000	2.800				Open S602X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500	8.000	2.800				Open S602X-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
2.500	8.000	2.800	9.500	0.700		FF SF602X-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500	8.000	2.800	9.500	0.700		FF SF602X-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	8.000	2.800	9.500	0.700		Open SF602X-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
2.500	8.000	2.800	9.500	0.700		Open SF602X-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
2.500	8.000	2.800	9.500	0.700		Open * SF602X-MC3-AF12-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
2.500	8.000	4.000				ZZS * S602XA-ZZS-MC34-UP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
2.500	8.000	4.000				ZZS * S602XA-ZZS-MC34-UP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
2.500	8.000	4.000	9.500	0.900		ZZ * SF602XA-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
2.500	8.000	4.000	9.500	0.900		ZZ * SF602XA-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
2.500	8.000	4.000	9.500	0.900		ZZS * SF602XA-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
2.500	8.000	4.000	9.500	0.900		ZZS * SF602XA-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
3.000 x 6.000 mm		<i>(0.118 x 0.236 in.)</i>					
3.000	6.000	2.000				Open SMR63-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
3.000	6.000	2.000				Open SMR63-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	6.000	2.000				Open SMR63-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	6.000	2.000				Open SMR63-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
3.000	6.000	2.000	7.200	0.600		Open * SFMR63-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
3.000	6.000	2.000	7.200	0.600		Open * SFMR63-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
3.000	6.000	2.500				ZZS SMR63A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	6.000	2.500				ZZS SMR63A-ZZS-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
3.000	6.000	2.500				ZZS SMR63A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.000 x 6.000 mm (0.118 x 0.236 in.)							
3.000	6.000	2.500				ZZS SMR63A-ZZS-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
3.000	6.000	2.500		7.200	0.600	ZZS * SFMR63A-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
3.000	6.000	2.500		7.200	0.600	ZZS * SFMR63A-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
3.000 x 7.000 mm (0.118 x 0.276 in.)							
3.000	7.000	2.000				Open S683-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	7.000	2.000				Open S683-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	7.000	2.000		8.100	0.500	Open SF683-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	7.000	2.000		8.100	0.500	Open SF683-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	7.000	2.500	3.350 Extended One Side Only			ZZ ** SWA683B-TO-ZZ-C69-GR5	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Torlon - Oil: Standard Unspecified - Abec 5
3.000	7.000	3.000				ZZS S683A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	7.000	3.000				ZZS S683A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	7.000	3.000		8.100	0.800	ZZS SF683A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	7.000	3.000		8.100	0.800	ZZS SF683A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000 x 8.000 mm (0.118 x 0.315 in.)							
3.000	8.000	3.000				Open S693-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	8.000	3.000				Open S693-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
3.000	8.000	3.000				Open S693-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	8.000	3.000				Open S693-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
3.000	8.000	3.000				ZZS S693-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	8.000	3.000				ZZS S693-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	8.000	3.000		9.500	0.700	Open SF693-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	8.000	3.000		9.500	0.700	Open SF693-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	8.000	3.000		9.500	0.700	Open SF693-MC34-GRP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
3.000	8.000	3.000		9.500	0.700	Open SF693-MC34-GRP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
3.000	8.000	3.000		9.500	0.700	Open * SF693-MC3-AF12GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.000	8.000	3.000		9.500	0.700	ZZS SF693-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.000 x 8.000 mm							(0.118 x 0.315 in.)
3.000	8.000	3.000		9.500	0.700	ZZS SF693-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	8.000	4.000				FF S693A-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	8.000	4.000				FF S693A-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	8.000	4.000				ZZS S693A-ZZS-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
3.000	8.000	4.000				ZZS S693A-ZZS-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
3.000	8.000	4.000		9.500	0.900	FF SF693A-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	8.000	4.000		9.500	0.900	FF SF693A-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	8.000	4.000		9.500	0.900	ZZ * SF693A-ZZ-MC3-J5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.000	8.000	4.000		9.500	0.900	ZZS SF693A-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
3.000	8.000	4.000		9.500	0.900	ZZS SF693A-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
3.000 x 10.000 mm							(0.118 x 0.394 in.)
3.000	10.000	4.000				FF S623-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.000	10.000	4.000				FF S623-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.000	10.000	4.000				Open S623-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	10.000	4.000				Open S623-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	10.000	4.000				ZZS S623-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.000	10.000	4.000				ZZS S623-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.000	10.000	4.000		11.500	1.000	FF SF623-FF-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.000	10.000	4.000		11.500	1.000	FF SF623-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.000	10.000	4.000		11.500	1.000	Open SF623-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.000	10.000	4.000		11.500	1.000	Open SF623-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.000	10.000	4.000		11.500	1.000	ZZS SF623-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.000	10.000	4.000		11.500	1.000	ZZS SF623-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.175 x 5.537 mm							(0.125 x 0.218 in.)
3.175	5.537	2.381				Open * SR1354-MC34-U7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175 x 6.350 mm							(0.125 x 0.250 in.)
3.175	6.350	1.588				Open * SR144B-MC34-U7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	6.350	1.626				Open * SR144B-C512-U7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 6.350 mm		<i>(0.125 x 0.250 in.)</i>					
3.175	6.350	2.381				Open SR144-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	6.350	2.381				Open SR144-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	6.350	2.381				Open SR144-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	6.350	2.381				Open SR144-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	6.350	2.381				Open SR144-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	6.350	2.381				Open SR144-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	6.350	2.381				Open SR144-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	6.350	2.381				Open SR144-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	6.350	2.381				Z SR144-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	6.350	2.381				Z SR144-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	6.350	2.381				Z SR144-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	6.350	2.381				Z SR144-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	6.350	2.381				Z SR144-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	6.350 / 5.979	2.381				Z SR144-D106-KC-ZS-OPT	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Phenolic Linen based - Grease: Standard Unspecified - Abec 7
3.175	6.350 / 5.979	2.381				Z ** SR144-D106-ZS	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: Standard Unspecified - Abec 7
3.175	6.350	2.381				Z SR144-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	6.350	2.381				ZZS SR144-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	6.350	2.381				ZZS SR144-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	6.350	2.381	7.518	0.584	Open	SFR144-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	6.350	2.381	7.518	0.584	Open	SFR144-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	6.350	2.381	7.518	0.584	Open	SFR144-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	6.350	2.381	7.518	0.584	Open	SFR144-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	6.350	2.381	7.518	0.584	Open	SFR144-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	6.350	2.381	7.518	0.584	Open	SFR144-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	6.350	2.381	7.518	0.584	Open	SFR144-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	6.350	2.381	7.518	0.584	Open	SFR144-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 6.350 mm (0.125 x 0.250 in.)							
3.175	6.350	2.381		7.518	0.584	ZS SFR144-D28-ZSO	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: Standard Unspecified - Abec 7
3.175	6.350	2.381	3.175			Open SWR144-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	6.350	2.381	3.175			Open SWR144-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	6.350 / 5.979	2.779				ZS SR144A-CSN-D105-ZS-KC-OPT	Bearings - Ball - High Precision - 440C Stainless Ceramic Hybrid - Phenolic Linen based - Oil: Undisclosed - Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Ribbon Cage Tightly Crimped (480) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	6.350	2.779		7.518	0.400	ZS * SFR144A-D29N-ZSO	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: Standard Unspecified - Abec 7
3.175	6.350	2.779		7.518	0.787	Open * SFR144A-D96	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.175	6.350	2.779		7.518	0.787	Open * SFR144A-D94	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	6.350	2.779		7.518	0.787	ZS SFR144A-D27-T9H-ZSO-OPT	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Polyamide Cage - Grease: Standard Unspecified - Abec 7
3.175	6.350	2.779		7.518	0.787	ZS * SFR144A-D27-ZSO	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: Standard Unspecified - Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-R-ZZS-C615-GR7-AG7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G7 Aeroshell Grease No 7 - Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-C615-GR7-DRY	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Dry: No Lubricant - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production
 * Large Minimum Quantities ** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 6.350 mm (0.125 x 0.250 in.)							
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-C615-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	6.350	2.779		7.518	0.787	ZZS * SFR144A-ZZS-MC3-J5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: L23 Windsortube L245X - Abec 5
3.175	6.350	2.779		7.518	0.787	ZZS * SFR144A-D27-ZZS	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: Standard Unspecified - Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	6.350	2.779	3.571			ZZS SWR144A-ZZS-MC3-GR5-G48	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.175	6.350	2.779	3.571	7.518	0.787	ZZS SFWR144A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 1
3.175	6.350	2.779	3.571	7.518	0.787	ZZS SFWR144A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 1
3.175 x 7.000 mm (0.125 x 0.276 in.)							
3.175	7.000	2.000				Open SMR7-032-TO-MC3-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Torlon - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175 x 7.938 mm (0.125 x 0.313 in.)							
3.175	7.938	2.779				Open SR2-5-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	7.938	2.779				Open SR2-5-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	7.938	2.779				Open SR2-5-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	7.938	2.779				Open SR2-5-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	7.938	2.779				Open SR2-5-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	7.938	2.779				Open SR2-5-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	7.938	2.779				Open SR2-5-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	7.938	2.779				Open SR2-5-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 7.938 mm		<i>(0.125 x 0.313 in.)</i>					
3.175	7.938	2.779				ZZ SR2-5-ZZ-MC3GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	7.938	2.779				ZZS SR2-5-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	7.938	2.779				ZZS SR2-5-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	7.938	2.779		9.119	0.584	Open SFR2-5-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	7.938	2.779		9.119	0.584	Open SFR2-5-MC34-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	7.938	2.779		9.119	0.584	Open SFR2-5-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	7.938	2.779		9.119	0.584	Open SFR2-5-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	7.938	2.779		9.119	0.584	Open SFR2-5-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	7.938	2.779		9.119	0.584	Open SFR2-5-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	7.938	2.779		9.119	0.584	Open SFR2-5-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	7.938	2.779		9.119	0.584	Open SFR2-5-MC34-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	7.938	2.779	3.571			Open SWR2-5-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	7.938	2.779	3.571			Open SWR2-5-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	7.938	2.779	3.571	9.119	0.584	Open SFWR2-5-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	7.938	2.779	3.571	9.119	0.584	Open SFWR2-5-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	7.938	3.571				FF SR2-5A-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	7.938	3.571				FF SR2-5A-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	7.938	3.571				FF * SR2-5A-FF-MC5-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	7.938	3.571		9.119	0.787	FF SFR2-5A-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	7.938	3.571		9.119	0.787	FF SFR2-5A-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 7.938 mm				<i>(0.125 x 0.313 in.)</i>			
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175 x 9.525 mm				<i>(0.125 x 0.375 in.)</i>			
3.175	9.525	2.779				Open SR2-6-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	2.779				Open SR2-6-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	2.779				Open SR2-6-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	2.779				Open SR2-6-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	2.779				Open SR2-6-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	2.779				Open SR2-6-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	2.779				ZZS SR2-6-ZZS-MC34-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmograese Li 802 EP plus - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 9.525 mm				(0.125 x 0.375 in.)			
3.175	9.525	2.779				ZZS SR2-6-ZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.175	9.525	2.779	10.719	0.584	Open	* SFR2-6-MC3-B5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
3.175	9.525	2.779	10.719	0.584	Open	* SFR2-6-MC34-U7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	2.779	10.719	0.584	Open	* SFR2-6-MC34-U7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.175	9.525	2.779	10.719	0.584	Open	* SFR2-6-MC34-U5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	2.779	10.719	0.584	Open	* SFR2-6-MC34-U5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
3.175	9.525	2.779	10.719	0.584	Open	* SFR2-6-MC34-U5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	2.779	10.719	0.584	Open	* SFR2-6-MC3-B7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.175	9.525	2.779	10.719	0.584	Open	* SFR2-6-MC34-U7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	3.571				FF SR2-6A-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.175	9.525	3.571				FF SR2-6A-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.175	9.525	3.571				ZZS SR2-6A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	3.571				ZZS SR2-6A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.571				ZZS SR2-6A-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	3.571				ZZS SR2-6A-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	3.571				ZZS SR2-6A-ZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.175	9.525	3.571				ZZS SR2-6A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.571				ZZS SR2-6A-ZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.175	9.525	3.571				ZZS SR2-6A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	3.571				ZZS SR2-6A-RZS-MC5-GR7-1275D-L106	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L106 Myonic Special Blend - Abec 7
3.175	9.525	3.571	10.719	0.787	Z	* SFR2-6A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.571	10.719	0.787	Z	* SFR2-6A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.571	10.719	0.787	Z	* SFR2-6A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	3.571	10.719	0.787	Z	* SFR2-6A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	3.571	10.719	0.787	Z	* SFR2-6A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	3.571	10.719	0.787	Z	* SFR2-6A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	3.571	10.719	0.787	ZZ	* SFR2-6A-ZZ-MC5-GR7-1275D-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 9.525 mm				<i>(0.125 x 0.375 in.)</i>			
3.175	9.525	3.571		10.719	0.787	ZZS * SFR2-6A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.571		10.719	0.787	ZZS * SFR2-6A-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	3.571		10.719	0.787	ZZS * SFR2-6A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	3.571		10.719	0.787	ZZS * SFR2-6A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.571		10.719	0.787	ZZS * SFR2-6A-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	3.571		10.719	0.787	ZZS * SFR2-6A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	3.969				FF SR2-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5
3.175	9.525	3.969				FF SR2-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 7
3.175	9.525	3.969				FF * SR2-FF-MC6-GR5-L23-J312-COC	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	9.525	3.969				FF * SR2-FF-MC5-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.969				FF * SR2-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	9.525	3.969				Open SR2-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	9.525	3.969				Open SR2-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	3.969				Open SR2-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.969				Open SR2-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	3.969				Open SR2-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	9.525	3.969				Open SR2-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.969				Open SR2-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	3.969				Open SR2-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	3.969				Z SR2-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.969				Z SR2-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	3.969				Z SR2-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.969				Z SR2-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	3.969				Z SR2-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	3.969				Z SR2-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 9.525 mm				<i>(0.125 x 0.375 in.)</i>			
3.175	9.525	3.969				ZZS SR2-R-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	3.969	11.176	0.762		FF SFR2-FF-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 7
3.175	9.525	3.969	11.176	0.762		FF SFR2-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5
3.175	9.525	3.969	11.176	0.762		FF * SFR2-FF-MC5-GR7-L23-1475D	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	9.525	3.969	11.176	0.762		Open SFR2-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.969	11.176	0.762		Open SFR2-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	9.525	3.969	11.176	0.762		Open SFR2-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.175	9.525	3.969	11.176	0.762		Open SFR2-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	3.969	11.176	0.762		Open SFR2-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.969	11.176	0.762		Open SFR2-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	3.969	11.176	0.762		Open SFR2-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	3.969	11.176	0.762		Open SFR2-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	3.969	11.176	0.762		ZZ * SFR2-ZZ-MC5-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.969	11.176	0.762		ZZS SFR2-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	9.525	3.969	11.176	0.762		ZZS SFR2-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 9.525 mm (0.125 x 0.375 in.)							
3.175	9.525	3.969		11.176	0.762	ZZS SFR2-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	9.525	3.969		11.176	0.762	ZZS SFR2-ZZS-MC34-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.175	9.525	3.969		11.176	0.762	ZZS SFR2-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.969		11.176	0.762	ZZS SFR2-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	9.525	3.969		11.176	0.762	ZZS SFR2-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.969	4.762			Open * SWR2-MC3-GR7	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.175	9.525	3.969	4.762			Open * SWR2-MC3-GR5	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.969	4.762			ZZ * SWR2-ZZ-MC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
3.175	9.525	3.969	4.762			ZZ * SWR2-ZZ-MC3GR7	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.175 x 10.414 mm (0.125 x 0.410 in.)							
3.175	10.414	2.381				ZZS SMR104-032-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.175	10.414	2.381				ZZS SMR104-032-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.175	10.414	2.779				ZZS SMR104-032A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.175	10.414	2.779				ZZS SMR104-032A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.175 x 10.795 mm (0.125 x 0.425 in.)							
3.175	10.795	2.779				ZZS SMR108-032-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
3.175	10.795	2.779				ZZS SMR108-032-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
3.175 x 12.700 mm (0.125 x 0.500 in.)							
3.175	12.700	4.366				Open SR2-8A-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.175	12.700	4.366				Open SR2-8A-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.175	12.700	4.366				Open SR2-8A-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.175	12.700	4.366				Open SR2-8A-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.175	12.700	4.366				Open SR2-8A-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.175	12.700	4.366				Open SR2-8A-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	12.700	4.366				Open * SR2-8A-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
3.175	12.700	4.366				Open * SR2-8A-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.175	12.700	4.366				Z SR2-8A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.175	12.700	4.366				Z SR2-8A-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 12.700 mm			<i>(0.125 x 0.500 in.)</i>				
3.175	12.700	4.366		Z	SR2-8A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5	
3.175	12.700	4.366		Z	SR2-8A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7	
3.175	12.700	4.366		Z	SR2-8A-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5	
3.175	12.700	4.366		Z	SR2-8A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5	
3.175	12.700	4.366		ZZ *	SR2-8A-ZZ-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5	
3.175	12.700	4.366		ZZ *	SR2-8A-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7	
3.175	12.700	4.366		ZZS	SR2-8A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5	
3.175	12.700	4.366		ZZS	SR2-8A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7	
3.175	12.700	4.366		ZZS	SR2-8A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5	
3.175	12.700	4.366		ZZS	SR2-8A-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7	
3.175	12.700	4.366		ZZS	SR2-8A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7	
3.175	12.700	4.366		ZZS	SR2-8A-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5	
3.969 x 7.938 mm			<i>(0.156 x 0.313 in.)</i>				
3.969	7.938	2.779		Open	SR155-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5	
3.969	7.938	2.779		Open	SR155-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5	
3.969	7.938	2.779		Open	SR155-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5	
3.969	7.938	2.779		Open	SR155-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7	
3.969	7.938	2.779		Open	SR155-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5	
3.969	7.938	2.779		Open	SR155-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7	
3.969	7.938	2.779		Open	SR155-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7	
3.969	7.938	2.779		Open	SR155-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7	
3.969	7.938	2.779		Z *	SR155-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7	
3.969	7.938	2.779		Z *	SR155-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5	
3.969	7.938	2.779		Z *	SR155-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7	
3.969	7.938	2.779		Z *	SR155-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7	
3.969	7.938	2.779		Z *	SR155-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5	
3.969	7.938	2.779		Z *	SR155-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5	

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.969 x 7.938 mm				<i>(0.156 x 0.313 in.)</i>			
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.969	7.938	2.779	3.571			Open * SWR155-MC3-GR7	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.969	7.938	2.779	3.571			Open * SWR155-MC3-GR5	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
3.969	7.938	2.779	3.571	9.119	0.584	Open * SFWR155-MC3-GR5	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
3.969	7.938	2.779	3.571	9.119	0.584	Open * SFWR155-MC3-GR7	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
3.969	7.938	3.175				ZZS SR155A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.969	7.938	3.175				ZZS SR155A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
3.969 x 7.938 mm							<i>(0.156 x 0.313 in.)</i>
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
3.969	7.938	3.175	3.969	9.119	0.914	ZZS SFWR155A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 1
3.969	7.938	3.175	3.969	9.119	0.914	ZZS SFWR155A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 1
4.000 x 7.000 mm							<i>(0.157 x 0.276 in.)</i>
4.000	7.000	1.600				Open SMR74D-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.000	7.000	2.000				Open SMR74-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.000	7.000	2.000				Open SMR74-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.000	7.000	2.000				ZS SMR74-T4HB-MC3-ZS-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.000	7.000	2.500				ZZS SMR74A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.000	7.000	2.500				ZZS SMR74A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.000 x 8.000 mm							<i>(0.157 x 0.315 in.)</i>
4.000	8.000	2.000				Open SMR84-MC4-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown Cage - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.000	8.000	2.000				Open * MR84-MC2-JP5	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	8.000	2.000				Open * SMR84-MC34-UP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	8.000	2.000				Open * SMR84-MC34-UP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	8.000	2.000	9.200	0.600		Open * SFMR84-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	8.000	2.000	9.200	0.600		Open * SFMR84-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	8.000	3.000				Open * MR84A-MC3-JP5-AF12	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.000	8.000	3.000				ZZS * SMR84A-ZZS-MC34-UP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	8.000	3.000				ZZS * SMR84A-ZZS-MC34-UP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	8.000	3.000	9.200	0.600		ZZS * SFMR84A-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	8.000	3.000	9.200	0.600		ZZS * SFMR84A-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.000 x 9.000 mm (0.157 x 0.354 in.)							
4.000	9.000	2.500				Open S684-R-MC4-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.000	9.000	2.500				Open S684-R-MC34-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.000	9.000	2.500				Open S684-R-MC34-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.000	9.000	2.500	10.300	0.600		Open SF684-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.000	9.000	2.500	10.300	0.600		Open SF684-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.000	9.000	4.000				ZZS S684A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.000	9.000	4.000				ZZS S684A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	9.000	4.000	10.300	1.000		ZZS SF684A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	9.000	4.000	10.300	1.000		ZZS SF684A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.000 x 10.000 mm (0.157 x 0.394 in.)							
4.000	10.000	3.000				Open * SMR104-MC34-UP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	10.000	3.000				Open * SMR104-MC34-UP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	10.000	3.000	11.200	0.600		Open * SFMR104-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	10.000	3.000	11.200	0.600		Open * SFMR104-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	10.000	4.000				FF SMR104A-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	10.000	4.000				FF SMR104A-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.000	10.000	4.000				ZZ * MR104A-ZZ-MC2-JP5	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	10.000	4.000				ZZS SMR104A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	10.000	4.000				ZZS SMR104A-ZZS-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	10.000	4.000				ZZS SMR104A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.000	10.000	4.000				ZZS SMR104A-ZZS-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	10.000	4.000	11.500	1.000		FF SFMR104AUF-FF-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.000	10.000	4.000	11.500	1.000		FF SFMR104AUF-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	10.000	4.000	11.500	1.000		ZZS SFMR104AUF-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	10.000	4.000	11.500	1.000		ZZS SFMR104AUF-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.000	10.000	4.000	11.600	0.800		ZZS * SFMR104A-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	10.000	4.000	11.600	0.800		ZZS * SFMR104A-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.000 x 11.000 mm (0.157 x 0.433 in.)							
4.000	11.000	4.000				Open S694-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.000	11.000	4.000				Open S694-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.000	11.000	4.000				ZZS S694-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	11.000	4.000				ZZS S694-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.000	11.000	4.000	12.500	1.000		Open * SF694-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	11.000	4.000	12.500	1.000		Open * SF694-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.000	11.000	4.000	12.500	1.000		ZZ * SF694-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	11.000	4.000	12.500	1.000		ZZ * SF694-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.000	11.000	4.000	12.500	1.000		ZZS SF694-ZZS-MC3-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.000 x 12.000 mm (0.157 x 0.472 in.)							
4.000	12.000	4.000				ZZ * 604-ZZ-MC3GR7	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.000	12.000	4.000				ZZ * S604-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.000	12.000	4.000				ZZ * S604-ZZ-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	12.000	4.000				ZZ * 604-ZZ-MC3GR5	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	12.000	4.000	13.500	1.000		Open * SF604-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.000	12.000	4.000	13.500	1.000		Open * SF604-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	12.000	4.000	13.500	1.000		ZZ * SF604-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.000	12.000	4.000	13.500	1.000		ZZ * SF604-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000 x 13.000 mm (0.157 x 0.512 in.)							
4.000	13.000	5.000				FF S624-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	13.000	5.000				FF S624-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.000	13.000	5.000				Open S624-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	13.000	5.000				Open S624-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.000	13.000	5.000				Open S624-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	13.000	5.000				Open S624-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.000	13.000	5.000				ZZS S624-ZZS-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	13.000	5.000				ZZS S624-ZZS-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	13.000	5.000				ZZS S624-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.000 x 13.000 mm (0.157 x 0.512 in.)							
4.000	13.000	5.000				ZZS S624-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	13.000	5.000	15.000	1.000	Open	* SF624-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	13.000	5.000	15.000	1.000	Open	* SF624-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.000	13.000	5.000	15.000	1.000	Open	* SF624-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	13.000	5.000	15.000	1.000	Open	* SF624-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	13.000	5.000	15.000	1.000	ZZ	* SF624-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G5 Exxon Beacon 325 - Abec 7
4.000	13.000	5.000	15.000	1.000	ZZS	* SF624-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
4.000	13.000	5.000	15.000	1.000	ZZS	* SF624-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
4.000	13.000	5.000	15.000	1.000	ZZS	* SF624-ZZS-MC3-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G5 Exxon Beacon 325 - Abec 5
4.000 x 16.000 mm (0.157 x 0.630 in.)							
4.000	16.000	5.000			Open	S634-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.000	16.000	5.000			Open	S634-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.000	16.000	5.000			ZZS	S634-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.000	16.000	5.000			ZZS	S634-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.000	16.000	5.000	18.000	1.000	Open	* SF634-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.000	16.000	5.000	18.000	1.000	Open	* SF634-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	16.000	5.000	18.000	1.000	ZZ	* SF634-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.000	16.000	5.000	18.000	1.000	ZZ	* SF634-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.000	16.000	5.000	18.000	1.000	ZZS	SF634-ZZS-MC3-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.757 x 12.700 mm (0.187 x 0.500 in.)							
4.757	12.700	3.969			Open	* SR3-UB-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.757	12.700	4.978	14.351	1.067	Open	* SFR3C-UB-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763 x 7.938 mm (0.188 x 0.313 in.)							
4.763	7.938	2.779			Open	SR156-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	7.938	2.779			Open	SR156-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	7.938	2.779			Open	SR156-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	7.938	2.779			Open	SR156-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	7.938	2.779			Open	SR156-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 7.938 mm						<i>(0.188 x 0.313 in.)</i>	
4.763	7.938	2.779				Open SR156-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	7.938	2.779				Open SR156-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	7.938	2.779				Open SR156-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	7.938	2.779				Z * SR156-ZS-MC34-U5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	7.938	2.779				Z * SR156-ZS-MC34-U5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.763	7.938	2.779				Z * SR156-ZS-MC34-U7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	7.938	2.779				Z * SR156-ZS-MC34-U7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.763	7.938	2.779				Z * SR156-ZS-MC34-U5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	7.938	2.779				Z * SR156-ZS-MC34-U7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	7.938	2.779	9.119	0.584		Open SFR156-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	7.938	2.779	9.119	0.584		Open SFR156-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	7.938	2.779	9.119	0.584		Open SFR156-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	7.938	2.779	9.119	0.584		Open SFR156-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	7.938	2.779	9.119	0.584		Open SFR156-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	7.938	2.779	9.119	0.584		Open SFR156-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	7.938	2.779	9.119	0.584		Open SFR156-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	7.938	2.779	9.119	0.584		Open SFR156-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	7.938	3.175				ZZS SR156A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	7.938	3.175				ZZS SR156A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	7.938	3.175	9.119	0.914		Z SFR156A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	7.938	3.175	9.119	0.914		Z SFR156A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 7.938 mm				<i>(0.188 x 0.313 in.)</i>			
4.763	7.938	3.175		9.119	0.914	Z SFR156A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	7.938	3.175		9.119	0.914	Z SFR156A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	7.938	3.175		9.119	0.914	Z SFR156A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	7.938	3.175		9.119	0.914	Z SFR156A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	7.938	3.175	3.969	9.119	0.914	ZZS SFWR156A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 1
4.763	7.938	3.175	3.969	9.119	0.914	ZZS SFWR156A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 1
4.763 x 9.525 mm				<i>(0.188 x 0.375 in.)</i>			
4.763	9.525	2.779				Open SR166A-MC5-12-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	9.525	2.779				Open SR166A-MC34-U7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	9.525	2.779				ZZS SR166A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.763	9.525	2.779				ZZS SR166A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.763	9.525	3.175				Open SR166-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	9.525	3.175				Open SR166-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	9.525	3.175				Open SR166-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	9.525	3.175				Open SR166-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	9.525	3.175				Open SR166-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	9.525	3.175				Open SR166-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	9.525	3.175				Open SR166-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	9.525	3.175				Open SR166-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 9.525 mm		<i>(0.188 x 0.375 in.)</i>					
4.763	9.525	3.175				Z SR166-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	9.525	3.175				Z SR166-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	9.525	3.175				Z SR166-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	9.525	3.175				Z SR166-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	9.525	3.175				Z SR166-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	9.525	3.175				Z SR166-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	9.525	3.175				Z * SR166-Z-C210-GR5-L23-COC	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	9.525	3.175				ZZS * SR166-ZZS-C210-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 9.525 mm				<i>(0.188 x 0.375 in.)</i>			
4.763	9.525	3.175		10.719	0.787	Z SFR166-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-C615-GR7-DRY	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Dry: No Lubricant - Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-R-ZZS-C615-GR7-AG7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G7 Aeroshell Grease No 7 - Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC3-GR7-35400D-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-KB-ZS-MC5-GR7-J260	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Phenolic Paper based - Grease: Special Vac Impregnated cage - Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC3-GR7-PD2	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: PD2 Optimol Longtime - Abec 7
4.763	9.525	3.175	3.969			ZZS SWR166-ZZS-MC3-GR5-G48	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5
4.763	9.525	3.175	3.969	10.719	0.584	Open SFWR166UF-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	9.525	3.175	3.969	10.719	0.584	Open SFWR166UF-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	9.525	3.175	3.969	10.719	0.787	ZZS SFWR166-R-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 1
4.763	9.525	3.175	3.969	10.719	0.787	ZZS SFWR166-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 1
4.763	9.525	3.175	3.969	10.719	0.787	ZZS SFWR166-TR-ZZS-C615-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Ribbon Cage Tightly Crimped (480) - Oil: L23 Windsortube L245X - Abec 5
4.763	9.525	3.175	3.969	10.719	0.787	ZZS SFWR166-R-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763 x 10.414 mm				<i>(0.188 x 0.410 in.)</i>			
4.763	10.414	2.779				ZZS * SMR10414-048-ZZS-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
4.763	10.414	2.779				ZZS * SMR10414-048-ZZS-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.763 x 12.700 mm				<i>(0.188 x 0.500 in.)</i>			
4.763	12.700	2.779				ZZ SR3B-R-Z-MC5-GR7-18150D-L106	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L106 Myonic Special Blend - Abec 7
4.763	12.700	2.779				ZZ SR3B-R-ZZ-MC5-GR7-18150D-L106	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L106 Myonic Special Blend - Abec 7
4.763	12.700	2.779				ZZS SR3B-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 12.700 mm				<i>(0.188 x 0.500 in.)</i>			
4.763	12.700	2.779				ZZS SR3B-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.763	12.700	3.969				Open SR3-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	12.700	3.969				Open SR3-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	12.700	3.969				Open SR3-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	12.700	3.969				Open SR3-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	12.700	3.969				Open SR3-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	12.700	3.969				Open SR3-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	12.700	3.969				Open SR3-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	12.700	3.969				Open SR3-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	12.700	3.969				Z * SR3-Z-MC5-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	12.700	3.969				ZZS SR3-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.763	12.700	3.969				ZZS SR3-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	12.700	4.978				ZZS SR3C-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	12.700	4.978				ZZS SR3C-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	12.700	4.978				ZZS * SR3C-ZZS-MC5-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 12.700 mm				<i>(0.188 x 0.500 in.)</i>			
4.763	12.700	4.978				ZZS * SFR3C-ZZS-MC5-GR5-G42	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: 240C Krytox - Abec 5
4.763	12.700	4.978	14.351	1.067	FF	SFR3C-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G5 Exxon Beacon 325 - Abec 5
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	12.700	4.978	14.351	1.067	Open	* SFR3C-F-MC5-GR5-G5-COC	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G5 Exxon Beacon 325 - Abec 5
4.763	12.700	4.978	14.351	1.067	Z	SFR3C-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	12.700	4.978	14.351	1.067	Z	SFR3C-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	12.700	4.978	14.351	1.067	Z	SFR3C-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	12.700	4.978	14.351	1.067	Z	SFR3C-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	12.700	4.978	14.351	1.067	Z	SFR3C-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	12.700	4.978	14.351	1.067	Z	SFR3C-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	12.700	4.978	14.351	1.067	ZZS	SFR3C-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
4.763	12.700	4.978	14.351	1.067	ZZS	SFR3C-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
4.763	12.700	4.978	14.351	1.067	ZZS	SFR3C-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
4.763	12.700	4.978	14.351	1.067	ZZS	SFR3C-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
4.763	12.700	4.978	14.351	1.067	ZZS	SFR3C-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
4.763	12.700	4.978	14.351	1.067	ZZS	SFR3C-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
4.763	12.700	4.978	14.351	1.067	ZZS	SFR3C-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
4.763	12.700	4.978	5.771			ZZ * SWR3C-ZZ-MC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
4.763	12.700	4.978	5.771			ZZ * SWR3C-ZZ-MC3GR7	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 19.050 mm (0.188 x 0.750 in.)							
4.763	19.050	4.978				ZZ * SR1126-ZZ-C613-U5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
5.000 x 8.000 mm (0.197 x 0.315 in.)							
5.000	8.000	2.000				Open SMR85-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
5.000	8.000	2.000				Open SMR85-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
5.000	8.000	2.000				Open SMR85-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
5.000	8.000	2.000				Open SMR85-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
5.000	8.000	2.500				ZZS * SMR85A-ZZS-MC34-UP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
5.000	8.000	2.500				ZZS * SMR85A-ZZS-MC34-UP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
5.000	8.000	2.500	9.200	0.600		ZZS * SFMR85A-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
5.000	8.000	2.500	9.200	0.600		ZZS * SFMR85A-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
5.000	8.000	3.000				ZZS SMR85C-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
5.000 x 10.000 mm (0.197 x 0.394 in.)							
5.000	10.000	3.000				Open * MR105-MC2-JP5	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
5.000 x 11.000 mm (0.197 x 0.433 in.)							
5.000	11.000	3.000				Open S685-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
5.000	11.000	3.000				Open S685-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
5.000	11.000	3.000	12.500	0.800		Open SF685-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
5.000	11.000	3.000	12.500	0.800		Open SF685-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
5.000	11.000	5.000				ZZS S685A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
5.000	11.000	5.000				ZZS S685A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
5.000	11.000	5.000	12.500	1.000		ZZS SF685A-R-ZZS-C615-GRP4-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - P4
5.000	11.000	5.000	12.500	1.000		ZZS SF685A-R-ZZS-C615-GRP5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - P5
5.000 x 13.000 mm (0.197 x 0.512 in.)							
5.000	13.000	4.000				Open S695-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
5.000	13.000	4.000				Open S695-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
5.000	13.000	4.000				Open S695-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
5.000	13.000	4.000				Open S695-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
5.000	13.000	4.000				ZZS S695-ZZS-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
5.000 x 13.000 mm (0.197 x 0.512 in.)							
5.000	13.000	4.000				ZZS S695-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
5.000	13.000	4.000				ZZS S695-ZZS-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
5.000	13.000	4.000				ZZS S695-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
5.000	13.000	4.000	15.000	1.000	Open	SF695-MC34-GRP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
5.000	13.000	4.000	15.000	1.000	Open	SF695-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
5.000	13.000	4.000	15.000	1.000	Open	SF695-MC34-GRP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
5.000	13.000	4.000	15.000	1.000	Open	SF695-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
5.000	13.000	4.000	15.000	1.000	ZZS	SF695-ZZS-MC34-GRP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
5.000	13.000	4.000	15.000	1.000	ZZS	SF695-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
5.000	13.000	4.000	15.000	1.000	ZZS	SF695-ZZS-MC34-GRP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
5.000	13.000	4.000	15.000	1.000	ZZS	SF695-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
5.000 x 16.000 mm (0.197 x 0.630 in.)							
5.000	16.000	5.000			Open	S625-MC3-R-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
5.000	16.000	5.000			Open	S625-MC3-R-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
5.000	16.000	5.000			ZZS	S625-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
5.000	16.000	5.000			ZZS	S625-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
5.000	16.000	5.000	18.000	1.000	Open *	SF625-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
5.000	16.000	5.000	18.000	1.000	Open *	SF625-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
5.000	16.000	5.000	18.000	1.000	ZZ *	SF625-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
5.000	16.000	5.000	18.000	1.000	ZZ *	SF625-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
5.000	16.000	5.000	18.000	1.000	ZZS	SF625-ZZS-MC3-GR5-AF12-GPR	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
5.000 x 19.000 mm (0.197 x 0.748 in.)							
5.000	19.000	6.000			Open	S635-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
5.000	19.000	6.000			Open	S635-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
5.000	19.000	6.000			ZZS	S635-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
5.000	19.000	6.000	22.000	1.500	Open *	SF635-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
5.000	19.000	6.000	22.000	1.500	Open *	SF635-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
5.000	19.000	6.000	22.000	1.500	ZZ *	SF635-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
5.000 x 19.000 mm (0.197 x 0.748 in.)							
5.000	19.000	6.000		22.000	1.500	ZZ * SF635-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
6.000 x 10.000 mm (0.236 x 0.394 in.)							
6.000	10.000	2.500				Open SMR106-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
6.000	10.000	2.500				Open SMR106-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.000	10.000	2.500				Open SMR106-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.000	10.000	2.500				Open SMR106-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
6.000	10.000	2.500	11.200	0.600		Open * SFMR106-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
6.000	10.000	2.500	11.200	0.600		Open * SFMR106-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
6.000	10.000	3.000				ZZS SMR106A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.000	10.000	3.000				ZZS SMR106A-ZZS-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
6.000	10.000	3.000				ZZS SMR106A-ZZS-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
6.000	10.000	3.000				ZZS SMR106A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.000	10.000	3.000	11.200	0.600		ZZS * SFMR106A-ZZS-MC34-GRP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
6.000	10.000	3.000	11.200	0.600		ZZS * SFMR106A-ZZS-MC34-GRP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
6.000 x 13.000 mm (0.236 x 0.512 in.)							
6.000	13.000	3.500				Open S686-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
6.000	13.000	3.500				Open S686-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.000	13.000	3.500				Open S686-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
6.000	13.000	3.500				Open S686-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.000	13.000	3.500	14.500	0.700		Open SF686UF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.000	13.000	3.500	14.500	0.700		Open SF686UF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.000	13.000	3.500	15.000	1.000		Open SF686-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.000	13.000	3.500	15.000	1.000		Open SF686-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.000	13.000	3.500	15.000	1.000		Open SF686-MC34-GRP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
6.000	13.000	3.500	15.000	1.000		Open SF686-MC34-GRP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
6.000	13.000	5.000				ZZ * S686B-ZZ-MC3-J5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.000	13.000	5.000				ZZS S686B-ZZS-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
6.000 x 13.000 mm (0.236 x 0.512 in.)							
6.000	13.000	5.000				ZZS S686B-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.000	13.000	5.000				ZZS S686B-ZZS-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
6.000	13.000	5.000				ZZS S686B-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.000	13.000	5.000	15.000	1.100		ZZS SF686B-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.000	13.000	5.000	15.000	1.100		ZZS SF686B-ZZS-MC34-GRP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
6.000	13.000	5.000	15.000	1.100		ZZS SF686B-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.000	13.000	5.000	15.000	1.100		ZZS SF686B-ZZS-MC34-GRP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
6.000 x 15.000 mm (0.236 x 0.591 in.)							
6.000	15.000	5.000				Open S696-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.000	15.000	5.000				Open S696-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.000	15.000	5.000				ZZS S696-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.000	15.000	5.000				ZZS S696-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.000	15.000	5.000	17.000	1.200		Open * SF696-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
6.000	15.000	5.000	17.000	1.200		Open * SF696-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
6.000	15.000	5.000	17.000	1.200		ZZ * SF696-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
6.000	15.000	5.000	17.000	1.200		ZZ * SF696-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
6.000 x 19.000 mm (0.236 x 0.748 in.)							
6.000	19.000	6.000				Open S626-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.000	19.000	6.000				Open S626-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.000	19.000	6.000				ZZS S626-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.000	19.000	6.000				ZZS S626-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.000	19.000	6.000	22.000	1.500		Open * SF626-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
6.000	19.000	6.000	22.000	1.500		Open * SF626-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
6.000	19.000	6.000	22.000	1.500		ZZ * SF626-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
6.000	19.000	6.000	22.000	1.500		ZZ * SF626-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
6.345 x 15.875 mm (0.250 x 0.625 in.)							
6.345	15.875	4.978				Open * SR4UB-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.345	15.875	4.978	17.526	1.067		Open * SFR4UB-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 9.525 mm				<i>(0.250 x 0.375 in.)</i>			
6.350	9.525	3.175				Open SR168-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	9.525	3.175				Open SR168-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	9.525	3.175				Open SR168-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	9.525	3.175				Open SR168-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	9.525	3.175				Open SR168-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	9.525	3.175				Open SR168-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	9.525	3.175				Open SR168-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.350	9.525	3.175				Open SR168-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	9.525	3.175				Z SR168-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	9.525	3.175				Z SR168-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	9.525	3.175				Z SR168-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	9.525	3.175				Z SR168-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	9.525	3.175				Z SR168-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	9.525	3.175				Z SR168-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	9.525	3.175				ZZS SR168-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	9.525	3.175				ZZS SR168-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF		Part Number	Type
6.350 x 9.525 mm			<i>(0.250 x 0.375 in.)</i>					
6.350	9.525	3.175		10.719	0.584	Open	SFR168UF-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	9.525	3.175		10.719	0.584	Open	SFR168UF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	9.525	3.175		10.719	0.584	Open	SFR168UF-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	9.525	3.175		10.719	0.914	Z	SFR168-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	9.525	3.175		10.719	0.914	Z	SFR168-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	9.525	3.175		10.719	0.914	Z	SFR168-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	9.525	3.175		10.719	0.914	Z	SFR168-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	9.525	3.175		10.719	0.914	Z	SFR168-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	9.525	3.175		10.719	0.914	Z	SFR168-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	9.525	3.175		10.719	0.914	ZZS	SFR168-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	9.525	3.175		10.719	0.914	ZZS	SFR168-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.350	9.525	3.175		10.719	0.914	ZZS	SFR168-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.350	9.525	3.175		10.719	0.914	ZZS	SFR168-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	9.525	3.175		10.719	0.914	ZZS	SFR168-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	9.525	3.175		10.719	0.914	ZZS	SFR168-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	9.525	3.175		10.719	0.914	ZZS	SFR168-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	9.525	3.175		10.719	0.914	ZZS	SFR168-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	9.525	3.175	3.969			Open	SWR168-MC3-GR5-G48	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.350	9.525	3.175	3.969			ZZS	SWR168-ZZS-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	9.525	3.175	3.969			ZZS	SWR168-ZZS-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.350	9.525	3.175	3.969	10.719	0.584	Open	SFWR168UF-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.350	9.525	3.175	3.969	10.719	0.584	Open	SFWR168UF-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	9.525	3.175	3.969	10.719	0.914	ZZS	SFWR168-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 1
6.350	9.525	3.175	3.969	10.719	0.914	ZZS	SFWR168-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 1
6.350	9.525	3.175	3.969	10.719	0.914	ZZS	* SFWR168-ZZS-MC3-GR7-G84	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G84 Asonic GHY 72 (Kluber) - Abec 1
6.350 x 12.700 mm			<i>(0.250 x 0.500 in.)</i>					
6.350	12.700	3.175				Open	SR188-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 12.700 mm				<i>(0.250 x 0.500 in.)</i>			
6.350	12.700	3.175				Open SR188-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	12.700	3.175				Open SR188-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	12.700	3.175				Open SR188-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	12.700	3.175				Open SR188-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	12.700	3.175				Open SR188-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	12.700	3.175				Open * SR188-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
6.350	12.700	3.175				Z * SR188-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	12.700	3.175				Z * SR188-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	12.700	3.175				Z * SR188-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
6.350	12.700	3.175				Z * SR188-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	12.700	3.175				Z * SR188-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	12.700	3.175				Z * SR188-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	12.700	3.969				ZZ * SR188C-ZS-MC3-B7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
6.350	12.700	4.762				ZZ SR188A-R-ZZMC5-GR7-1475D-L106	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L106 Myonic Special Blend - Abec 7
6.350	12.700	4.762				ZZ * SR188A-ZZ-MC5-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.350	12.700	4.762				ZZ * SR188A-ZZ-MC5-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	12.700	4.762				ZZ * SR188A-ZZ-MC3-GR7-G84	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G84 Asonic GHY 72 (Kluber) - Abec 7
6.350	12.700	4.762				ZZS SR188A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 12.700 mm				<i>(0.250 x 0.500 in.)</i>			
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	12.700	4.762				ZZS SR188A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	12.700	4.762	13.894	1.143		TTS * SFR188A-TTS-MC3GR5-MY-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5
6.350	12.700	4.762	13.894	1.143		Z SFR188A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	12.700	4.762	13.894	1.143		Z SFR188A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	12.700	4.762	13.894	1.143		Z SFR188A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	12.700	4.762	13.894	1.143		Z SFR188A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	12.700	4.762	13.894	1.143		Z SFR188A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	12.700	4.762	13.894	1.143		Z SFR188A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	12.700	4.762	13.894	1.143		ZZ * SFR188A-ZZ-MC3GR5-G47	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G47 Aeroshell Grease 15A - Abec 5
6.350	12.700	4.762	13.894	1.143		ZZS SFR188A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	12.700	4.762	13.894	1.143		ZZS SFR188A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	12.700	4.762	13.894	1.143		ZZS SFR188A-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	12.700	4.762	13.894	1.143		ZZS SFR188A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	12.700	4.762	13.894	1.143		ZZS SFR188A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	12.700	4.762	13.894	1.143		ZZS SFR188A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5
6.350	12.700	4.762	13.894	1.143		ZZS SFR188A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 7
6.350	12.700	4.762	13.894	1.143		ZZS SFR188A-ZZS-C1220-GR7-L2	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	12.700	4.762	13.894	1.143		ZZS SFR188A-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	12.700	4.762	5.556			ZZ * SWR188A-ZZ-MC5-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	12.700	4.762	5.556			ZZS SWR188A-ZZS-R-C615-GR7-G48	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 7
6.350	12.700	4.762	5.556			ZZS SWR188A-ZZS-R-C615-GR5-G48	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5
6.350	12.700	4.762	5.556	13.894	1.143	ZZS SFWR188A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 1

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 12.700 mm (0.250 x 0.500 in.)							
6.350	12.700	4.762	5.556	13.894	1.143	ZZS SFWR188A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 1
6.350 x 15.875 mm (0.250 x 0.625 in.)							
6.350	15.875	4.978				FF SR4-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.350	15.875	4.978				FF SR4-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.350	15.875	4.978				Open SR4-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	15.875	4.978				Open SR4-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	15.875	4.978				Open SR4-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	15.875	4.978				Open SR4-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	15.875	4.978				Open SR4-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	15.875	4.978				Open SR4-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	15.875	4.978				Open SR4-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.350	15.875	4.978				Open SR4-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	15.875	4.978				Z SR4-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	15.875	4.978				Z SR4-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	15.875	4.978				Z SR4-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	15.875	4.978				Z SR4-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	15.875	4.978				Z SR4-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	15.875	4.978				Z SR4-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	15.875	4.978				ZZS SR4-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	15.875	4.978				ZZS SR4-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	15.875	4.978				ZZS SR4-R-ZZS-MC5-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 15.875 mm				<i>(0.250 x 0.625 in.)</i>			
6.350	15.875	4.978				ZZS * SR4-ZZS-C1015-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	15.875	4.978				ZZS * SR4-ZZS-MC5-GR7-40400D-S1-J113	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	15.875	4.978				ZZS * SR4-ZZS-MC4-GR7L23DIS4-60-400D	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.350	15.875	4.978				ZZS * SR4-R-ZZS-MC4-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	15.875	4.978	17.526	1.067	FF	SFR4-FF-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
6.350	15.875	4.978	17.526	1.067	FF	SFR4-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
6.350	15.875	4.978	17.526	1.067	FF *	SFR4-FF-MC3-GR5-G84	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G84 Asonic GHY 72 (Kluber) - Abec 5
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	15.875	4.978	17.526	1.067	Z	SFR4-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	15.875	4.978	17.526	1.067	Z	SFR4-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	15.875	4.978	17.526	1.067	Z	SFR4-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	15.875	4.978	17.526	1.067	Z	SFR4-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	15.875	4.978	17.526	1.067	Z	SFR4-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	15.875	4.978	17.526	1.067	Z	SFR4-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
6.350	15.875	4.978	17.526	1.067	ZZ *	SFR4-ZZ-MC3GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G5 Exxon Beacon 325 - Abec 7
6.350	15.875	4.978	17.526	1.067	ZZS	SFR4-ZZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
6.350	15.875	4.978	17.526	1.067	ZZS	SFR4-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
6.350	15.875	4.978	17.526	1.067	ZZS	SFR4-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
6.350	15.875	4.978	17.526	1.067	ZZS	SFR4-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 15.875 mm (0.250 x 0.625 in.)							
6.350	15.875	4.978		17.526	1.067	ZZS SFR4-ZZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
6.350	15.875	4.978		17.526	1.067	ZZS SFR4-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
6.350	15.875	4.978	5.771			ZZ * SWR4-ZZ-MC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
6.350	15.875	4.978	5.771			ZZ * SWR4-ZZ-MC3GR7	Bearings - Ball - WIR - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
6.350 x 19.050 mm (0.250 x 0.750 in.)							
6.350	19.050	4.978				ZZS * SR4-12C-ZZS-MC3-U5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
6.350	19.050	7.142				ZZS * SR4-12B-ZZS-MC5-U5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: L23 Windsortube L245X - Abec 5
6.350 x 22.060 mm (0.250 x 0.869 in.)							
6.350	22.06	4.978				ZZ ** SMR2206-064-ZZ-MC3-U5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
7.000 x 11.000 mm (0.276 x 0.433 in.)							
7.000	11.000	2.500				Open SMR117-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
7.000	11.000	2.500				Open SMR117-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
7.000	11.000	3.000				ZZS SMR117A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 7
7.000	11.000	3.000				ZZS SMR117A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 5
7.000 x 13.000 mm (0.276 x 0.512 in.)							
7.000	13.000	3.000				Open * SMR137-MC34-UP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
7.000	13.000	3.000				Open * SMR137-MC34-UP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
7.000	13.000	3.000	14.200	0.600		Open * SFMR137-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
7.000	13.000	3.000	14.200	0.600		Open * SFMR137-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
7.000	13.000	4.000				ZZS * SMR137A-ZZS-MC34-UP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
7.000	13.000	4.000				ZZS * SMR137A-ZZS-MC34-UP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
7.000	13.000	4.000	14.600	0.800		ZZS * SFMR137A-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
7.000	13.000	4.000	14.600	0.800		ZZS * SFMR137A-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
7.000 x 14.000 mm (0.276 x 0.551 in.)							
7.000	14.000	3.500				Open S687-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
7.000	14.000	3.500				Open S687-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
7.000	14.000	3.500	16.000	1.000		Open SF687-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
7.000	14.000	3.500	16.000	1.000		Open SF687-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
7.000	14.000	5.000				ZZS S687A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmoglease Li 802 EP plus - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
7.000 x 14.000 mm (0.276 x 0.551 in.)							
7.000	14.000	5.000				ZZS S687A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
7.000	14.000	5.000	16.000	1.100		ZZS SF687A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
7.000	14.000	5.000	16.000	1.100		ZZS SF687A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
7.000 x 15.000 mm (0.276 x 0.591 in.)							
7.000	15.000	5.000				Open * SMR157-MC3-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G5 Exxon Beacon 325 - Abec 5
7.000 x 17.000 mm (0.276 x 0.669 in.)							
7.000	17.000	5.000				Open * S697-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
7.000	17.000	5.000				Open * S697-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
7.000	17.000	5.000				ZZ * S697-ZZ-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
7.000	17.000	5.000				ZZ * S697-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
7.000	17.000	5.000	19.000	1.200		Open * SF697-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
7.000	17.000	5.000	19.000	1.200		Open * SF697-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
7.000	17.000	5.000	19.000	1.200		ZZ * SF697-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
7.000	17.000	5.000	19.000	1.200		ZZ * SF697-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
7.000 x 19.000 mm (0.276 x 0.748 in.)							
7.000	19.000	6.000				Open S607-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
7.000	19.000	6.000				Open S607-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
7.000	19.000	6.000				ZZS S607-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
7.000	19.000	6.000				ZZS S607-ZZS-MC3-GR7-G340-GPR	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
7.000	19.000	6.000	22.000	1.500		Open * SF607-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
7.000	19.000	6.000	22.000	1.500		Open * SF607-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
7.000	19.000	6.000	22.000	1.500		ZZ * SF607-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
7.000	19.000	6.000	22.000	1.500		ZZ * SF607-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
7.000 x 22.000 mm (0.276 x 0.866 in.)							
7.000	22.000	7.000				Open S627-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
7.000	22.000	7.000				Open S627-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
7.000	22.000	7.000				ZZS S627-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
7.000	22.000	7.000				ZZS S627-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
7.000 x 22.000 mm (0.276 x 0.866 in.)							
7.000	22.000	7.000		25.000	1.500	Open * SF627-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
7.000	22.000	7.000		25.000	1.500	Open * SF627-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
7.000	22.000	7.000		25.000	1.500	ZZ * SF627-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
7.000	22.000	7.000		25.000	1.500	ZZ * SF627-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
7.000	22.000	10.300				ZZ * S627B-KB-ZZ-MC3-B7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Phenolic Paper based - Grease: Standard Unspecified - Abec 7
7.938 x 12.700 mm (0.313 x 0.500 in.)							
7.938	12.700	3.969				Open SR1810-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
7.938	12.700	3.969				Open SR1810-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
7.938 x 12.700 mm (0.313 x 0.500 in.)							
7.938	12.700	3.969		13.894	0.787	Open SFR1810-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
7.938	12.700	3.969		13.894	0.787	Z SFR1810-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
7.938	12.700	3.969		13.894	0.787	Z SFR1810-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
7.938	12.700	3.969		13.894	0.787	Z SFR1810-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
7.938	12.700	3.969		13.894	0.787	Z SFR1810-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
7.938	12.700	3.969		13.894	0.787	Z SFR1810-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
7.938	12.700	3.969		13.894	0.787	Z SFR1810-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
7.938	12.700	3.969		13.894	0.787	ZZS SFR1810-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
7.938	12.700	3.969		13.894	0.787	ZZS SFR1810-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
7.938 x 15.875 mm (0.313 x 0.625 in.)							
7.938	15.875	6.000				ZZ * SR11010A-ZZ-MC3-U7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: Standard Unspecified - Abec 7
7.938	15.875	7.500				ZZ * SR11010B-ZZ-MC3-U7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: Standard Unspecified - Abec 7
8.000 x 12.000 mm (0.315 x 0.472 in.)							
8.000	12.000	2.500				Open SMR128-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
8.000	12.000	2.500				Open SMR128-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
8.000 x 14.000 mm (0.315 x 0.551 in.)							
8.000	14.000	4.000				ZZ * MR148A-ZZ-MC2-JP5	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
8.000 x 16.000 mm (0.315 x 0.630 in.)							
8.000	16.000	4.000				Open S688-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
8.000	16.000	4.000				Open S688-MC34-GRP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
8.000	16.000	4.000				Open S688-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
8.000	16.000	4.000				Open S688-MC34-GRP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
8.000	16.000	4.000		18.000	1.000	Open SF688-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
8.000	16.000	4.000		18.000	1.000	Open SF688-MC34-GRP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P5
8.000	16.000	4.000		18.000	1.000	Open SF688-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
8.000	16.000	4.000		18.000	1.000	Open SF688-MC34-GRP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - P4
8.000	16.000	5.000				ZZ * S688A-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
8.000	16.000	5.000				ZZS * S688A-ZZS-MC34-UP5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
8.000 x 16.000 mm (0.315 x 0.630 in.)							
8.000	16.000	5.000				ZZS * S688A-ZZS-MC34-UP4-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
8.000	16.000	5.000	18.000	1.100		ZZS * SF688A-ZZS-MC34-UP4-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P4
8.000	16.000	5.000	18.000	1.100		ZZS * SF688A-ZZS-MC34-UP5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - P5
8.000	16.000	6.000				ZZS S688B-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
8.000	16.000	6.000				ZZS S688B-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
8.000	16.000	6.000	18.000	1.300		ZZS SF688B-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
8.000	16.000	6.000	18.000	1.300		ZZS SF688B-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
8.000 x 19.000 mm (0.315 x 0.748 in.)							
8.000	19.000	6.000				Open * S698-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
8.000	19.000	6.000				Open * S698-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
8.000	19.000	6.000				ZZ * S698-ZZ-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
8.000	19.000	6.000				ZZ * S698-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
8.000	19.000	6.000	22.000	1.500		Open * SF698-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
8.000	19.000	6.000	22.000	1.500		Open * SF698-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
8.000	19.000	6.000	22.000	1.500		ZZ * SF698-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
8.000	19.000	6.000	22.000	1.500		ZZ * SF698-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
8.000 x 22.000 mm (0.315 x 0.866 in.)							
8.000	22.000	7.000				Open S608-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
8.000	22.000	7.000				Open S608-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
8.000	22.000	7.000				ZZS S608-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
8.000	22.000	7.000				ZZS S608-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
8.000	22.000	7.000	25.000	1.500		Open * SF608-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
8.000	22.000	7.000	25.000	1.500		Open * SF608-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
8.000	22.000	7.000	25.000	1.500		ZZ * SF608-ZZ-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
8.000	22.000	7.000	25.000	1.500		ZZ * SF608-ZZ-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
8.000	22.000	8.000				FF ** 608A-FF-MC3-GR5-G48	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
8.000	22.000	8.000				FF * 608A-FF-MC3-GR7	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
9.000 x 14.000 mm (0.354 x 0.551 in.)							
9.000	14.000	3.000				Open SMR149-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
9.000	14.000	3.000				Open SMR149-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
9.000 x 17.000 mm (0.354 x 0.669 in.)							
9.000	17.000	4.000				Open S689-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
9.000	17.000	4.000				Open S689-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
9.000	17.000	4.000	19.000	1.000		Open * SF689-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.000	17.000	4.000	19.000	1.000		Open * SF689-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
9.000	17.000	6.000				ZZS S689B-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
9.000	17.000	6.000				ZZS S689B-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
9.000	17.000	6.000	19.000	1.300		ZZS SF689B-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
9.000	17.000	6.000	19.000	1.300		ZZS SF689B-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
9.000 x 20.000 mm (0.354 x 0.787 in.)							
9.000	20.000	6.000				Open * S699-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.000	20.000	6.000				Open * S699-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
9.000	20.000	6.000				ZZ * S699-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
9.000	20.000	6.000				ZZ * S699-ZZ-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.000 x 24.000 mm (0.354 x 0.945 in.)							
9.000	24.000	7.000				Open * S609-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
9.000	24.000	7.000				Open * S609-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.000	24.000	7.000				ZZ * S609-ZZ-MC3-GR7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
9.000	24.000	7.000				ZZ * S609-ZZ-MC3-GR5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.000 x 26.000 mm (0.354 x 1.024 in.)							
9.000	26.000	8.000				ZZ * 629-ZZ-MC2-JP5	Bearings - Ball - High Precision - Chrome Steel Chrome Steel - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.525 x 15.875 mm (0.375 x 0.625 in.)							
9.525	15.875	4.978				ZZS ** SR11012B-KC-ZZS-MC3-U7	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Phenolic Linen based - Grease: Standard Unspecified - Abec 7
9.525 x 22.225 mm (0.375 x 0.875 in.)							
9.525	22.225	5.556				ZZS SR6-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
9.525	22.225	5.556				ZZS SR6-ZZS-MC3-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.525	22.225	5.556				ZZS SR6-R-ZZS-MC5-60400D-GR7-J343	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
9.525 x 22.225 mm		<i>(0.375 x 0.875 in.)</i>					
9.525	22.225	5.556	24.613	1.575	Open	* SFR6-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
9.525	22.225	5.556	24.613	1.575	Open	* SFR6-MC3-GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.525	22.225	7.142				Z ** SR6A-ZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
9.525	22.225	7.142				Z * SR6A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
9.525	22.225	7.142				Z * SR6A-ZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
9.525	22.225	7.142				Z * SR6A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
9.525	22.225	7.142				Z * SR6A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
9.525	22.225	7.142				Z * SR6A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.525	22.225	7.142				ZZS ** SR6A-ZZS-MC34-GR5-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
9.525	22.225	7.142				ZZS * SR6A-ZZS-MC34-GR7-AF12	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
9.525	22.225	7.142				ZZS * SR6A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
9.525	22.225	7.142				ZZS * SR6A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
9.525	22.225	7.142				ZZS * SR6A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
9.525	22.225	7.142				ZZS * SR6A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
9.525	22.225	7.142	24.613	1.575	Open	SFR6A-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
9.525	22.225	7.142	24.613	1.575	Open	SFR6A-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
9.525	22.225	7.142	24.613	1.575	Open	SFR6A-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
9.525	22.225	7.142	24.613	1.575	Open	SFR6A-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
9.525	22.225	7.142	24.613	1.575	Open	SFR6A-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
9.525	22.225	7.142	24.613	1.575	Open	SFR6A-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
9.525	22.225	7.142	24.613	1.575	Z	SFR6A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 5
9.525	22.225	7.142	24.613	1.575	Z	SFR6A-ZS-MC34-GR5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 5
9.525	22.225	7.142	24.613	1.575	Z	SFR6A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 5
9.525	22.225	7.142	24.613	1.575	Z	SFR6A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G58 Kluber Isoflex LDS18 A - Abec 7
9.525	22.225	7.142	24.613	1.575	Z	SFR6A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: Standard Unspecified - Abec 7
9.525	22.225	7.142	24.613	1.575	Z	SFR6A-ZS-MC34-GR7-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: AF12 Aeroshell Fluid 12 - Abec 7
9.525	22.225	7.142	24.613	1.575	ZZS	SFR6A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmgrease Li 802 EP plus - Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

d	D	B	Bn	DF	BF	Part Number	Type
9.525 x 22.225 mm (0.375 x 0.875 in.)							
9.525	22.225	7.142		24.613	1.575	ZZS SFR6A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
10.000 x 15.000 mm (0.394 x 0.591 in.)							
10.000	15.000	3.000				Open S6700-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
10.000	15.000	3.000				Open S6700-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
10.000 x 19.000 mm (0.394 x 0.748 in.)							
10.000	19.000	5.000				Open S6800-GR5-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
10.000	19.000	5.000				Open S6800-GR7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
10.000	19.000	5.000				ZZS S6800-ZZS-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
10.000	19.000	5.000				ZZS S6800-ZZS-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
10.000	19.000	5.000		21.000	1.000	Open SF6800-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 7
10.000	19.000	5.000		21.000	1.000	Open SF6800-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Oil: L23 Windsortube L245X - Abec 5
10.000	19.000	5.000		21.000	1.000	ZZ * SF6800-ZZGR5	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 5
10.000	19.000	5.000		21.000	1.000	ZZ * SF6800-ZZGR7	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: Standard Unspecified - Abec 7
10.000	19.000	7.000				ZZS S6800B-ZZS-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
10.000	19.000	7.000				ZZS S6800B-ZZS-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
10.000	19.000	7.000		21.000	1.500	ZZS SF6800B-ZZS-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 5
10.000	19.000	7.000		21.000	1.500	ZZS SF6800B-ZZS-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - Abec 7
12.700 x 19.050 mm (0.500 x 0.750 in.)							
12.700	19.050	4.978				ZZS SR11216A-ZZS-GR7-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Low Torque Ribbon Cage (48) - Grease: G48 Turmogrease Li 802 EP plus - P4
12.700	19.050	4.978				ZZS SR11216A-ZZS-GR5-G48	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Ribbon Cage Tightly Crimped (480) - Grease: G48 Turmogrease Li 802 EP plus - P5
15.875 x 34.925 mm (0.625 x 1.375 in.)							
15.875	34.925	8.731				ZZ * SR10A-ZZ-U7-L23	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Oil: L23 Windsortube L245X - Abec 7
19.050 x 41.275 mm (0.750 x 1.625 in.)							
19.050	41.275	7.938				Open * SR12-U5-G5	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Crown or Ribbon cage (Unspecified) - Grease: G5 Exxon Beacon 325 - Abec 5
41.275 x 47.625 mm (1.625 x 1.875 in.)							
41.275	47.625	3.969				ZZ * SR13052-KB-ZZS-C613-U5-L21	Bearings - Ball - High Precision - 440C Stainless 440C Stainless - Phenolic Paper based - Oil: L21 Anderol L401D - Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Tips

If typing the links into your web browser manually, please ensure you type the FULL link including the / at the end to avoid display errors

Bearing Failure - Bearing Material Selection - Bearing Speed - Clearances
Precision - Measuring Small Parts

<http://www.minibearings.com.au/catalogue/info/>

Miniature Bearing Cross Reference - Prefix and Suffix Listing

<http://www.minibearings.com.au/catalogue/charts/>

Commonly Used Lubricants

Grease

G5: Beacon 325
G9: Andok C
G21: Shell Aeroshell No 7
G36: Mobil 28 EP
G39: Dow Corning 33 Light
G42: Dupont Krytox 240AC
G43: GE Versilube G300
G47: Shell Aeroshell 15A
G48: Shell Alvania RS
G58: Kluber Isoflex LDS 18 Special A
G84: Kluber Asonic GHY72
G341: Texaco Low Temp EP

Oil

L0: Shell Aeroshell Fluid 2
L2: Kluber Isoflex PDP38
L6: GE Versilube F50
L21: Lehigh Chemical Anderol L401D
L23: Anderson Windsorube L245X
L45: Shell Aeroshell Fluid 3
L58: Nycolube 11B MIL L6085A

AF12: Old designation for L0



Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

High Precision Ball Bearings