

MBA

2020.1

Knobs

Male, Female, Pointer, Cap Screw, Ball and More



INDEX

Cap Screw Knobs	3-5
Female Threaded	6-20
Female Bored	21-22
Male	23-34
Pointer	35

Selection of knobs listed by thread or hole size. This catalogue is a quick reference guide to help you find parts quickly. Enter a part number into the search box on the website to obtain full details.

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

Wing Knobs




Cap Screw Knobs
(Fit over standard cap screw head)



Star Knobs



Ball Knobs



Cap Screw Knobs

Head Diameter (A) mm (in.)	Thickness (B) mm (in.)	Colour	Style	Material	Part Number
Suits Cap Screw (not included) 4-40, 4-56 (2.85mm)					
7.94 (0.31")	4.4	Black	Knurled Thumb Knob	Plastic	** KM029-008-KNU-B
7.94 (0.31")	4.4	Grey	Knurled Thumb Knob	Plastic	* KM029-008-KNU-G
7.94 (0.31")	4.4	Red	Knurled Thumb Knob	Plastic	** KM029-008-KNU-R
7.94 (0.31")	4.4	Yellow	Knurled Thumb Knob	Plastic	* KM029-008-KNU-Y
Suits Cap Screw (not included) M3 (3mm)					
9.60 (0.38")	4.4	Black	Knurled Thumb Knob	Plastic	** KM030M-010-KNU-B
9.60 (0.38")	4.4	Grey	Knurled Thumb Knob	Plastic	* KM030M-010-KNU-G
9.60 (0.38")	4.4	Red	Knurled Thumb Knob	Plastic	** KM030M-010-KNU-R
9.60 (0.38")	4.4	Yellow	Knurled Thumb Knob	Plastic	* KM030M-010-KNU-Y
38.10 (1.50")	11.9	Black	Rosette Thumb Knob	Plastic	** KM095-038-ROS-B
38.10 (1.50")	11.9	Grey	Rosette Thumb Knob	Plastic	* KM095-038-ROS-G
38.10 (1.50")	11.9	Red	Rosette Thumb Knob	Plastic	* KM095-038-ROS-R
38.10 (1.50")	11.9	Yellow	Rosette Thumb Knob	Plastic	* KM095-038-ROS-Y
44.45 (1.75")	11.9	Yellow	Tee Thumb Knob	Plastic	* KM095-044-TEE-Y
44.45 (1.75")	11.9	Black	Tee Thumb Knob	Plastic	** KM095-044-TEE-B
44.45 (1.75")	11.9	Red	Tee Thumb Knob	Plastic	* KM095-044-TEE-R
44.45 (1.75")	11.9	Grey	Tee Thumb Knob	Plastic	* KM095-044-TEE-G
Suits Cap Screw (not included) 6-32, 6-40					
9.53 (0.38")	4.8	Yellow	Knurled Thumb Knob	Plastic	* KM035C-010-KNU-Y
9.53 (0.38")	4.8	Red	Knurled Thumb Knob	Plastic	* KM035C-010-KNU-R
9.53 (0.38")	4.8	Grey	Knurled Thumb Knob	Plastic	* KM035C-010-KNU-G
9.53 (0.38")	4.8	Black	Knurled Thumb Knob	Plastic	* KM035C-010-KNU-B
Suits Cap Screw (not included) M4 (4.00mm)					
13.00 (0.51")	5.5	Yellow	Knurled Thumb Knob	Plastic	* KM040M-013-KNU-Y
13.00 (0.51")	5.5	Grey	Knurled Thumb Knob	Plastic	* KM040M-013-KNU-G
13.00 (0.51")	5.5	Black	Knurled Thumb Knob	Plastic	** KM040M-013-KNU-B
13.00 (0.51")	5.5	Red	Knurled Thumb Knob	Plastic	* KM040M-013-KNU-R
Suits Cap Screw (not included) 8-32, 8-40					
12.70 (0.50")	5.6	Yellow	Knurled Thumb Knob	Plastic	* KM042-013-KNU-Y
12.70 (0.50")	5.6	Black	Knurled Thumb Knob	Plastic	* KM042-013-KNU-B
12.70 (0.50")	5.6	Grey	Knurled Thumb Knob	Plastic	* KM042-013-KNU-G
12.70 (0.50")	5.6	Red	Knurled Thumb Knob	Plastic	* KM042-013-KNU-R
Suits Cap Screw (not included) 10-24, 10-32					
14.29 (0.56")	8.7	Yellow	L Thumb Knob	Plastic	* KM048-014-L-Y
14.29 (0.56")	8.7	Red	L Thumb Knob	Plastic	* KM048-014-L-R
14.29 (0.56")	8.7	Black	L Thumb Knob	Plastic	* KM048-014-L-B
14.29 (0.56")	8.7	Grey	L Thumb Knob	Plastic	* KM048-014-L-G
15.88 (0.63")	6.4	Black	Knurled Thumb Knob	Plastic	* KM048-016-KNU-B
15.88 (0.63")	6.4	Grey	Knurled Thumb Knob	Plastic	* KM048-016-KNU-G
15.88 (0.63")	6.4	Red	Knurled Thumb Knob	Plastic	* KM048-016-KNU-R
15.88 (0.63")	6.4	Yellow	Knurled Thumb Knob	Plastic	* KM048-016-KNU-Y
25.40 (1.00")	6.4	Black	Tee Thumb Knob	Plastic	** KM048-025-TEE-B
25.40 (1.00")	6.4	Grey	Tee Thumb Knob	Plastic	* KM048-025-TEE-G
25.40 (1.00")	6.4	Red	Tee Thumb Knob	Plastic	* KM048-025-TEE-R
25.40 (1.00")	6.4	Yellow	Tee Thumb Knob	Plastic	* KM048-025-TEE-Y
Suits Cap Screw (not included) M4 (4mm)					
16.00 (0.63")	6.5	Red	Knurled Thumb Knob	Plastic	** KM050M-016-KNU-R
16.00 (0.63")	6.5	Yellow	Knurled Thumb Knob	Plastic	** KM050M-016-KNU-Y
16.00 (0.63")	6.5	Black	Knurled Thumb Knob	Plastic	** KM050M-016-KNU-B
16.00 (0.63")	6.5	Grey	Knurled Thumb Knob	Plastic	* KM050M-016-KNU-G
21.43 (0.84")	13.5	Yellow	L Thumb Knob	Plastic	** KM079-021-L-Y
21.43 (0.84")	13.5	Red	L Thumb Knob	Plastic	** KM079-021-L-R
21.43 (0.84")	13.5	Grey	L Thumb Knob	Plastic	** KM079-021-L-G
21.43 (0.84")	13.5	Black	L Thumb Knob	Plastic	* KM079-021-L-B

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Cap Screw Knobs

Head Diameter (A) mm (in.)	Thickness (B) mm (in.)	Colour	Style	Material	Part Number
Suits Cap Screw (not included) M4 (4mm)					
25.40 (1.00")	10.3	Yellow	Knurled Thumb Knob	Plastic	* KM079-025-KNU-Y
25.40 (1.00")	10.3	Red	Knurled Thumb Knob	Plastic	* KM079-025-KNU-R
25.40 (1.00")	10.3	Grey	Knurled Thumb Knob	Plastic	* KM079-025-KNU-G
25.40 (1.00")	10.3	Black	Knurled Thumb Knob	Plastic	* KM079-025-KNU-B
26.00 (1.02")	6.6	Yellow	Tee Thumb Knob	Plastic	** KM050M-026-TEE-Y
26.00 (1.02")	6.6	Red	Tee Thumb Knob	Plastic	** KM050M-026-TEE-R
26.00 (1.02")	6.6	Grey	Tee Thumb Knob	Plastic	** KM050M-026-TEE-G
26.00 (1.02")	6.6	Black	Tee Thumb Knob	Plastic	** KM050M-026-TEE-B
38.10 (1.50")	10.3	Red	Tee Thumb Knob	Plastic	** KM079-038-TEE-R
38.10 (1.50")	10.3	Black	Tee Thumb Knob	Plastic	* KM079-038-TEE-B
38.10 (1.50")	10.3	Black	Rosette Thumb Knob	Plastic	* KM079-038-ROS-B
38.10 (1.50")	10.3	Grey	Tee Thumb Knob	Plastic	* KM079-038-TEE-G
38.10 (1.50")	10.3	Grey	Rosette Thumb Knob	Plastic	* KM079-038-ROS-G
38.10 (1.50")	10.3	Red	Rosette Thumb Knob	Plastic	* KM079-038-ROS-R
38.10 (1.50")	10.3	Yellow	Rosette Thumb Knob	Plastic	* KM079-038-ROS-Y
38.10 (1.50")	10.3	Yellow	Tee Thumb Knob	Plastic	* KM079-038-TEE-Y
Suits Cap Screw (not included) M6 (6mm)					
19.00 (0.75")	7.6	Grey	Knurled Thumb Knob	Plastic	* KM060M-019-KNU-G
19.00 (0.75")	7.6	Red	Knurled Thumb Knob	Plastic	** KM060M-019-KNU-R
19.00 (0.75")	7.6	Black	Knurled Thumb Knob	Plastic	** KM060M-019-KNU-B
19.00 (0.75")	7.6	Yellow	Knurled Thumb Knob	Plastic	** KM060M-019-KNU-Y
26.00 (1.02")	7.8	Black	Knurled Thumb Knob	Plastic	* KM060M-026-KNU-B
26.00 (1.02")	7.8	Grey	Knurled Thumb Knob	Plastic	* KM060M-026-KNU-G
26.00 (1.02")	7.8	Red	Knurled Thumb Knob	Plastic	* KM060M-026-KNU-R
26.00 (1.02")	7.8	Yellow	Knurled Thumb Knob	Plastic	* KM060M-026-KNU-Y
30.00 (1.18")	7.8	Red	Tee Thumb Knob	Plastic	** KM060M-030-TEE-R
30.00 (1.18")	7.8	Black	Tee Thumb Knob	Plastic	** KM060M-030-TEE-B
30.00 (1.18")	7.8	Grey	Tee Thumb Knob	Plastic	* KM060M-030-TEE-G
30.00 (1.18")	7.8	Yellow	Tee Thumb Knob	Plastic	* KM060M-030-TEE-Y
38.00 (1.50")	12.2	Red	Rosette Thumb Knob	Plastic	* KM060M-038-ROS-R
38.00 (1.50")	12.2	Grey	Rosette Thumb Knob	Plastic	* KM060M-038-ROS-G
38.00 (1.50")	12.2	Yellow	Rosette Thumb Knob	Plastic	** KM060M-038-ROS-Y
38.00 (1.50")	12.2	Black	Rosette Thumb Knob	Plastic	** KM060M-038-ROS-B
Suits Cap Screw (not included) 1/4 (6.35mm)					
17.46 (0.69")	11.1	Black	L Thumb Knob	Plastic	** KM064-017-L-B
17.46 (0.69")	11.1	Grey	L Thumb Knob	Plastic	* KM064-017-L-G
17.46 (0.69")	11.1	Red	L Thumb Knob	Plastic	* KM064-017-L-R
17.46 (0.69")	11.1	Yellow	L Thumb Knob	Plastic	* KM064-017-L-Y
19.05 (0.75")	7.9	Red	Knurled Thumb Knob	Plastic	** KM064-019-KNU-R
19.05 (0.75")	7.9	Yellow	Knurled Thumb Knob	Plastic	* KM064-019-KNU-Y
19.05 (0.75")	7.9	Grey	Knurled Thumb Knob	Plastic	* KM064-019-KNU-G
19.05 (0.75")	7.9	Black	Knurled Thumb Knob	Plastic	** KM064-019-KNU-B
25.40 (1.00")	7.9	Grey	Knurled Thumb Knob	Plastic	* KM064-025-KNU-G
25.40 (1.00")	7.9	Red	Knurled Thumb Knob	Plastic	* KM064-025-KNU-R
25.40 (1.00")	7.9	Yellow	Knurled Thumb Knob	Plastic	* KM064-025-KNU-Y
25.40 (1.00")	7.9	Black	Knurled Thumb Knob	Plastic	** KM064-025-KNU-B
31.75 (1.25")	7.9	Black	Tee Thumb Knob	Plastic	* KM064-032-TEE-B
31.75 (1.25")	7.9	Grey	Tee Thumb Knob	Plastic	* KM064-032-TEE-G
31.75 (1.25")	7.9	Red	Tee Thumb Knob	Plastic	** KM064-032-TEE-R
31.75 (1.25")	7.9	Yellow	Tee Thumb Knob	Plastic	** KM064-032-TEE-Y
38.10 (1.50")	11.9	Black	Rosette Thumb Knob	Plastic	** KM064-038-ROS-B
38.10 (1.50")	11.9	Yellow	Rosette Thumb Knob	Plastic	* KM064-038-ROS-Y
38.10 (1.50")	11.9	Red	Rosette Thumb Knob	Plastic	** KM064-038-ROS-R
38.10 (1.50")	11.9	Grey	Rosette Thumb Knob	Plastic	* KM064-038-ROS-G



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Cap Screw Knobs

Head Diameter (A) mm (in.)	Thickness (B) mm (in.)	Colour	Style	Material	Part Number
Suits Cap Screw (not included) M8 (8mm)					
26.00 (1.02")	9.8	Black	Knurled Thumb Knob	Plastic	** KM080M-026-KNU-B
26.00 (1.02")	9.8	Grey	Knurled Thumb Knob	Plastic	* KM080M-026-KNU-G
26.00 (1.02")	9.8	Red	Knurled Thumb Knob	Plastic	* KM080M-026-KNU-R
26.00 (1.02")	9.8	Yellow	Knurled Thumb Knob	Plastic	* KM080M-026-KNU-Y
38.00 (1.50")	10.0	Red	Rosette Thumb Knob	Plastic	* KM080M-038-ROS-R
38.00 (1.50")	10.0	Yellow	Tee Thumb Knob	Plastic	* KM080M-038-TEE-Y
38.00 (1.50")	10.0	Red	Tee Thumb Knob	Plastic	* KM080M-038-TEE-R
38.00 (1.50")	10.0	Grey	Tee Thumb Knob	Plastic	* KM080M-038-TEE-G
38.00 (1.50")	10.0	Yellow	Rosette Thumb Knob	Plastic	* KM080M-038-ROS-Y
38.00 (1.50")	10.0	Grey	Rosette Thumb Knob	Plastic	* KM080M-038-ROS-G
38.00 (1.50")	10.0	Black	Rosette Thumb Knob	Plastic	** KM080M-038-ROS-B
38.00 (1.50")	10.0	Black	Tee Thumb Knob	Plastic	* KM080M-038-TEE-B
Suits Cap Screw (not included) M10 (10.00mm)					
38.00 (1.50")	12.5	Black	Rosette Thumb Knob	Plastic	* KM100M-038-ROS-B
38.00 (1.50")	12.5	Grey	Rosette Thumb Knob	Plastic	* KM100M-038-ROS-G
38.00 (1.50")	12.5	Red	Rosette Thumb Knob	Plastic	* KM100M-038-ROS-R
38.00 (1.50")	12.5	Yellow	Rosette Thumb Knob	Plastic	** KM100M-038-ROS-Y
45.00 (1.77")	12.5	Red	Tee Thumb Knob	Plastic	* KM100M-045-TEE-R
45.00 (1.77")	12.5	Grey	Tee Thumb Knob	Plastic	* KM100M-045-TEE-G
45.00 (1.77")	12.5	Yellow	Tee Thumb Knob	Plastic	* KM100M-045-TEE-Y
45.00 (1.77")	12.5	Black	Tee Thumb Knob	Plastic	** KM100M-045-TEE-B



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size M3x0.5 (3mm Standard)					
10.00 (0.39")	-	Black	Ball - Threaded Knob		* KF030M-010-TPH
12.00 (0.47")	6.5		Knurled Knob	Thermoplastic	KF030M-012-KN-PH
Thread Size 6-32 UNC (3.5mm)					
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF035C-019-TPH-IN
Thread Size M4x0.7 (4mm Standard)					
12.00 (0.47")	-	Black	Ball - Threaded Knob		* KF040M-012-TPH
12.00 (0.47")	10.0		Knurled Knob	Phenolic	KF040M-012-KN-PH
12.00 (0.47")	10.0		Thumb Knob		* KF040M-012-THM
15.00 (0.59")	10.0		Knurled Knob	Phenolic	KF040M-015-KN-PH
16.00 (0.63")	-	Black	Ball - Threaded Knob		* KF040M-016-TPH-IN
16.00 (0.63")	-	Black	Ball - Threaded Knob	Phenolic	** KF040M-016-TPH-B
16.00 (0.63")	7.0		Ball - Threaded Knob	Thermoplastic	KF040M-016-TTPL-TT
16.00 (0.63")	-		Ball - Threaded Knob	Thermoplastic	KF040M-016-TTPL-MT
16.00 (0.63")	-		Ball - Threaded Knob	Thermoplastic	KF040M-016-TTPL-BR
16.00 (0.63")	-		Ball - Threaded Knob	Steel	* KF040M-016-TPST
16.00 (0.63")	7.2		Ball - Threaded Knob	Stainless Steel	KF040M-016-T303
20.00 (0.79")	-	Black	Ball - Threaded Knob	Phenolic	** KF040M-020-TPH
20.00 (0.79")	8.0		Star Knob		* KF040M-020-STRF-PL
25.00 (0.98")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF040M-025-7L-ST
Thread Size 8-32 UNC (4.17mm)					
15.88 (0.63")	-		Ball - Threaded Knob	Aluminium	KF042C-016-TPAL
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF042C-019-TPH-IN
20.07 (0.79")	7.9	Black	Cross - Standard Knob	Phenolic	KF042C-020-CS
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF042C-025-7L-ST
25.40 (1.00")	9.5	Black	Cross - Blind Knob	Nylon	KF042C-025-CB
31.80 (1.25")	25.4	Bright Chrome	Classic Cabinet Hardware Knob	Zinc Diecast	** KF042C-032-CAB-CH
31.80 (1.25")	-	Black Nickel	Classic Cabinet Hardware Knob	Zinc Diecast	* KF042C-032-CAB-BK
38.10 (1.50")	-	Bright Chrome	Indented Top Cabinet Hardware Knob	Zinc Diecast	* KF042C-038-CAB-CH19
38.10 (1.50")	25.4	Bright Chrome	Indented Top Cabinet Hardware Knob	Zinc Diecast	KF042C-038-CAB-CH16
Thread Size 10-24 UNC (4.76mm)					
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF048C-019-TPH-IN
19.05 (0.75")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF048C-019-TPBR-P
19.05 (0.75")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF048C-019-TPBR-R
19.05 (0.75")	9.5		Ball - Threaded Knob	Steel	** KF048C-019-TPST
19.05 (0.75")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF048C-019-3L-BHST
20.07 (0.79")	7.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF048C-020-4L
20.07 (0.79")	7.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF048C-020-4L-P
20.07 (0.79")	8.9	Black	Cross - Standard Knob	Phenolic	KF048C-020-CS
24.89 (0.98")	7.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF048C-025-4L
24.89 (0.98")	8.9		Ball - Threaded with Groove Knob		* KF048C-025-TPLG
24.89 (0.98")	8.9		Ball - Threaded with Knurl Knob	Plastic	KF048C-025-TPLK
24.89 (0.98")	8.9	Black	Three Lobe - Standard Knob	Thermoplastic	KF048C-025-3L
25.40 (1.00")	9.5		Ball - Threaded Knob	Steel	KF048C-025-TPST
25.40 (1.00")	9.5	Black	Cross - Blind Knob	Nylon	KF048C-025-CB
29.97 (1.18")	7.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF048C-030-6L-BR
31.75 (1.25")	7.9	Black	Cross - Blind Knob	Phenolic	KF048C-032-CB
31.75 (1.25")	11.1	Black	Cross - Through Hole Knob	Phenolic	KF048C-032-CHL
31.75 (1.25")	25.0		Mushroom Round - Threaded Knob	Phenolic	KF048C-032-MRPH
32.00 (1.26")	7.1	Black	Cross - Standard Knob	Thermoplastic	KF048C-032-CS
32.00 (1.26")	8.9	Black	Three Lobe - Standard Knob	Thermoplastic	KF048C-032-3L
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF048C-038-TPST
Thread Size 10-32 UNF (4.76mm)					
16.89 (0.66")	-		Ball - Threaded with Shank Knob	Phenolic	KF048F-017-TPHS



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 10-32 UNF (4.76mm)					
19.05 (0.75")	-	Red	Ball - Threaded Knob		* KF048F-019-TPH-IN-R
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF048F-019-TPH-IN
19.05 (0.75")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF048F-019-TPBR-P
19.05 (0.75")	-		Raw Ball - Threaded - Polished Brass Knob		* KF048F-019-TPBR-R
19.05 (0.75")	9.5		Ball - Threaded Knob		* KF048F-019-TPST
19.84 (0.78")			Ball - Threaded Knob	Aluminium	KF048F-020-TPAL
20.07 (0.79")	7.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF048F-020-4L
20.07 (0.79")	7.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF048F-020-4L-P
24.89 (0.98")	8.4	Black	Seven Lobe - Standard Knob	Thermoplastic	KF048F-025-7L-SP
24.89 (0.98")	9.9	Black	Five Lobe - Standard Knob	Plastic	KF048F-025-5L-BR
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF048F-025-7L-SS
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF048F-025-7L-ST
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF048F-025-TPH-IN
25.40 (1.00")	-	Red	Ball - Threaded Knob		* KF048F-025-TPH-IN-R
25.40 (1.00")	9.5		Ball - Threaded Knob	Steel	KF048F-025-TPST
25.40 (1.00")	9.5	Black	Cross - Blind Knob	Nylon	KF048F-025-CB
28.58 (1.13")		Black	Tri - Blind Hole Knob	Phenolic	KF048F-029-TRI-BHF
28.58 (1.13")		Black	Tri - Through Hole Knob	Phenolic	KF048F-029-TRI-PF
29.97 (1.18")	14.0	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF048F-030-3L-SFT
31.75 (1.25")	7.9	Black	Cross - Blind Knob	Phenolic	KF048F-032-CB
31.75 (1.25")	7.9	Black	Cross - Through Hole Knob	Phenolic	KF048F-032-CH
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Plastic	KF048F-032-5L-BR
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF048F-032-7L-ST
Thread Size M5x0.8 (5mm Standard)					
15.00 (0.59")	10.0		Knurled Knob	Phenolic	KF050M-015-KN-PH
15.00 (0.59")	10.0		Thumb Knob		* KF050M-015-THM
16.00 (0.63")	7.0		Ball - Threaded Knob	Thermoplastic	KF050M-016-TTPL-TT
20.00 (0.79")	-	Black	Ball - Threaded Knob	Phenolic	* KF050M-020-TPH
20.00 (0.79")	-	Black	Ball - Threaded Knob		* KF050M-020-TPH-IN
20.00 (0.79")	-		Ball - Threaded Knob	Thermoplastic	KF050M-020-TTPL-BR
20.00 (0.79")	7.5		Ball - Threaded Knob	Thermoplastic	KF050M-020-TTPL-ST
20.00 (0.79")	-		Ball - Threaded Knob	Thermoplastic	KF050M-020-TTPL-MT
20.00 (0.79")	9.0		Ball - Threaded Knob	Thermoplastic	KF050M-020-TTPL-TT
20.00 (0.79")	9.1		Ball - Threaded Knob	Stainless Steel	KF050M-020-T303
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	KF050M-025-TPH-IN
25.00 (0.98")	9.0		Star Knob	Plastic	** KF050M-025-STRF-PL
25.00 (0.98")	9.5	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF050M-025-7L-SP
25.00 (0.98")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF050M-025-7LQA
25.00 (0.98")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF050M-025-7L-ST
32.00 (1.26")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF050M-032-7L-ST
Thread Size M6x1 (6mm Standard)					
15.00 (0.59")	9.0		Knurled Knob	Phenolic	KF060M-015-KN-PH
16.00 (0.63")	-		Ball - Threaded Knob	Steel	* KF060M-016-TPST
17.00 (0.67")	10.0		15.00 Knurled - Torque Knob	Plastic	* KF060M-017-TQ
17.00 (0.67")	9.0		Thumb Knob	Plastic	** KF060M-017-THM
20.00 (0.79")	7.5		Ball - Threaded Knob	Thermoplastic	KF060M-020-TTPL-ST
20.00 (0.79")	9.0		Ball - Threaded Knob	Thermoplastic	KF060M-020-TTPL-TT
21.00 (0.83")	12.0	White	Knurled Knurled - Clean Line Knob	Duroplast	* KF060M-021-CL
23.00 (0.91")	-		14.00 Knurled - Torque Knob	Plastic	* KF060M-023-TQ
25.00 (0.98")	-	Black	Ball - Threaded Knob		* KF060M-025-TPH
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	KF060M-025-TPH-IN
25.00 (0.98")	9.0		Ball - Threaded Knob	Thermoplastic	KF060M-025-TTPL-ST
25.00 (0.98")	-		Ball - Threaded Knob	Thermoplastic	KF060M-025-TTPL-MT
25.00 (0.98")	-		Ball - Threaded Knob	Thermoplastic	KF060M-025-TTPL-BR

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 7 of 37

EOE

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size M6x1 (6mm Standard)					
25.00 (0.98")	1.0		Ball - Threaded Knob	Thermoplastic	KF060M-025-TTPL-TT
25.00 (0.98")			Ball - Threaded Knob		* KF060M-025-TPST
25.00 (0.98")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF060M-025-7L-ST
25.00 (0.98")	11.0		Ball - Threaded Knob	Stainless Steel	KF060M-025-T303
30.00 (1.18")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF060M-030-6L-PSS
30.00 (1.18")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF060M-030-6L-PBR
30.00 (1.18")	13.5		Push-Pull Knob	Plastic	** KF060M-030-PP
31.75 (1.25")	12.7	Black	Cross - Through Hole Knob	Phenolic	KF060M-032-CH
32.00 (1.26")	9.0	Black	Five Lobe - Standard Knob	Phenolic	KF060M-032-5L-BR
32.00 (1.26")	9.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KF060M-032-5L-ST
32.00 (1.26")	10.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	* KF060M-032-5LCL
32.00 (1.26")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF060M-032-7L-ST
32.00 (1.26")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF060M-032-7LQA
32.00 (1.26")	12.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF060M-032-7L-SP
32.00 (1.26")	13.5		Star Knob		* KF060M-032-STRF-PL
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF060M-035-TPH-IN
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF060M-038-5LHX
40.00 (1.57")		Black	Tri Knob	Phenolic	* KF060M-040-TRI-BHF
40.00 (1.57")	12.0	Black	Five Lobe - Standard Knob	Phenolic	KF060M-040-5L-ST
40.00 (1.57")	12.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF060M-040-L303
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF060M-040-7L-SP
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF060M-040-6L-PBR
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF060M-040-6L-PSS
40.00 (1.57")	18.0		Wing - Contoured Knob	Plastic	** KF060M-040-W
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF060M-044-CH
50.00 (1.97")		Black	Tri Knob	Phenolic	* KF060M-050-TRI-BHF
50.00 (1.97")	10.0		Three Lobe - Safety Knob	42.00	* KF060M-050-3L-SAF
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF060M-052-MRPH

Thread Size 6.1mm Unthreaded Hole with 10-32 Set Screw Hole

83.06 (3.27")	23.1	Black	Six Lobe - Standard Knob	Phenolic	KF061-083-6L-ST-GS
83.06 (3.27")	23.1	Black	Six Lobe - Standard Knob	Phenolic	KF061-083-6L-ST

Thread Size 1/4-20 UNC (6.35mm)

19.05 (0.75")	-	Red	Ball - Threaded Knob		* KF064C-019-TPH-IN-R
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-019-TPH-IN
19.05 (0.75")		Black	Tri - Blind Hole Knob	ABS	KF064C-019-TRI-BHF
19.05 (0.75")		Black	Tri - Through Hole Knob	ABS	KF064C-019-TRI-PF
19.05 (0.75")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF064C-019-3L-BHST
20.06 (0.79")	9.9		Ball - Threaded with Knurl Knob	Plastic	KF064C-020-TPLK
20.07 (0.79")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	KF064C-020-4L
20.07 (0.79")	9.7	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF064C-020-4L-P
20.07 (0.79")	9.9		Ball - Threaded with Groove Knob		* KF064C-020-TPLG
22.10 (0.87")	9.9	Black	Six Lobe - Standard Knob	Phenolic	KF064C-022-6L-BR
24.61 (0.97")			Ball - Threaded Knob	Aluminium	KF064C-025-TPAL
24.89 (0.98")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	KF064C-025-4LA
24.89 (0.98")	9.7	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF064C-025-4L-P
24.89 (0.98")	9.9		Ball - Novo-Grip Knob	Rubber	KF064C-025-NG
24.89 (0.98")	9.9		Ball - Threaded with Groove Knob		* KF064C-025-TPLG
24.89 (0.98")	9.9		Ball - Threaded with Knurl Knob	Plastic	KF064C-025-TPLK
24.89 (0.98")	9.9	Black	Four Lobe - Standard Knob	Phenolic	KF064C-025-4LB
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF064C-025-7L-ST
24.89 (0.98")	10.9	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF064C-025-3L-P
24.89 (0.98")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF064C-025-KN-SFT-TP
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-025-TPH-IN

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 8 of 37

EOE

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 1/4-20 UNC (6.35mm)					
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	KF064C-025-TPH-IN-R
25.40 (1.00")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF064C-025-TPBR-P
25.40 (1.00")	-		Raw Ball - Threaded - Polished Brass Knob		* KF064C-025-TPBR-R
25.40 (1.00")		Black	Tri - Blind Hole Knob	ABS	KF064C-025-TRI-BHF
25.40 (1.00")		Black	Tri - Through Hole Knob	ABS	KF064C-025-TRI-PF
25.40 (1.00")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF064C-025-3L-BHST
25.40 (1.00")	12.7		Ball - Threaded Knob		* KF064C-025-TPST
25.40 (1.00")	12.7	Black	Cross - Blind Knob	Nylon	KF064C-025-CB
28.58 (1.13")		Black	Tri - Blind Hole Knob	Phenolic	KF064C-029-TRI-BHF
28.58 (1.13")		Black	Tri - Through Hole Knob	Phenolic	KF064C-029-TRI-PF
29.97 (1.18")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-030-6L-BR
29.97 (1.18")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-030-6L-SS
29.97 (1.18")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF064C-030-6L-PBR
29.97 (1.18")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF064C-030-6L-PSS
29.97 (1.18")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	KF064C-030-4L
29.97 (1.18")	9.7	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF064C-030-4L-P
29.97 (1.18")	14.0	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF064C-030-3L-SFT
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-030-TPH-IN
30.16 (1.19")	-	Red	Ball - Threaded Knob		* KF064C-030-TPH-IN-R
31.75 (1.25")		Black	Tri - Blind Hole Knob	Phenolic	KF064C-032-TRI-BHF
31.75 (1.25")	9.5	Black	Cross - Through Hole Knob	Nylon	KF064C-032-CH-NY
31.75 (1.25")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF064C-032-3L-BHST
31.75 (1.25")	11.1	Black	Cross - Blind Knob	Phenolic	KF064C-032-CB
31.75 (1.25")	12.7	Black	Cross - Blind Knob	Nylon	KF064C-032-CBL
31.75 (1.25")	12.7	Black	Cross - Through Hole Knob	Phenolic	KF064C-032-CH-PH
31.75 (1.25")	25.0		Mushroom Round - Threaded Knob	Phenolic	KF064C-032-MRPH
31.75 (1.25")	-		Ball - Threaded with Shank Knob	Phenolic	KF064C-032-TPHS
32.00 (1.26")	9.5	Black	Cross - Standard Knob	Thermoplastic	KF064C-032-CS-SS
32.00 (1.26")	9.5	Black	Cross - Standard Knob	Thermoplastic	KF064C-032-CSL
32.00 (1.26")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-032-CH-SS
32.00 (1.26")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-032-CH-TP
32.00 (1.26")	9.9	Black	Cross - Standard Knob	Phenolic	KF064C-032-CS
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Phenolic	KF064C-032-5L-SS
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Phenolic	KF064C-032-5L-BR10B
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Plastic	KF064C-032-5L-BR10A
32.00 (1.26")	9.9	Black	Four Lobe - Standard Knob	Phenolic	KF064C-032-4L
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF064C-032-7L-SS
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF064C-032-7L-ST
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Phenolic	** KF064C-032-7L-BR
32.00 (1.26")	9.9	Black	Three Lobe - Standard Knob	Thermoplastic	KF064C-032-3L
32.00 (1.26")	-		Five Lobe - Soft Touch - Through Hole Knob		KF064C-032-5LSFT-P
32.00 (1.26")	11.9	Black	Five Lobe - Standard Knob	Plastic	KF064C-032-5L-BR12T
32.00 (1.26")	11.9	Black	Five Lobe - Standard Knob	Plastic	KF064C-032-5L-BR12
32.00 (1.26")	11.9	Black	Seven Lobe - Standard Knob	Thermoplastic	KF064C-032-7L-SP
32.00 (1.26")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF064C-032-3L-P
33.02 (1.30")	9.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-033-6L-BRB
33.02 (1.30")	9.9	Black	Six Lobe - Standard Knob	Phenolic	KF064C-033-6L-BRA
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	KF064C-035-TSFT
34.93 (1.38")	-	Red	Ball - Threaded Knob		* KF064C-035-TPH-IN-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-035-TPH-IN
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF064C-035-TPST
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-038-TPH
38.10 (1.50")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	** KF064C-038-TPBR-P
38.10 (1.50")	-		Raw Ball - Threaded - Polished Brass Knob		* KF064C-038-TPBR-R



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 1/4-20 UNC (6.35mm)					
38.10 (1.50")		Black	Tri - Through Hole Knob	Phenolic	KF064C-038-TRI-PF
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF064-038-5LHX
38.10 (1.50")	9.9	Black	Three Lobe - Standard Knob	Thermoplastic	KF064C-038-3L
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF064C-038-TPST
38.10 (1.50")	11.8		Ball - Threaded - Wrench Flats and Knob-Lok Knob		* KF064C-038-TWFKL
38.10 (1.50")	-		Ball - Threaded with Shank Knob	Phenolic	KF064C-038-TPHS
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF064C-039-5LSFT
38.61 (1.52")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF064C-039-5LSFT-P
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	KF064C-040-6L-SP
39.88 (1.57")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	KF064C-040-4L
39.88 (1.57")	11.9	Black	Five Lobe - Standard Knob	Phenolic	KF064C-040-5L-BR12A
39.88 (1.57")	11.9	Black	Five Lobe - Standard Knob	Plastic	KF064C-040-5L-BR12B
39.88 (1.57")	14.0	Black	Five Lobe - Standard Knob	Plastic	KF064C-040-5L-BR14B
39.88 (1.57")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF064C-040-5L-BR14A
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF064C-040-7L-SP
39.88 (1.57")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF064C-040-3L-P
39.88 (1.57")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF064C-040-KN-SFT-TP
39.88 (1.57")	18.0	Black	Five Lobe - Standard Knob	Plastic	KF064C-040-5L-BR18
40.13 (1.58")	9.5	Black	Cross - Standard Knob	Thermoplastic	KF064C-040-CS-SS
40.13 (1.58")	9.5	Black	Cross - Standard Knob	Thermoplastic	KF064C-040-CS
40.13 (1.58")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-040-CH
40.13 (1.58")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-040-CH-SS
40.13 (1.58")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-040-6L-BR
40.13 (1.58")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-040-6L-SS
40.13 (1.58")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF064C-040-6L-PBR
40.13 (1.58")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF064C-040-6L-PSS
41.28 (1.63")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF064C-041-3L-BHST
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	KF064C-041-MOPH
42.67 (1.68")		Black	Tri - Through Hole Knob	Thermoplastic	* KF064C-043-TRI-PF
44.45 (1.75")		Black	Tri - Through Hole - Knob-Lok Knob	Polypropylene	KF064C-044-TRI-PFKLK
44.45 (1.75")	11.1	Black	Cross - Blind Knob	Phenolic	KF064C-044-CB
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Nylon	KF064C-044-CBL
44.45 (1.75")	12.7	Black	Cross - Through Hole Knob	Nylon	KF064C-044-CH
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF064C-044-CH-PH
44.96 (1.77")		Black	Tri - Blind Hole Knob	Thermoplastic	KF064C-045-TRI-BHF
44.96 (1.77")		Black	Tri - Through Hole Knob	Thermoplastic	KF064C-045-TRI-PF
44.96 (1.77")	17.8	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF064C-045-3L-SFT
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF064C-049-5LSFT
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF064C-049-5LSFT-P
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	KF064C-050-6L-SP
50.04 (1.97")	10.2		Three Lobe - Safety Knob	41.91	* KF064C-050-3L-SAF
50.04 (1.97")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF064C-050-KN-SFT-TP
50.80 (2.00")	9.5		Wing Knob		* KF064C-051-W
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF064C-052-MRPH
57.15 (2.25")	11.1	Black	Cross - Blind Knob	Phenolic	KF064C-057-CB
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Thermoplastic	KF064C-057-CBL
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF064C-057-CH
57.15 (2.25")	18.3	Black	Five Lobe - Through Hole Knob	Polypropylene	KF064C-057-5L-PB
57.15 (2.25")	25.4	Black	Five Lobe - Through Hole Knob	Polypropylene	KF064C-057-5L-PA
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF064C-057-5LSFT
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF064C-057-5LSFT-P
63.50 (2.50")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF064C-064-4L-SFT
76.20 (3.00")	15.9	Black	Cross - Blind Knob	Thermoplastic	KF064C-076-CB

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 10 of 37

EOE

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 1/4-20 UNC (6.35mm)					
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-076-CH-TP
Thread Size 1/4-28 UNF (6.35mm)					
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF064F-025-TPH-IN
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	KF064F-025-TPH-IN-R
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF064F-025-TPST
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF064F-035-TPST
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF064F-038-TPST
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	KF064F-076-CH
Thread Size 7.87 Unthreaded Hole					
100.08 (3.94")	31.0	Black	Six Lobe - Standard Knob	Phenolic	KF079-100-6L-ST
Thread Size 7.92 Unthreaded Hole					
51.05 (2.01")	21.1	Black	Six Lobe - Standard Knob	Phenolic	KF079P-051-6L-ST
Thread Size 5/16-18 UNC (7.94mm)					
19.05 (0.75")		Black	Tri - Through Hole Knob	ABS	KF079C-019-TRI-PF
24.89 (0.98")	14.0		Ball - Threaded with Groove Knob		* KF079C-025-TPLG
24.89 (0.98")	14.0		Ball - Threaded with Knurl Knob	Plastic	KF079C-025-TPLK
25.40 (1.00")	-	Red	Ball - Threaded Knob		* KF079C-025-TPH-IN-R
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-025-TPH-IN
25.40 (1.00")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF079C-025-TPBR-P
25.40 (1.00")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF079C-025-TPBR-R
25.40 (1.00")		Black	Tri - Blind Hole Knob	ABS	KF079C-025-TRI-BHF
25.40 (1.00")		Black	Tri - Through Hole Knob	ABS	KF079C-025-TRI-PF
25.40 (1.00")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF079C-025-3L-BHST
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF079C-025-TPST
29.97 (1.18")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-030-6L-BR
29.97 (1.18")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-030-6L-SS
30.16 (1.19")	-	Red	Ball - Threaded Knob	Phenolic	KF079C-030-TPH-IN-R
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-030-TPH-IN
31.75 (1.25")		Black	Tri - Blind Hole Knob	ABS	KF079C-032-TRI-BHF-ABS
31.75 (1.25")		Black	Tri - Blind Hole Knob	Phenolic	KF079C-032-TRI-BHF-PH
31.75 (1.25")			Ball - Threaded Knob		* KF079C-032-TPAL
31.75 (1.25")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF079C-032-3L-BHST
31.75 (1.25")	11.1	Black	Cross - Blind Knob	Phenolic	KF079C-032-CB
31.75 (1.25")	12.7	Black	Cross - Blind Knob	Nylon	KF079C-032-CBL
31.75 (1.25")	12.7	Black	Cross - Through Hole Knob	Phenolic	KF079C-032-CH
31.75 (1.25")	-		Ball - Threaded with Shank Knob	Phenolic	KF079C-032-TPHS
32.00 (1.26")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-032-CS
32.00 (1.26")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-032-CS-SS
32.00 (1.26")	32.0		Ball - Novo-Grip Knob	Rubber	KF079C-032-NG-SS
32.00 (1.26")	32.0		Ball - Novo-Grip Knob	Rubber	KF079C-032-NG
33.02 (1.30")	14.0	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-033-6L-BRA
33.02 (1.30")	14.0	Black	Six Lobe - Standard Knob	Phenolic	KF079C-033-6L-BRB
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	KF079C-035-TSFT
34.93 (1.38")	-	Red	Ball - Threaded Knob		* KF079C-035-TPH-IN-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-035-TPH-IN
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF079C-035-TPST
35.05 (1.38")	14.0		Ball - Threaded with Groove Knob		* KF079C-035-TPLG
35.05 (1.38")	14.0		Ball - Threaded with Knurl Knob	Plastic	KF079C-035-TPLK
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-038-TPH-IN
38.10 (1.50")		Black	Tri - Through Hole Knob	Phenolic	KF079C-038-TRI-PF
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF079-038-5LHX
38.10 (1.50")			Ball - Threaded - Soft Touch Knob	Rubber	KF079C-038-TSFT
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF079C-038-TPST

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 5/16-18 UNC (7.94mm)					
38.10 (1.50")	-		Ball - Threaded with Shank Knob	Phenolic	KF079C-038-TPHS
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF079C-039-5LSFT
38.61 (1.52")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF079C-039-5LSFT-P
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	KF079C-040-6L-SP
39.88 (1.57")	11.9	Black	Five Lobe - Standard Knob	Plastic	KF079C-040-5L-BR12
39.88 (1.57")	11.9	Black	Four Lobe - Standard Knob	Thermoplastic	KF079C-040-4L11
39.88 (1.57")	11.9	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF079C-040-4L-P
39.88 (1.57")	13.0	Black	Five Lobe - Standard Knob	Phenolic	KF079C-040-5L-BR13
39.88 (1.57")	13.0	Black	Five Lobe - Standard Knob	Phenolic	KF079C-040-5L-SS
39.88 (1.57")	14.0	Black	Cross - Standard Knob	Phenolic	KF079C-040-CS
39.88 (1.57")	14.0	Black	Four Lobe - Standard Knob	Phenolic	KF079C-040-4L13
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF079C-040-7L-SP
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF079C-040-7L-ST
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF079C-040-7L-SS
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Phenolic	* KF079C-040-7L-BR
39.88 (1.57")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	KF079C-040-3L
39.88 (1.57")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF079C-040-3L-P
39.88 (1.57")	16.0	Black	Five Lobe - Standard Knob	Phenolic	KF079C-040-5L-BR16
39.88 (1.57")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF079C-040-KN-SFT-TP
39.88 (1.57")	-		Five Lobe - Soft Touch -Through Hole Knob		KF079C-040-5LSFT-P
39.88 (1.57")	18.0	Black	Five Lobe - Standard Knob	Plastic	KF079C-040-5L-BR18
40.13 (1.58")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-040-CSL
40.13 (1.58")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-040-CS-SS
40.13 (1.58")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-040-CH-SS
40.13 (1.58")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-040-CH
40.13 (1.58")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-040-6L-BR
40.13 (1.58")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-040-6L-SS
40.13 (1.58")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF079C-040-6L-PBR
40.13 (1.58")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF079C-040-6L-PSS
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-041-TPH-IN
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	KF079C-041-TPH-IN-R
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	KF079C-041-MOPH
42.67 (1.68")		Black	Tri - Through Hole Knob	Thermoplastic	* KF079C-043-TRI-PF
43.94 (1.73")	14.0	Black	Six Lobe - Standard Knob	Phenolic	KF079C-044-6L-BR
44.45 (1.75")		Black	Tri - Through Hole - Knob-Lok Knob	Polypropylene	KF079C-044-TRI-PFKLK
44.45 (1.75")	11.1	Black	Cross - Blind Knob	Phenolic	KF079C-044-CB
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Nylon	KF079C-044-CBL
44.45 (1.75")	12.7	Black	Cross - Through Hole Knob	Nylon	KF079C-044-CH-NY
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF079C-044-CH-PH
44.96 (1.77")		Black	Tri - Blind Hole Knob	Thermoplastic	KF079C-045-TRI-BHF
44.96 (1.77")		Black	Tri - Through Hole Knob	Thermoplastic	KF079C-045-TRI-PF
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF079C-049-5LSFT
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF079C-049-5LSFT-P
50.00 (1.97")	62.0		Round - Soft Knob		* KF079C-050-RSFTF
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	KF079C-050-6L-SP
50.04 (1.97")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-050-CS
50.04 (1.97")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-050-CS-SS
50.04 (1.97")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-050-CH-SS
50.04 (1.97")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-050-CH
50.04 (1.97")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-050-6L-SS
50.04 (1.97")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-050-6L-BR
50.04 (1.97")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF079C-050-6L-PBR
50.04 (1.97")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF079C-050-6L-PSS
50.04 (1.97")	11.9	Black	Four Lobe - Standard Knob	Thermoplastic	KF079C-050-4L11

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 12 of 37

EOE

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 5/16-18 UNC (7.94mm)					
50.04 (1.97")	11.9	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF079C-050-4L-P
50.04 (1.97")	14.0	Black	Four Lobe - Standard Knob	Phenolic	KF079C-050-4L13
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF079C-050-7L-ST
50.04 (1.97")	14.0		Three Lobe - Safety Knob	41.91	* KF079C-050-3L-SAF
50.04 (1.97")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	KF079C-050-3L
50.04 (1.97")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF079C-050-3L-P
50.04 (1.97")	16.0	Black	Five Lobe - Standard Knob	Plastic	KF079C-050-5L-BR16
50.04 (1.97")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF079C-050-KN-SFT-TP
50.04 (1.97")	18.0	Black	Five Lobe - Standard Knob	Phenolic	KF079C-050-5L-BR18
50.04 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF079C-050-7L-SP
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Plastic	KF079C-050-5L-BR20B
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF079C-050-5L-BR20A
50.80 (2.00")		Black	Tri - Through Hole Knob	Phenolic	KF079C-051-TRI-PF
50.80 (2.00")	9.5		Wing Knob	Phenolic	KF079C-051-W
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF079C-052-MRPH
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF079C-057-CBL
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Thermoplastic	KF079C-057-CB
57.15 (2.25")	12.7	Black	Cross - Through Hole Knob	Nylon	KF079C-057-CH-NY
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF079C-057-CH
57.15 (2.25")	18.3	Black	Five Lobe - Through Hole Knob	Polypropylene	KF079C-057-5L-PB
57.15 (2.25")	25.4	Black	Five Lobe - Through Hole Knob	Polypropylene	KF079C-057-5L-PA
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF079C-057-5LSFT
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF079C-057-5LSFT-P
59.94 (2.36")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-060-CS
59.94 (2.36")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-060-CS-SS
59.94 (2.36")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-060-6L-SS
59.94 (2.36")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-060-6L-BR
65.02 (2.56")		Black	Tri - Blind Hole Knob	Thermoplastic	KF079C-065-TRI-BHF
65.02 (2.56")		Black	Tri - Through Hole Knob	Thermoplastic	KF079C-065-TRI-PF
76.20 (3.00")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF079C-076-4L-SFT
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-076-CH
Thread Size 5/16-24 UNF (7.94mm)					
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF079F-025-TPH-IN
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	KF079F-025-TPH-IN-R
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF079F-025-TPST
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF079F-035-TPST
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF079F-038-TPST
44.45 (1.75")	11.1	Black	Cross - Blind Knob	Phenolic	KF079F-044-CB
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF079F-044-CH
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF079F-052-MRPH
Shaft Diameter 7.98					
38.10 (1.50")	14.29		Oval Tapered - Press On Knob		** KF079-038-OT-P
Thread Size 8-32 UNC (4.17mm)					
16.89 (0.66")	6.35		Ball - Threaded with Shank Knob	Phenolic	KF042-017-TPHS
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	KF080M-025-TPH-IN
25.00 (0.98")	1.0		Ball - Threaded Knob	Thermoplastic	KF080M-025-TTPL-TT
25.00 (0.98")	9.0		Ball - Threaded Knob	Thermoplastic	KF080M-025-TTPL-ST
26.00 (1.02")	13.0	White	Knurled Knurled - Clean Line Knob	Duroplast	* KF080M-026-CL
30.00 (1.18")	-		Ball - Threaded Knob	Thermoplastic	KF080M-030-TTPL-MT
30.00 (1.18")	-		Ball - Threaded Knob	Thermoplastic	KF080M-030-TTPL-BR
30.00 (1.18")	-		Knurled - Torque Knob	Plastic	** KF080M-030-TQ
30.00 (1.18")	15.0		Lever - Threaded Bore Knob	Plastic	** KF080M-030-LVR
31.75 (1.25")	13.1	Black	Cross - Through Hole Knob	Phenolic	KF080M-032-CH



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 8-32 UNC (4.17mm)					
32.00 (1.26")	-	Black	Ball - Threaded Knob	Phenolic	** KF080M-032-TPH-IN
32.00 (1.26")	-	Black	Ball - Threaded Knob		* KF080M-032-TPH
32.00 (1.26")	12.0		Ball - Threaded Knob	Thermoplastic	KF080M-032-TTPL-ST
32.00 (1.26")	14.5		Ball - Threaded Knob	Thermoplastic	KF080M-032-TTPL-TT
32.00 (1.26")			Ball - Threaded Knob	Steel	** KF080M-032-TPST
32.00 (1.26")	14.5		Ball - Threaded Knob	Stainless Steel	KF080M-032-T303
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF080M-035-TPH-IN
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF080M-038-5LHX
39.00 (1.54")	16.0		Push-Pull Knob		* KF080M-039-PP
40.00 (1.57")	11.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KF080M-040-5L-ST11
40.00 (1.57")	12.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF080M-040-L303
40.00 (1.57")	12.0		Press Fit Type C Lobe Knob	303 Stainless Steel	* KF080PF-040-L303
40.00 (1.57")	13.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	* KF080M-040-5LCL
40.00 (1.57")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF080M-040-7LQA
40.00 (1.57")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF080M-040-5L-ST14
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF080M-040-7L-SP
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF080M-040-7L-ST
40.00 (1.57")	16.0		Star Knob		* KF080M-040-STRF-PL
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF080M-040-6L-PSS
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF080M-040-6L-PBR
40.00 (1.57")	20.0		Wing - Contoured Knob		* KF080M-040-W
43.00 (1.69")	15.0		Star - Soft Knob	Rubber	** KF080M-043-STRF-SFT
44.00 (1.73")	13.0		Grip - Soft Knob		* KF080M-044-GSC
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF080M-044-CH
50.00 (1.97")		Black	Tri Knob	Phenolic	* KF080M-050-TRI-BHF
50.00 (1.97")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF080M-050-5L-ST14
50.00 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF080M-050-7L-ST
50.00 (1.97")	14.0		Three Lobe - Safety Knob	42.00	* KF080M-050-3L-SAF
50.00 (1.97")	15.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF080M-050-L303
50.00 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF080M-050-7L-SP
50.00 (1.97")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF080M-050-6L-PBR
50.00 (1.97")	62.0		Round - Soft Knob		* KF080M-050-RSFTF
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF080M-052-MRPH
62.00 (2.44")		Black	Tri Knob	Phenolic	* KF080M-062-TRI-BHF
70.00 (2.76")	25.0		Wing - Contoured Knob		* KF080M-070-W
40.0 (393.66")	15.0		Star - 304 Stainless - Threaded Knob		* KF080M-040-STRF-304
Thread Size 3/8-16 UNC (9.525mm)					
25.40 (1.00")	-	Red	Ball - Threaded Knob		* KF095C-025-TPH-IN-R
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-025-TPH-IN
25.40 (1.00")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF095C-025-TPBR-P
25.40 (1.00")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF095C-025-TPBR-R
25.40 (1.00")		Black	Tri - Blind Hole Knob	ABS	KF095C-025-TRI-BHF
25.40 (1.00")		Black	Tri - Through Hole Knob	ABS	KF095C-025-TRI-PF
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF095C-025-TPST
30.16 (1.19")	-	Red	Ball - Threaded Knob	Phenolic	KF095C-030-TPH-IN-R
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-030-TPH-IN
31.75 (1.25")		Black	Tri - Blind Hole Knob	ABS	KF095C-032-TRI-BHF
31.75 (1.25")		Black	Tri - Through Hole Knob	ABS	KF095C-032-TRI-PF
31.75 (1.25")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF095C-032-3L-BHST
31.75 (1.25")	-		Ball - Threaded with Shank Knob	Phenolic	KF095C-032-TPHS
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	KF095C-035-TSFT
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-035-TPH-IN
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	* KF095C-035-TPH-IN-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF095C-035-TPST



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 3/8-16 UNC (9.525mm)					
35.05 (1.38")	14.0		Ball - Threaded with Groove Knob		* KF095C-035-TPLG
35.05 (1.38")	14.0		Ball - Threaded with Knurl Knob	Plastic	KF095C-035-TPLK
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-038-TPH-IN
38.10 (1.50")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF095C-038-TPBR-R
38.10 (1.50")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF095C-038-TPBR-P
38.10 (1.50")			Ball - Threaded - Soft Touch Knob	Rubber	KF095C-038-TSFT
38.10 (1.50")	15.9		Ball - Threaded Knob	Steel	** KF095C-038-TPST
38.10 (1.50")	-		Ball - Threaded - Wrench Flats and Knob-Lok Knob		* KF095C-038-TWFKL
38.10 (1.50")	-		Ball - Threaded with Shank Knob	Phenolic	KF095C-038-TPHS
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF095C-039-5LSFT
38.61 (1.52")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF095C-039-5LSFT-P
39.69 (1.56")			Ball - Threaded Knob	Aluminium	KF095C-040-TPAL
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	KF095C-040-6L-SP
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF095C-040-7L-ST
39.88 (1.57")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF095C-040-KN-SFT-TP
39.88 (1.57")	39.9		Ball - Novo-Grip Knob	Rubber	KF095C-040-NG
40.13 (1.58")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-040-CS
40.13 (1.58")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-040-CS-SS
40.13 (1.58")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-040-6L-BR
40.13 (1.58")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-040-6L-SS
41.28 (1.63")	-	Red	Ball - Threaded Knob		* KF095C-041-TPH-IN-R
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-041-TPH-IN
41.28 (1.63")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF095C-041-3L-BHST
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	KF095C-041-MOPH
43.66 (1.72")	-		Ball - Threaded with Shank Knob	Phenolic	KF095C-044-TPHS
43.94 (1.73")	14.0	Black	Six Lobe - Standard Knob	Phenolic	KF095C-044-6L-BR
44.45 (1.75")		Black	Tri - Through Hole - Knob-Lok Knob	Polypropylene	KF095C-044-TRI-PFKLK
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Thermoplastic	KF095C-044-CB
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Phenolic	KF095C-044-CBL
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF095C-044-CH
44.45 (1.75")	-		Ball - Threaded - Lateral Grooved Knob		* KF095C-044-TLG
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF095C-048-TPH-R
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-048-TPH
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF095C-048-TPH-IN-R
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-048-TPH-IN
47.63 (1.88")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF095-048-5LHX
47.63 (1.88")	12.7		Ball - Threaded - Recessed Top Knob	Plastic	KF095C-048-TRT
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF095C-049-5LSFT
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF095C-049-5LSFT-P
50.00 (1.97")	62.0		Round - Soft Knob		* KF095C-050-RSFTF
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	KF095C-050-6L-SP
50.04 (1.97")	14.0	Black	Cross - Standard Knob	Phenolic	KF095C-050-CS
50.04 (1.97")	14.0	Black	Four Lobe - Standard Knob	Phenolic	KF095C-050-4LB
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF095C-050-7L-SS
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Phenolic	* KF095C-050-7L-BR
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF095C-050-7L-ST
50.04 (1.97")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	KF095C-050-3L
50.04 (1.97")	14.2	Black	Four Lobe - Standard Knob	Thermoplastic	KF095C-050-4LA
50.04 (1.97")	14.2	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF095C-050-4L-P
50.04 (1.97")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-050-CS-SS
50.04 (1.97")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-050-CSL
50.04 (1.97")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-050-CH
50.04 (1.97")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-050-CH-SS

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 15 of 37

EOE

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 3/8-16 UNC (9.525mm)					
50.04 (1.97")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-050-6L-BR
50.04 (1.97")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-050-6L-SS
50.04 (1.97")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF095C-050-6L-PBR
50.04 (1.97")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF095C-050-6L-PSS
50.04 (1.97")	16.0	Black	Five Lobe - Standard Knob	Plastic	KF095C-050-5L-BR16A
50.04 (1.97")	16.0	Black	Five Lobe - Standard Knob	Plastic	KF095C-050-5L-BR16B
50.04 (1.97")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF095C-050-KN-SFT-TP
50.04 (1.97")	17.0	Black	Five Lobe - Standard Knob	Phenolic	KF095C-050-5L-BR17
50.04 (1.97")	17.0	Black	Five Lobe - Standard Knob	Phenolic	KF095C-050-5L-SS
50.04 (1.97")	17.0		Three Lobe - Safety Knob	41.91	* KF095C-050-3L-SAF
50.04 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF095C-050-7L-SP
50.04 (1.97")	-		Five Lobe - Soft Touch -Through Hole Knob		KF095C-050-5LSFT-P
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF095C-050-5L-BR20A
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Plastic	KF095C-050-5L-BR20B
50.04 (1.97")	50.0		Ball - Novo-Grip Knob	Rubber	KF095C-050-NG-SS
50.80 (2.00")		Black	Tri - Blind Hole Knob	Phenolic	KF095C-051-TRI-BHF
50.80 (2.00")		Black	Tri - Through Hole Knob	Phenolic	KF095C-051-TRI-PF
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF095C-051-TPST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF095C-052-MRPH12
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF095C-052-MRPH15
55.12 (2.17")	14.0	Black	Six Lobe - Standard Knob	Phenolic	KF095C-055-6L-BR
55.12 (2.17")	22.9	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF095C-055-3L-SFT
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF095C-057-CBL
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Thermoplastic	KF095C-057-CB
57.15 (2.25")	12.7	Black	Cross - Through Hole Knob	Nylon	KF095C-057-CH-NY
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF095C-057-CH-PH
57.15 (2.25")	18.3	Black	Five Lobe - Through Hole Knob	Polypropylene	KF095C-057-5L-PB
57.15 (2.25")	25.4	Black	Five Lobe - Through Hole Knob	Polypropylene	KF095C-057-5L-PA
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF095C-057-5LSFT
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF095C-057-5LSFT-P
59.94 (2.36")	14.2	Black	Four Lobe - Standard Knob	Thermoplastic	KF095C-060-4L
59.94 (2.36")	14.2	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF095C-060-4L-P
59.94 (2.36")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-060-CS
59.94 (2.36")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-060-CS-SS
59.94 (2.36")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-060-CH
59.94 (2.36")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-060-CH-SS
59.94 (2.36")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-060-6L-SS
59.94 (2.36")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-060-6L-BR
59.94 (2.36")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF095C-060-6L-PSS
59.94 (2.36")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF095C-060-6L-PBR
59.94 (2.36")	17.0	Black	Five Lobe - Standard Knob	Phenolic	KF095C-060-5L-ST17
59.94 (2.36")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF095C-060-5L-ST20
62.99 (2.48")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF095C-063-7L-ST
62.99 (2.48")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	KF095C-063-3L
62.99 (2.48")	20.1	Black	Five Lobe - Standard Knob	Plastic	KF095C-063-5L-BR20
62.99 (2.48")	22.1	Black	Seven Lobe - Standard Knob	Thermoplastic	KF095C-063-7L-SP
62.99 (2.48")	23.1	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF095C-063-3L-P
62.99 (2.48")	-		Five Lobe - Soft Touch -Through Hole Knob		KF095C-063-5LSFT-P
62.99 (2.48")	25.9	Black	Five Lobe - Standard Knob	Plastic	KF095C-063-5L-BR26
63.50 (2.50")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF095C-064-4L-SFT
65.02 (2.56")		Black	Tri - Blind Hole Knob	Thermoplastic	KF095C-065-TRI-BHF
65.02 (2.56")		Black	Tri - Through Hole Knob	Thermoplastic	KF095C-065-TRI-PF
69.09 (2.72")	24.9	Black	Six Lobe - Standard Knob	Phenolic	KF095C-069-6L-ST
76.20 (3.00")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF095C-076-4L-SFT



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 3/8-16 UNC (9.525mm)					
76.20 (3.00")	15.9	Black	Cross - Blind Knob	Thermoplastic	KF095C-076-CB
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-076-CH
85.09 (3.35")		Black	Tri - Blind Hole Knob	Thermoplastic	KF095C-085-TRI-BHF
85.09 (3.35")		Black	Tri - Through Hole Knob	Thermoplastic	KF095C-085-TRI-PF
104.90 (4.13")		Black	Tri - Blind Hole Knob	Thermoplastic	KF095C-105-TRI-BHF
104.90 (4.13")		Black	Tri - Through Hole Knob	Thermoplastic	KF095C-105-TRI-PF
Thread Size 3/8-24 UNF (9.53mm)					
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-025-TPH-IN
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	** KF095F-025-TPH-IN-R
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-030-TPH-IN
30.16 (1.19")	-	Red	Ball - Threaded Knob	Phenolic	* KF095F-030-TPH-IN-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-035-TPH-IN
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	* KF095F-035-TPH-IN-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF095F-035-TPST
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	* KF095F-041-TPH-IN-R
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-041-TPH-IN
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	KF095F-041-MOPH
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Phenolic	KF095F-044-CB
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF095F-044-CH
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-048-TPH
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-048-TPH-IN
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF095F-048-TPH-IN-R
47.63 (1.88")	12.7		Ball - Threaded - Recessed Top Knob	Plastic	KF095F-048-TPST
50.80 (2.00")	19.1		Ball - Threaded Knob	Phenolic	* KF095F-051-TPST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF095F-052-MRPH
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF095F-057-CB
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF095F-057-CH
76.20 (3.00")	15.9	Black	Cross - Blind Knob	Thermoplastic	KF095F-076-CB
Shaft Diameter 9.53					
50.80 (2.00")	19.05		Oval Tapered - Press On Knob	Phenolic	** KF095-051-OT-P
69.09 (2.72")	24.9	Black	Six Lobe - Standard Knob	Phenolic	KF095P-069-6L-ST
Thread Size M10x1.5 (10mm Standard)					
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	KF100M-025-TPH-IN
31.00 (1.22")	17.0	White	Knurled Knurled - Clean Line Knob	Duroplast	* KF100M-031-CL
32.00 (1.26")	-	Black	Ball - Threaded Knob	Phenolic	** KF100M-032-TPH
32.00 (1.26")	14.5		Ball - Threaded Knob	Thermoplastic	KF100M-032-TTPL-TT
32.00 (1.26")	12.0		Ball - Threaded Knob	Thermoplastic	KF100M-032-TTPL-ST
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF100M-035-TPH-IN
35.00 (1.38")	-		Ball - Threaded Knob	Thermoplastic	KF100M-035-TTPL-MT
35.00 (1.38")	-		Ball - Threaded Knob	Thermoplastic	KF100M-035-TTPL-BR
40.00 (1.57")	-		Ball - Threaded Knob	Thermoplastic	KF100M-040-TTPL-BR
40.00 (1.57")	-		Ball - Threaded Knob	Thermoplastic	KF100M-040-TTPL-MT
40.00 (1.57")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF100M-040-5L-ST
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF100M-040-7L-ST
40.00 (1.57")	18.0		Ball - Threaded Knob	Stainless Steel	KF100M-040-T303
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF100M-044-CH
47.63 (1.88")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	** KF100M-048-5LHX
48.00 (1.89")	-	Black	Ball - Threaded Knob	Phenolic	KF100M-048-TPH-IN
50.00 (1.97")	14.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KF100M-050-5L-ST14B
50.00 (1.97")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF100M-050-5L-ST14A
50.00 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF100M-050-7L-ST
50.00 (1.97")	15.0		Press Fit Type C Lobe Knob	303 Stainless Steel	* KF100PF-050-L303
50.00 (1.97")	15.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF100M-050-L303
50.00 (1.97")	17.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	* KF100M-050-5LCL



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 17 of 37

EOE

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size M10x1.5 (10mm Standard)					
50.00 (1.97")	17.0		Three Lobe - Safety Knob	42.00	* KF100M-050-3L-SAF
50.00 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF100M-050-7L-SP
50.00 (1.97")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF100M-050-6L-PBR
50.00 (1.97")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF100M-050-6L-PSS
50.00 (1.97")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF100M-050-7LQA
50.00 (1.97")	21.0		Star Knob	Plastic	** KF100M-050-STRF-PL
50.00 (1.97")	21.0		Push-Pull Knob		* KF100M-050-PP
50.00 (1.97")	18.0		Star - 304 Stainless - Threaded Knob		* KF100M-050-STRF-304
50.00 (1.97")	62.0		Round - Soft Knob		* KF100M-050-RSFTF
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF100M-052-MRPH
53.00 (2.09")	18.0		Star - Soft Knob		* KF100M-053-STRF-SFT
54.00 (2.13")	18.0		Grip - Soft Knob		* KF100M-054-GSC
60.00 (2.36")	18.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF100M-060-L303
63.00 (2.48")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF100M-063-7L-ST
63.00 (2.48")	22.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF100M-063-7L-SP
Thread Size 7/16-20 UNF (11.11mm)					
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF111F-035-TPH-IN
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	KF111F-035-TPH-IN-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF111F-035-TPST
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF111F-041-TPH-IN
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	KF111F-041-TPH-IN-R
Thread Size M12x1.75 (12mm Standard)					
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF120M-035-TPH-IN
45.00 (1.77")	-		Ball - Threaded Knob	Thermoplastic	KF120M-045-TTPL-MT
48.00 (1.89")	-	Black	Ball - Threaded Knob	Phenolic	KF120M-048-TPH-IN
50.00 (1.97")	-		Ball - Threaded Knob	Thermoplastic	KF120M-050-TTPL-MT
50.00 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF120M-050-7L-ST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF120M-052-MRPH
57.15 (2.25")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF120M-057-5LHX
60.00 (2.36")	18.0		Press Fit Type C Lobe Knob	303 Stainless Steel	* KF120PF-060-L303
60.00 (2.36")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF120M-060-6L-PBR
60.00 (2.36")	20.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	* KF120M-060-5LCL
60.00 (2.36")	22.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF120M-060-L303
63.00 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF120M-063-7L-ST
63.00 (2.48")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF120M-063-7LQA
63.00 (2.48")	22.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF120M-063-7L-SP
60.0 (393.66")	22.0		Star - 304 Stainless - Threaded Knob		* KF120M-060-STRF-304
Thread Size 1/2-13 UNC (12.7mm)					
31.75 (1.25")		Black	Tri - Blind Hole Knob	ABS	KF127C-032-TRI-BHF
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	** KF127C-035-TSFT
34.93 (1.38")	-	Red	Ball - Threaded Knob		* KF127C-035-TPH-IN-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF127C-035-TPH-IN
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF127C-035-TPST
35.05 (1.38")	18.0		Ball - Threaded with Groove Knob		* KF127C-035-TPLG
35.05 (1.38")	19.1		Ball - Threaded with Knurl Knob	Plastic	KF127C-035-TPLK
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	KF127C-038-TPH
38.10 (1.50")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	* KF127CC-038-TPBR-P
38.10 (1.50")	-		Raw Ball - Threaded - Polished Brass Knob		* KF127CC-038-TPBR-R
38.10 (1.50")			Ball - Threaded - Soft Touch Knob	Rubber	KF127C-038-TSFT
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF127C-038-TPST
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	KF127C-040-6L-SP
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF127C-041-TPH-IN
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	** KF127C-041-TPH-IN-R
43.66 (1.72")	-		Ball - Threaded with Shank Knob	Phenolic	KF127C-044-TPHS

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 18 of 37

EOE

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 1/2-13 UNC (12.7mm)					
44.45 (1.75")	-		Ball - Threaded - Lateral Grooved Knob		* KF127C-044-TLG
44.96 (1.77")	18.0		Ball - Threaded with Groove Knob		* KF127C-045-TPLG
44.96 (1.77")	19.1		Ball - Threaded with Knurl Knob	Plastic	KF127C-045-TPLK
47.62 (1.87")	-	Red	Ball - Threaded Knob		* KF127C-048-TPH-IN-R
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF127C-048-TPH-IN
47.63 (1.88")	15.9		Ball - Threaded - Recessed Top Knob	Plastic	KF127C-048-TRT
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF127C-049-5LSFT-P
50.00 (1.97")			Ball - Threaded Knob	Aluminium	KF127C-050-TPAL
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	KF127C-050-6L-SP
50.04 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF127C-050-7L-ST
50.04 (1.97")	19.1	Black	Cross - Standard Knob	Thermoplastic	KF127C-050-CS
50.04 (1.97")	19.1	Black	Cross - Standard Knob	Thermoplastic	KF127C-050-CS-SS
50.04 (1.97")	19.1	Black	Four Lobe - Standard Knob	Phenolic	KF127C-050-4L
50.04 (1.97")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF127C-050-6L-SS
50.04 (1.97")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF127C-050-6L-BR
50.04 (1.97")	50.0		Ball - Novo-Grip Knob	Rubber	KF127C-050-NG-SS
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF127C-051-TPST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF127C-052-MRPH
55.12 (2.17")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KF127C-055-6L-BR
55.12 (2.17")	22.9	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF127C-055-3L-SFT
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF127C-057-CB
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF127C-057-CH
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF127C-057-5LSFT
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF127C-057-5LSFT-P
59.94 (2.36")	17.0	Black	Five Lobe - Standard Knob	Plastic	KF127C-060-5L-BR17
59.94 (2.36")	19.1	Black	Cross - Standard Knob	Thermoplastic	KF127C-060-CS
59.94 (2.36")	19.1	Black	Cross - Standard Knob	Thermoplastic	KF127C-060-CS-SS
59.94 (2.36")	19.1	Black	Cross - Through Hole Knob	Thermoplastic	KF127C-060-CH-SS
59.94 (2.36")	19.1	Black	Cross - Through Hole Knob	Thermoplastic	KF127C-060-CH
59.94 (2.36")	19.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF127C-060-4L
59.94 (2.36")	19.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF127C-060-4L-P
59.94 (2.36")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF127C-060-6L-SS
59.94 (2.36")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF127C-060-6L-BR
59.94 (2.36")	19.1	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF127C-060-6L-PSS
59.94 (2.36")	19.1	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF127C-060-6L-PBR
59.94 (2.36")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF127C-060-5L-ST20
59.94 (2.36")	25.2	Black	Five Lobe - Standard Knob	Phenolic	KF127C-060-5L-ST
62.99 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF127C-063-7L-ST
62.99 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF127C-063-7L-SS
62.99 (2.48")	19.1	Black	Cross - Standard Knob	Phenolic	KF127C-063-CS
62.99 (2.48")	19.1	Black	Seven Lobe - Standard Knob	Phenolic	* KF127C-063-7L-BR
62.99 (2.48")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	KF127C-063-3L
62.99 (2.48")	20.1	Black	Five Lobe - Standard Knob	Plastic	KF127C-063-5L-BR20
62.99 (2.48")	22.1	Black	Seven Lobe - Standard Knob	Thermoplastic	KF127C-063-7L-SP
62.99 (2.48")	-		Five Lobe - Soft Touch -Through Hole Knob		KF127C-063-5LSFT-P
62.99 (2.48")	25.9	Black	Five Lobe - Standard Knob	Plastic	KF127C-063-5L-BR26
63.50 (2.50")	15.9	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF127C-064-4L-SFT
65.02 (2.56")		Black	Tri - Through Hole Knob	Thermoplastic	KF127C-065-TRI-PF
66.04 (2.60")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KF127C-066-6L-BR
69.85 (2.75")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF127C-070-5L-ST20
69.85 (2.75")	25.2	Black	Five Lobe - Standard Knob	Phenolic	KF127C-070-5L-ST25
76.20 (3.00")	15.9	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF127C-076-4L-SFT
80.01 (3.15")	19.1	Black	Cross - Standard Knob	Phenolic	KF127C-080-CS
80.01 (3.15")	19.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF127C-080-4L
80.01 (3.15")	19.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF127C-080-4L-P



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
Thread Size 1/2-13 UNC (12.7mm)					
82.04 (3.23")	30.0	Black	Six Lobe - Standard Knob	Phenolic	KF127P-082-6L-ST
82.04 (3.23")	30.0	Black	Six Lobe - Standard Knob	Phenolic	KF127C-082-6L-ST
85.09 (3.35")		Black	Tri - Blind Hole Knob	Thermoplastic	KF127C-085-TRI-BHF
85.09 (3.35")		Black	Tri - Through Hole Knob	Thermoplastic	KF127C-085-TRI-PF
99.06 (3.90")	34.0	Black	Six Lobe - Standard Knob	Phenolic	KF127P-099-6L-ST
104.90 (4.13")		Black	Tri - Blind Hole Knob	Thermoplastic	KF127C-105-TRI-BHF
104.90 (4.13")		Black	Tri - Through Hole Knob	Thermoplastic	KF127C-105-TRI-PF
124.97 (4.92")		Black	Tri - Blind Hole Knob	Thermoplastic	KF127C-125-TRI-BHF
124.97 (4.92")		Black	Tri - Through Hole Knob	Thermoplastic	KF127C-125-TRI-PF
Thread Size 1/2-20 UNF (12.7mm)					
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	KF127F-035-TPH-IN-BR-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF127F-035-TPH-IN-A
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF127F-035-TPST
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF127F-038-TPST
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	KF127F-041TPH-IN-BR-R
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF127F-041-TPH-IN-A
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF127F-048-TPH-IN-A
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF127F-048-TPH-IN-BR-R
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF127F-051-TPST
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF127F-057-CB
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF127F-057-CH
Thread Size 5/8-11 UNC (15.875mm)					
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF159C-051-TPST
62.99 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF159C-063-7L-ST
62.99 (2.48")	22.1	Black	Seven Lobe - Standard Knob	Thermoplastic	KF159C-063-7L-SP
80.01 (3.15")	23.9	Black	Four Lobe - Standard Knob	Thermoplastic	KF159C-080-4L
80.01 (3.15")	23.9	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF159C-080-4L-P
84.84 (3.34")	21.8	Black	Five Lobe - Standard Knob	Phenolic	KF159C-085-5LF
104.90 (4.13")		Black	Tri - Blind Hole Knob	Thermoplastic	KF159C-105-TRI-BHF
104.90 (4.13")		Black	Tri - Through Hole Knob	Thermoplastic	KF159C-105-TRI-PF
124.97 (4.92")		Black	Tri - Through Hole Knob	Thermoplastic	KF159C-125-TRI-PF
Thread Size 5/8-18 UNF (15.88mm)					
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF159F-048-TPH
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF159F-048-TPH-R
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF159F-051-TPST
Thread Size M16x2 (16mm Standard)					
48.00 (1.89")	-	Black	Ball - Threaded Knob	Phenolic	KF160M-048-TPH-IN
63.00 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF160M-063-7L-ST
63.00 (2.48")	22.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF160M-063-7L-SP
Thread Size Blank					
51.05 (2.01")	21.1	Black	Six Lobe - Standard Knob	Phenolic	KF000-051-6L-ST
69.09 (2.72")	24.9	Black	Six Lobe - Standard Knob	Phenolic	KF000-069-6L-ST
82.04 (3.23")	30.0	Black	Six Lobe - Standard Knob	Phenolic	KF000-082-6L-ST
99.06 (3.90")	34.0	Black	Six Lobe - Standard Knob	Phenolic	KF000-099-6L-ST

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 20 of 37

EOE

Female Knobs - Bored

OD (A) mm (in.)	Overall Length mm (in.)	Colour	Style	Material	Part Number
Hole Size 3.18					
25.40 (1.00")	10.4		Precision - Knurled Knob		* KF032-025-PKN-C
25.40 (1.00")	9.5		Precision - Knurled Knob		* KF032-025-PKN-S
38.10 (1.50")	9.5		Precision - Knurled Knob		* KF032-038-PKN-S
38.10 (1.50")	10.4		Precision - Knurled Knob	Steel	** KF032-038-PKN-C
50.80 (2.00")	9.5		Precision - Knurled Knob		* KF032-051-PKN-S
50.80 (2.00")	10.4		Precision - Knurled Knob		* KF032-051-PKN-C
Hole Size 4.02					
16.00 (0.63")	-	Black	Ball - Knock On Knob	Phenolic	** KF040-016-KOPH
Hole Size 4.76					
19.05 (0.75")	-	Black	Ball - Knock On Knob	Phenolic	KF048-019-KOPH
25.40 (1.00")	10.3		Precision - Knurled Knob		* KF048-025-PKN-S
25.40 (1.00")	10.4		Precision - Knurled Knob		* KF048-025-PKN-C
38.10 (1.50")	10.4		Precision - Knurled Knob		* KF048-038-PKN-C
38.10 (1.50")	10.3		Precision - Knurled Knob		* KF048-038-PKN-S
50.80 (2.00")	10.4		Precision - Knurled Knob		* KF048-051-PKN-C
50.80 (2.00")	10.3		Precision - Knurled Knob		* KF048-051-PKN-S
Hole Size 5.02					
20.00 (0.79")	-	Black	Ball - Knock On Knob		* KF050-020-KOPH
Hole Size M6x1 (6mm Standard)					
20.00 (0.79")	13.50		Lever - Through Bore Knob		* KF060M-020-LVR
Hole Size 6.02					
25.00 (0.98")	-	Black	Ball - Knock On Knob		* KF060-025-KOPH
Hole Size 6.35					
19.05 (0.75")	-	Black	Ball - Knock On Knob	Phenolic	KF064-019-KOPH
22.23 (0.88")	15.88		Lever - Through Bore Knob	Phenolic	KF064-022-LVR
25.40 (1.00")	-	Black	Ball - Knock On Knob	Phenolic	KF064-025-KOPH
25.40 (1.00")	10.4		Precision - Knurled Knob		* KF064-025-PKN-C
25.40 (1.00")	11.1		Precision - Knurled Knob		* KF064-025-PKN-S
31.75 (1.25")	-	Black	Ball - Knock On Knob	Phenolic	KF064-032-KOPH
38.10 (1.50")	10.4		Precision - Knurled Knob		* KF064-038-PKN-C
38.10 (1.50")	11.1		Precision - Knurled Knob		* KF064-038-PKN-S
50.80 (2.00")	11.1		Precision - Knurled Knob		* KF064-051-PKN-S
50.80 (2.00")	10.4		Precision - Knurled Knob		* KF064-051-PKN-C
Hole Size 7.93					
25.40 (1.00")	-	Black	Ball - Knock On Knob	Phenolic	KF079-025-KOPH
Hole Size 7.938 Push On					
28.58 (1.13")	14.29		Lever - Through Bore Knob	Phenolic	KF079-029-LVR
Hole Size 8.03					
32.00 (1.26")	-	Black	Ball - Knock On Knob		* KF080-032-KOPH
Hole Size 9.53					
31.75 (1.25")	-	Black	Ball - Knock On Knob	Phenolic	KF095-032-KOPH
38.10 (1.50")	-	Black	Ball - Knock On Knob	Phenolic	KF095-038-KOPH
Hole Size 9.53 mm Push On					
34.93 (1.38")	19.05		Lever - Through Bore Knob	Phenolic	KF095-035-LVR
Hole Size 12.70 mm Push On					
34.93 (1.38")	19.05		Lever - Through Bore Knob	Phenolic	KF127-035-LVR
38.10 (1.50")	-	Black	Ball - Knock On Knob	Phenolic	KF127-038-KOPH
44.45 (1.75")	-	Black	Ball - Knock On Knob	Phenolic	KF127-044-KOPH
50.80 (2.00")	-	Black	Ball - Knock On Knob	Phenolic	KF127-051-KOPH
Hole Size 15.88					
44.45 (1.75")	-	Black	Ball - Knock On Knob	Phenolic	KF159-044-KOPH
50.80 (2.00")	-	Black	Ball - Knock On Knob	Phenolic	KF159-051-KOPH



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Female Knobs - Bored

OD (A) mm (in.)	Overall Length mm (in.)	Colour	Style	Material	Part Number
Hole Size (d2) 8.0 (H7) Press Fit (0.31")					
40.0 (0.31")	15.0		Star - 304 Stainless - Press Fit Knob		* KF080PF-040-STRF-304
50.0 (0.39")	18.0		Star - 304 Stainless - Press Fit Knob		* KF100PF-050-STRF-304
60.0 (0.47")	22.0		Star - 304 Stainless - Press Fit Knob		* KF120PF-060-STRF-304



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size Blank					
128.78 (5.07")	34.0	Black	Six Lobe - Standard Knob	Phenolic	KM000-129-6L34-ST
Thread Size 4-40 UNC (2.85mm)					
7.94 (0.31")	6.4	Grey	Knurled Thumb - With Cap Screw Knob	Plastic	** KM029C-008-0635-KNU-G
7.94 (0.31")	6.4	Red	Knurled Thumb - With Cap Screw Knob		* KM029C-008-0635-KNU-R
7.94 (0.31")	6.4	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM029C-008-0635-KNU-B
7.94 (0.31")	6.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM029C-008-0635-KNU-Y
7.94 (0.31")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1270-KNU-R
7.94 (0.31")	12.7	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM029C-008-1270-KNU-B
7.94 (0.31")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1270-KNU-G
7.94 (0.31")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1270-KNU-Y
7.94 (0.31")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1905-KNU-R
7.94 (0.31")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1905-KNU-G
7.94 (0.31")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1905-KNU-Y
7.94 (0.31")	19.1	Black	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1905-KNU-B
Thread Size 6-32 UNC (3.5mm)					
9.53 (0.38")	6.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM035C-010-0635-KNU-G
9.53 (0.38")	6.4	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM035C-010-0635-KNU-B
9.53 (0.38")	6.4	Red	Knurled Thumb - With Cap Screw Knob	Plastic	** KM035C-010-0635-KNU-R
9.53 (0.38")	6.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM035C-010-0635-KNU-Y
9.53 (0.38")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1270-KNU-Y
9.53 (0.38")	12.7	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM035C-010-1270-KNU-B
9.53 (0.38")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1270-KNU-G
9.53 (0.38")	12.7	Red	Knurled Thumb - With Cap Screw Knob	Plastic	** KM035C-010-1270-KNU-R
9.53 (0.38")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1905-KNU-G
9.53 (0.38")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1905-KNU-R
9.53 (0.38")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1905-KNU-Y
9.53 (0.38")	19.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM035C-010-1905-KNU-B
Thread Size M4x0.7 (4mm Standard)					
13.00 (0.51")	10.0		Knurled - Torque Knob	Plastic	KM040M-013-TQ
15.00 (0.59")	10.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM040M-015-TQ
18.00 (0.71")	20.0		Knurled - Torque Knob	Phenolic	** KM040M-018-TQ
20.00 (0.79")	10.0		Star Knob		* KM040M-020-STR-PL
Thread Size 8-32 UNC (4.166mm)					
12.70 (0.50")	9.5	Yellow	Knurled Thumb - With Cap Screw Knob		* KM042C-013-0953-KNU-Y
12.70 (0.50")	9.5	Black	Knurled Thumb - With Cap Screw Knob		* KM042C-013-0953-KNU-B
12.70 (0.50")	9.5	Grey	Knurled Thumb - With Cap Screw Knob		* KM042C-013-0953-KNU-G
12.70 (0.50")	9.5	Red	Knurled Thumb - With Cap Screw Knob		* KM042C-013-0953-KNU-R
12.70 (0.50")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1270-KNU-G
12.70 (0.50")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1270-KNU-Y
12.70 (0.50")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1270-KNU-R
12.70 (0.50")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1270-KNU-B
12.70 (0.50")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1905-KNU-Y
12.70 (0.50")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1905-KNU-R
12.70 (0.50")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1905-KNU-G
12.70 (0.50")	19.1	Black	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1905-KNU-B
12.70 (0.50")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM042C-013-2540-KNU-G
12.70 (0.50")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM042C-013-2540-KNU-R
12.70 (0.50")	25.4	Black	Knurled Thumb - With Cap Screw Knob		* KM042C-013-2540-KNU-B
12.70 (0.50")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM042C-013-2540-KNU-Y
19.05 (0.75")	12.7		Knurled Knob	Phenolic	KM042C-019-KN-PH
Thread Size 10-24 UNC (4.762mm)					
14.29 (0.56")	9.5	Red	L Thumb - With Cap Screw Knob		* KM048C-014-0953-L-R
14.29 (0.56")	9.5	Yellow	L Thumb - With Cap Screw Knob		* KM048C-014-0953-L-Y
14.29 (0.56")	9.5	Grey	L Thumb - With Cap Screw Knob		* KM048C-014-0953-L-G



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 10-24 UNC (4.762mm)					
14.29 (0.56")	9.5	Black	L Thumb - With Cap Screw Knob		* KM048C-014-0953-L-B
14.29 (0.56")	12.7	Grey	L Thumb - With Cap Screw Knob		* KM048C-014-1270-L-G
14.29 (0.56")	12.7	Yellow	L Thumb - With Cap Screw Knob		* KM048C-014-1270-L-Y
14.29 (0.56")	12.7	Black	L Thumb - With Cap Screw Knob		* KM048C-014-1270-L-B
14.29 (0.56")	12.7	Red	L Thumb - With Cap Screw Knob		* KM048C-014-1270-L-R
14.29 (0.56")	19.1	Black	L Thumb - With Cap Screw Knob		* KM048C-014-1905-L-B
14.29 (0.56")	19.1	Grey	L Thumb - With Cap Screw Knob		* KM048C-014-1905-L-G
14.29 (0.56")	19.1	Red	L Thumb - With Cap Screw Knob		* KM048C-014-1905-L-R
14.29 (0.56")	19.1	Yellow	L Thumb - With Cap Screw Knob		* KM048C-014-1905-L-Y
14.29 (0.56")	25.4	Red	L Thumb - With Cap Screw Knob		* KM048C-014-2540-L-R
14.29 (0.56")	25.4	Yellow	L Thumb - With Cap Screw Knob		* KM048C-014-2540-L-Y
14.29 (0.56")	25.4	Black	L Thumb - With Cap Screw Knob		* KM048C-014-2540-L-B
14.29 (0.56")	25.4	Grey	L Thumb - With Cap Screw Knob		* KM048C-014-2540-L-G
15.88 (0.63")	9.5	Yellow	Knurled Thumb - With Cap Screw Knob		* KM048C-016-0953-KNU-Y
15.88 (0.63")	9.5	Red	Knurled Thumb - With Cap Screw Knob		* KM048C-016-0953-KNU-R
15.88 (0.63")	9.5	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM048C-016-0953-KNU-B
15.88 (0.63")	9.5	Grey	Knurled Thumb - With Cap Screw Knob		* KM048C-016-0953-KNU-G
15.88 (0.63")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1270-KNU-B
15.88 (0.63")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1270-KNU-Y
15.88 (0.63")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1270-KNU-R
15.88 (0.63")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1270-KNU-G
15.88 (0.63")	19.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM048C-016-1905-KNU-B
15.88 (0.63")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1905-KNU-Y
15.88 (0.63")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1905-KNU-G
15.88 (0.63")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1905-KNU-R
15.88 (0.63")	25.4	Black	Knurled Thumb - With Cap Screw Knob		* KM048C-016-2540-KNU-B
15.88 (0.63")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM048C-016-2540-KNU-Y
15.88 (0.63")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM048C-016-2540-KNU-R
15.88 (0.63")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM048C-016-2540-KNU-G
20.07 (0.79")	19.1	Black	Four Lobe - Standard Knob	Phenolic	KM048C-020-4L19
24.89 (0.98")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM048C-025-3L
25.40 (1.00")	9.5	Grey	Tee Thumb - With Cap Screw Knob		* KM048C-025-0953-TEE-G
25.40 (1.00")	9.5	Black	Tee Thumb - With Cap Screw Knob		* KM048C-025-0953-TEE-B
25.40 (1.00")	9.5	Red	Tee Thumb - With Cap Screw Knob		* KM048C-025-0953-TEE-R
25.40 (1.00")	9.5	Yellow	Tee Thumb - With Cap Screw Knob		* KM048C-025-0953-TEE-Y
25.40 (1.00")	12.7	Yellow	Tee Thumb - With Cap Screw Knob		* KM048C-025-1270-TEE-Y
25.40 (1.00")	12.7	Black	Tee Thumb - With Cap Screw Knob		* KM048C-025-1270-TEE-B
25.40 (1.00")	12.7	Grey	Tee Thumb - With Cap Screw Knob		* KM048C-025-1270-TEE-G
25.40 (1.00")	12.7	Red	Tee Thumb - With Cap Screw Knob		* KM048C-025-1270-TEE-R
25.40 (1.00")	19.1	Black	Tee Thumb - With Cap Screw Knob		* KM048C-025-1905-TEE-B
25.40 (1.00")	19.1	Grey	Tee Thumb - With Cap Screw Knob		* KM048C-025-1905-TEE-G
25.40 (1.00")	19.1	Red	Tee Thumb - With Cap Screw Knob		* KM048C-025-1905-TEE-R
25.40 (1.00")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM048C-025-1905-TEE-Y
25.40 (1.00")	25.4	Black	Tee Thumb - With Cap Screw Knob		* KM048C-025-2540-TEE-B
25.40 (1.00")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		* KM048C-025-2540-TEE-Y
25.40 (1.00")	25.4	Red	Tee Thumb - With Cap Screw Knob		* KM048C-025-2540-TEE-R
25.40 (1.00")	25.4	Grey	Tee Thumb - With Cap Screw Knob		* KM048C-025-2540-TEE-G
31.75 (1.25")	19.1		Cross - Standard Knob	Black Thermoplastic	KM048C-032-CS19
Thread Size 10-32 UNF (4.76mm)					
25.00 (0.98")	10.00	Black	Seven Lobe Knob	Thermoplastic	KM-048F025-7L10-S4
25.00 (0.98")	10.00	Black	Seven Lobe Knob	Thermoplastic	KM-048F025-7L10-ST
25.00 (0.98")	12.70	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM048F-025-5LSFT13-ST
25.00 (0.98")	19.05	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM048F-025-5LSFT19-ST
25.00 (0.98")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-048F025-7L20-S4
25.00 (0.98")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-048F025-7L20-ST



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 10-32 UNF (4.76mm)					
28.58 (1.13")	11.1	Black	Tri Knob	Phenolic	KM048F-029-TRI-BHM
29.97 (1.18")	12.7	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM048F-030-3L-SFT
29.97 (1.18")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM048F-030-3LL-SFT
31.75 (1.25")	19.1		Cross - Standard Knob	Black Thermoplastic	KM048F-032-CS19
Thread Size M5x0.8 (5mm Standard)					
22.00 (0.87")	20.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM050M-022-TQ
25.00 (0.98")	10.00	Black	Seven Lobe Knob	Thermoplastic	KM-050M-025-7L10-ST
25.00 (0.98")	10.0		Star Knob		* KM050M-025-STR-PL
25.00 (0.98")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-050M-025-7L20-ST
25.00 (0.98")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-050M-025-7L30-ST
Thread Size M6x1 (6mm Standard)					
23.00 (0.91")	20.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM060M-023-TQ
25.00 (0.98")	10.00	Black	Seven Lobe Knob	Thermoplastic	KM-060M-025-7L10-ST
25.00 (0.98")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-060M-025-7L20-ST
25.00 (0.98")	20.0		Star Knob	Plastic	KM060M-025-STR-PL
25.00 (0.98")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-060M-025-7L30-ST
26.00 (1.02")	25.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM060M-026-TQ
28.00 (1.10")	15.0		Wing Knob		* KM060M-028-W
30.00 (1.18")	20.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM060M-030-TQ
32.00 (1.26")	10.00	Black	Seven Lobe Knob	Thermoplastic	KM-060M-032-7L10-ST
32.00 (1.26")	12.0	Black	Five Lobe - Standard Knob	Phenolic	KM060M-032-5L12
32.00 (1.26")	15.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KM060M-032-5L15
32.00 (1.26")	15.0		Star Knob	Plastic	** KM060M-032-STR-PL
32.00 (1.26")	18.0	Black	Five Lobe - Standard Knob	Phenolic	KM060M-032-5L18
32.00 (1.26")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-060M-032-7L20-ST
32.00 (1.26")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-060M-032-7L30-ST
40.00 (1.57")	15.0	Black	Tri Knob	Phenolic	* KM060M-040-TRI-BHM
40.00 (1.57")	18.0	Black	Five Lobe - Standard Knob	Phenolic	KM060M-040-5L18
40.00 (1.57")	20.0		Wing Knob		* KM060M-040-W
50.00 (1.97")	15.0		Three Lobe - Safety Knob		KM060M-050-3L-SAF15
50.00 (1.97")	20.0		Three Lobe - Safety Knob		KM060M-050-3L-SAF20
50.00 (1.97")	30.0		Three Lobe - Safety Knob		KM060M-050-3L-SAF30
50.00 (1.97")	40.0		Three Lobe - Safety Knob		KM060M-050-3L-SAF40
Thread Size 1/4-20 UNC (6.35mm)					
17.46 (0.69")	12.7	Yellow	L Thumb - With Cap Screw Knob		* KM064C-017-1270-L-Y
17.46 (0.69")	12.7	Red	L Thumb - With Cap Screw Knob		* KM064C-017-1270-L-R
17.46 (0.69")	12.7	Black	L Thumb - With Cap Screw Knob		* KM064C-017-1270-L-B
17.46 (0.69")	12.7	Grey	L Thumb - With Cap Screw Knob		* KM064C-017-1270-L-G
17.46 (0.69")	19.1	Black	L Thumb - With Cap Screw Knob		* KM064C-017-1905-L-B
17.46 (0.69")	19.1	Red	L Thumb - With Cap Screw Knob		* KM064C-017-1905-L-R
17.46 (0.69")	19.1	Yellow	L Thumb - With Cap Screw Knob		* KM064C-017-1905-L-Y
17.46 (0.69")	19.1	Grey	L Thumb - With Cap Screw Knob		* KM064C-017-1905-L-G
17.46 (0.69")	25.4	Yellow	L Thumb - With Cap Screw Knob		* KM064C-017-2540-L-Y
17.46 (0.69")	25.4	Black	L Thumb - With Cap Screw Knob	Plastic	** KM064C-017-2540-L-B
17.46 (0.69")	25.4	Grey	L Thumb - With Cap Screw Knob		* KM064C-017-2540-L-G
17.46 (0.69")	25.4	Red	L Thumb - With Cap Screw Knob		* KM064C-017-2540-L-R
17.46 (0.69")	38.1	Yellow	L Thumb - With Cap Screw Knob		* KM064C-017-3810-L-Y
17.46 (0.69")	38.1	Red	L Thumb - With Cap Screw Knob		* KM064C-017-3810-L-R
17.46 (0.69")	38.1	Black	L Thumb - With Cap Screw Knob		* KM064C-017-3810-L-B
17.46 (0.69")	38.1	Grey	L Thumb - With Cap Screw Knob		* KM064C-017-3810-L-G
19.05 (0.75")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1270-KNU-B
19.05 (0.75")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1270-KNU-G
19.05 (0.75")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1270-KNU-R

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 25 of 37

EOE

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 1/4-20 UNC (6.35mm)					
19.05 (0.75")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1270-KNU-Y
19.05 (0.75")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1905-KNU-G
19.05 (0.75")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1905-KNU-R
19.05 (0.75")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1905-KNU-Y
19.05 (0.75")	19.1	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1905-KNU-B
19.05 (0.75")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-019-2540-KNU-G
19.05 (0.75")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-019-2540-KNU-Y
19.05 (0.75")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-019-2540-KNU-R
19.05 (0.75")	25.4	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM064C-019-2540-KNU-B
19.05 (0.75")	38.1	Grey	Knurled Thumb - With Cap Screw Knob	Plastic	** KM064C-019-3810-KNU-G
19.05 (0.75")	38.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM064C-019-3810-KNU-B
19.05 (0.75")	38.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-019-3810-KNU-Y
19.05 (0.75")	38.1	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-019-3810-KNU-R
20.07 (0.79")	13.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-020-4L13
20.07 (0.79")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-020-4L25
22.10 (0.87")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KM064C-022-6L19-SP
24.89 (0.98")	12.7	Black	Three Lobe - Standard Knob	Thermoplastic	KM064C-025-3L
24.89 (0.98")	13.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-025-4L13
24.89 (0.98")	19.1	Black	Four Lobe - Standard Knob	Phenolic	KM064C-025-4L19
24.89 (0.98")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM064C-025-3LL
24.89 (0.98")	20.1		Ball - Novo-Grip Knob	Rubber	KM064C-025-NG
24.89 (0.98")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-025-4L25
24.89 (0.98")	30.0		Ball - Novo-Grip Knob	Rubber	KM064C-025-NG-SS
24.89 (0.98")	30.0		Ball - Novo-Grip Knob	Rubber	KM064C-025-NGL
25.00 (0.98")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-064C-025-7L20-ST
25.00 (0.98")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-064C-025-7L30-ST
25.40 (1.00")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1270-KNU-R
25.40 (1.00")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1270-KNU-G
25.40 (1.00")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1270-KNU-B
25.40 (1.00")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1270-KNU-Y
25.40 (1.00")	19.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM064C-025-1905-KNU-B
25.40 (1.00")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1905-KNU-G
25.40 (1.00")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1905-KNU-R
25.40 (1.00")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1905-KNU-Y
25.40 (1.00")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-025-2540-KNU-G
25.40 (1.00")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-025-2540-KNU-R
25.40 (1.00")	25.4	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-025-2540-KNU-B
25.40 (1.00")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-025-2540-KNU-Y
25.40 (1.00")	38.1	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-025-3810-KNU-B
25.40 (1.00")	38.1	Grey	Knurled Thumb - With Cap Screw Knob	Plastic	** KM064C-025-3810-KNU-G
25.40 (1.00")	38.1	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-025-3810-KNU-R
25.40 (1.00")	38.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-025-3810-KNU-Y
28.58 (1.13")	12.7	Black	Tri Knob	Phenolic	KM064C-029-TRI-BHM
29.97 (1.18")	12.7	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM064C-030-3L-SFT
29.97 (1.18")	13.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-030-4L13
29.97 (1.18")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-030-4L25
29.97 (1.18")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM064C-030-3LL-SFT
30.00 (1.18")	13.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-030-6L13-S4
30.00 (1.18")	13.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-030-6L13-ST
30.00 (1.18")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-030-6L25-ST
30.00 (1.18")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-030-6L25-S4
31.75 (1.25")	12.7	Grey	Tee Thumb - With Cap Screw Knob		* KM064C-032-1270-TEE-G
31.75 (1.25")	12.7	Red	Tee Thumb - With Cap Screw Knob		* KM064C-032-1270-TEE-R
31.75 (1.25")	12.7	Black	Tee Thumb - With Cap Screw Knob		* KM064C-032-1270-TEE-B
31.75 (1.25")	12.7	Yellow	Tee Thumb - With Cap Screw Knob		* KM064C-032-1270-TEE-Y



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 26 of 37

EOE

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 1/4-20 UNC (6.35mm)					
31.75 (1.25")	19.1	Black	Tee Thumb - With Cap Screw Knob		* KM064C-032-1905-TEE-B
31.75 (1.25")	19.1	Grey	Tee Thumb - With Cap Screw Knob		* KM064C-032-1905-TEE-G
31.75 (1.25")	19.1	Red	Tee Thumb - With Cap Screw Knob		* KM064C-032-1905-TEE-R
31.75 (1.25")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM064C-032-1905-TEE-Y
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CSP25
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CSP-SS25
31.75 (1.25")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		* KM064C-032-2540-TEE-Y
31.75 (1.25")	25.4	Red	Tee Thumb - With Cap Screw Knob		* KM064C-032-2540-TEE-R
31.75 (1.25")	25.4	Grey	Tee Thumb - With Cap Screw Knob		* KM064C-032-2540-TEE-G
31.75 (1.25")	25.4	Black	Tee Thumb - With Cap Screw Knob		* KM064C-032-2540-TEE-B
31.75 (1.25")	38.1	Red	Tee Thumb - With Cap Screw Knob		* KM064C-032-3810-TEE-R
31.75 (1.25")	38.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM064C-032-3810-TEE-Y
31.75 (1.25")	38.1	Grey	Tee Thumb - With Cap Screw Knob		* KM064C-032-3810-TEE-G
31.75 (1.25")	38.1	Black	Tee Thumb - With Cap Screw Knob		* KM064C-032-3810-TEE-B
32.00 (1.26")	12.7	Black	Three Lobe - Standard Knob	Thermoplastic	KM064C-032-3L
32.00 (1.26")	13.0		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CSTS13
32.00 (1.26")	13.0		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CSTS-SS13
32.00 (1.26")	19.1	Black	Four Lobe - Standard Knob	Phenolic	KM064C-032-4L19
32.00 (1.26")	24.9		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CST25
32.00 (1.26")	24.9		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CST-SS25
32.00 (1.26")	25.4	Black	Four Lobe - Standard Knob	Phenolic	KM064C-032-4L25A
32.00 (1.26")	25.4	Black	Four Lobe - Standard Knob	Phenolic	KM064C-032-4L25B
32.00 (1.26")	31.8	Black	Four Lobe - Standard Knob	Phenolic	KM064C-032-4L32
32.00 (1.26")	31.8	Black	Six Lobe - Standard Knob	Phenolic	KM064C-032-6L32-SP
32.00 (1.26")	12.70	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-032-5LSFT13-ST
32.00 (1.26")	12.70	Black	Five Lobe - Standard Knob	Phenolic	KM064C-032-5L13-S4
32.00 (1.26")	19.05	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-032-5LSFT19-ST
32.00 (1.26")	19.05	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM064C-032-5L19-ST
32.00 (1.26")	19.05	Black	Five Lobe - Standard Knob	Phenolic	KM064C-032-5L19-S4
32.00 (1.26")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-064C-032-7L20-S4
32.00 (1.26")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-064C-032-7L20-ST
32.00 (1.26")	25.40	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-032-5LSFT25-ST
32.00 (1.26")	25.40	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM064C-032-5L25-ST
32.00 (1.26")	25.40	Black	Five Lobe - Standard Knob	Phenolic	KM064C-032-5L25-S4
32.00 (1.26")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-064C-032-7L30-S4
32.00 (1.26")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-064C-032-7L30-ST
33.02 (1.30")	12.7	Black	Six Lobe - Standard Knob	Phenolic	KM064C-033-6L13-SP
33.02 (1.30")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KM064C-033-6L19-SP
33.02 (1.30")	25.4	Black	Six Lobe - Standard Knob	Phenolic	KM064C-033-6L25-SP
33.02 (1.30")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-033-6L32-SP
38.10 (1.50")	14.3	Black	Tri Knob	Phenolic	KM064C-038-TRI-BHM
38.10 (1.50")	12.7	Black	Rosette Thumb - With Cap Screw Knob	Plastic	** KM064C-038-1270-ROS-B
38.10 (1.50")	12.7	Grey	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1270-ROS-G
38.10 (1.50")	12.7	Red	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1270-ROS-R
38.10 (1.50")	12.7	Yellow	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1270-ROS-Y
38.10 (1.50")	19.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1905-ROS-Y
38.10 (1.50")	19.1	Black	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1905-ROS-B
38.10 (1.50")	19.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1905-ROS-G
38.10 (1.50")	19.1	Red	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1905-ROS-R
38.10 (1.50")	25.4	Yellow	Rosette Thumb - With Cap Screw Knob		* KM064C-038-2540-ROS-Y
38.10 (1.50")	25.4	Red	Rosette Thumb - With Cap Screw Knob		* KM064C-038-2540-ROS-R
38.10 (1.50")	25.4	Black	Rosette Thumb - With Cap Screw Knob		* KM064C-038-2540-ROS-B
38.10 (1.50")	25.4	Grey	Rosette Thumb - With Cap Screw Knob		* KM064C-038-2540-ROS-G

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 1/4-20 UNC (6.35mm)					
38.10 (1.50")	38.1	Black	Rosette Thumb - With Cap Screw Knob	Plastic	** KM064C-038-3810-ROS-B
38.10 (1.50")	38.1	Grey	Rosette Thumb - With Cap Screw Knob	Plastic	** KM064C-038-3810-ROS-G
38.10 (1.50")	38.1	Red	Rosette Thumb - With Cap Screw Knob		* KM064C-038-3810-ROS-R
38.10 (1.50")	38.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM064C-038-3810-ROS-Y
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-039-5L-SFT13-ST
38.61 (1.52")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-039-5L-SFT25-ST
39.88 (1.57")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-040-4L25
39.88 (1.57")	31.8	Black	Four Lobe - Standard Knob	Phenolic	KM064C-040-4L32
39.88 (1.57")	31.8	Black	Three Lobe - Standard Knob	Thermoplastic	KM064C-040-3L
40.00 (1.57")	12.70	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-040-5LSFT13-ST
40.00 (1.57")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-040-6L25-S4
40.00 (1.57")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-040-6L25-ST
40.00 (1.57")	25.40	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-040-5LSFT25-ST
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	KM064C-040-CS25
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	KM064C-040-CS-SS25
44.45 (1.75")	12.7		Cross - Standard Knob	Black Thermoplastic	KM064C-044-CS13
44.45 (1.75")	25.4		Cross - Standard Knob	Black Thermoplastic	KM064C-044-CSL25
44.96 (1.77")	24.9	Black	Tri Knob	Thermoplastic	KM064C-045-TRI-BHM
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-049-5L-SFT13-ST
48.51 (1.91")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-049-5L-SFT25-ST
50.04 (1.97")	19.1		Three Lobe - Safety Knob		KM064C-050-3L-SAF19
50.04 (1.97")	25.4		Three Lobe - Safety Knob		KM064C-050-3L-SAF25
50.04 (1.97")	38.1		Three Lobe - Safety Knob		KM064C-050-3L-SAF38
55.12 (2.17")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM064C-055-3L-SFT
57.15 (2.25")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-057-5L-SFT13-ST
57.15 (2.25")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-057-5L-SFT25-ST
Thread Size 7.87 Unthreaded Hole					
130.05 (5.12")	30.0	Black	Six Lobe - Standard Knob	Phenolic	KM079-130-6L30-ST
Thread Size 5/16-18 BSW (7.938mm)					
19.05 (0.75")	24.9	Black	Tri Knob	Thermoplastic	* KM079W-019-TRI-BHM
21.43 (0.84")	12.7	Yellow	L Thumb - With Cap Screw Knob		* KM079C-021-1270-L-Y
21.43 (0.84")	12.7	Black	L Thumb - With Cap Screw Knob		* KM079C-021-1270-L-B
21.43 (0.84")	12.7	Grey	L Thumb - With Cap Screw Knob		* KM079C-021-1270-L-G
21.43 (0.84")	12.7	Red	L Thumb - With Cap Screw Knob		* KM079C-021-1270-L-R
21.43 (0.84")	19.1	Grey	L Thumb - With Cap Screw Knob		* KM079C-021-1905-L-G
21.43 (0.84")	19.1	Red	L Thumb - With Cap Screw Knob		* KM079C-021-1905-L-R
21.43 (0.84")	19.1	Yellow	L Thumb - With Cap Screw Knob		* KM079C-021-1905-L-Y
21.43 (0.84")	19.1	Black	L Thumb - With Cap Screw Knob		* KM079C-021-1905-L-B
21.43 (0.84")	25.4	Red	L Thumb - With Cap Screw Knob		* KM079C-021-2540-L-R
21.43 (0.84")	25.4	Grey	L Thumb - With Cap Screw Knob		* KM079C-021-2540-L-G
21.43 (0.84")	25.4	Yellow	L Thumb - With Cap Screw Knob		* KM079C-021-2540-L-Y
21.43 (0.84")	25.4	Black	L Thumb - With Cap Screw Knob		* KM079C-021-2540-L-B
21.43 (0.84")	38.1	Black	L Thumb - With Cap Screw Knob		* KM079C-021-3810-L-B
21.43 (0.84")	38.1	Grey	L Thumb - With Cap Screw Knob		* KM079C-021-3810-L-G
21.43 (0.84")	38.1	Red	L Thumb - With Cap Screw Knob		* KM079C-021-3810-L-R
21.43 (0.84")	38.1	Yellow	L Thumb - With Cap Screw Knob		* KM079C-021-3810-L-Y
25.40 (1.00")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1270-KNU-B
25.40 (1.00")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1270-KNU-G
25.40 (1.00")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1270-KNU-R
25.40 (1.00")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1270-KNU-Y
25.40 (1.00")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1905-KNU-R
25.40 (1.00")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1905-KNU-Y
25.40 (1.00")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1905-KNU-G
25.40 (1.00")	19.1	Black	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1905-KNU-B
25.40 (1.00")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM079C-025-2540-KNU-G



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 28 of 37

EOE

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 5/16-18 BSW (7.938mm)					
25.40 (1.00")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM079C-025-2540-KNU-R
25.40 (1.00")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM079C-025-2540-KNU-Y
25.40 (1.00")	25.4	Black	Knurled Thumb - With Cap Screw Knob		* KM079C-025-2540-KNU-B
25.40 (1.00")	38.1	Black	Knurled Thumb - With Cap Screw Knob		* KM079C-025-3810-KNU-B
25.40 (1.00")	38.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM079C-025-3810-KNU-G
25.40 (1.00")	38.1	Red	Knurled Thumb - With Cap Screw Knob		* KM079C-025-3810-KNU-R
25.40 (1.00")	38.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM079C-025-3810-KNU-Y
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM079C-032-CS-SS25
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM079C-032-CS25
32.00 (1.26")	39.9		Ball - Novo-Grip Knob	Rubber	KM079C-032-NG
32.00 (1.26")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-079C-032-7L20-ST
32.00 (1.26")	40.00	Black	Seven Lobe Knob	Thermoplastic	KM-079C-032-7L40-ST
33.02 (1.30")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KM079C-033-6L19-SP
33.02 (1.30")	25.4	Black	Six Lobe - Standard Knob	Phenolic	KM079C-033-6L25-SP
33.02 (1.30")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM079C-033-6L38-SP
33.02 (1.30")	44.5	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-033-6L44-SP
38.10 (1.50")	19.1	Black	Tri Knob	Phenolic	KM079C-038-TRI-BHM
38.10 (1.50")	12.7	Red	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1270-ROS-R
38.10 (1.50")	12.7	Grey	Tee Thumb - With Cap Screw Knob		* KM079C-038-1270-TEE-G
38.10 (1.50")	12.7	Yellow	Tee Thumb - With Cap Screw Knob		* KM079C-038-1270-TEE-Y
38.10 (1.50")	12.7	Red	Tee Thumb - With Cap Screw Knob		* KM079C-038-1270-TEE-R
38.10 (1.50")	12.7	Yellow	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1270-ROS-Y
38.10 (1.50")	12.7	Black	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1270-ROS-B
38.10 (1.50")	12.7	Black	Tee Thumb - With Cap Screw Knob		* KM079C-038-1270-TEE-B
38.10 (1.50")	12.7	Grey	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1270-ROS-G
38.10 (1.50")	19.1	Black	Tee Thumb - With Cap Screw Knob	Plastic	** KM079C-038-1905-TEE-B
38.10 (1.50")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM079C-038-1905-TEE-Y
38.10 (1.50")	19.1	Grey	Tee Thumb - With Cap Screw Knob		* KM079C-038-1905-TEE-G
38.10 (1.50")	19.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1905-ROS-Y
38.10 (1.50")	19.1	Red	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1905-ROS-R
38.10 (1.50")	19.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1905-ROS-G
38.10 (1.50")	19.1	Black	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1905-ROS-B
38.10 (1.50")	19.1	Red	Tee Thumb - With Cap Screw Knob		* KM079C-038-1905-TEE-R
38.10 (1.50")	20.1		Cross - Standard Knob	Black Thermoplastic	KM079C-038-CS20
38.10 (1.50")	25.4	Black	Rosette Thumb - With Cap Screw Knob		* KM079C-038-2540-ROS-B
38.10 (1.50")	25.4	Grey	Tee Thumb - With Cap Screw Knob		* KM079C-038-2540-TEE-G
38.10 (1.50")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		* KM079C-038-2540-TEE-Y
38.10 (1.50")	25.4	Red	Tee Thumb - With Cap Screw Knob		* KM079C-038-2540-TEE-R
38.10 (1.50")	25.4	Black	Tee Thumb - With Cap Screw Knob		* KM079C-038-2540-TEE-B
38.10 (1.50")	25.4	Yellow	Rosette Thumb - With Cap Screw Knob		* KM079C-038-2540-ROS-Y
38.10 (1.50")	25.4	Grey	Rosette Thumb - With Cap Screw Knob		* KM079C-038-2540-ROS-G
38.10 (1.50")	25.4	Red	Rosette Thumb - With Cap Screw Knob		* KM079C-038-2540-ROS-R
38.10 (1.50")	38.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM079C-038-3810-TEE-Y
38.10 (1.50")	38.1	Grey	Tee Thumb - With Cap Screw Knob		* KM079C-038-3810-TEE-G
38.10 (1.50")	38.1	Red	Tee Thumb - With Cap Screw Knob		* KM079C-038-3810-TEE-R
38.10 (1.50")	38.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM079C-038-3810-ROS-G
38.10 (1.50")	38.1	Red	Rosette Thumb - With Cap Screw Knob		* KM079C-038-3810-ROS-R
38.10 (1.50")	38.1	Black	Rosette Thumb - With Cap Screw Knob		* KM079C-038-3810-ROS-B
38.10 (1.50")	38.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM079C-038-3810-ROS-Y
38.10 (1.50")	38.1	Black	Tee Thumb - With Cap Screw Knob		* KM079C-038-3810-TEE-B
38.61 (1.52")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-039-5L-SFT25-ST
38.61 (1.52")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-039-5L-SFT38-ST
39.88 (1.57")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-040-3LS
39.88 (1.57")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM079C-040-4L25A
39.88 (1.57")	25.4	Black	Four Lobe - Standard Knob	Phenolic	KM079C-040-4L25B



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 29 of 37

EOE

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 5/16-18 BSW (7.938mm)					
39.88 (1.57")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-040-3L
39.88 (1.57")	31.8	Black	Four Lobe - Standard Knob	Phenolic	KM079C-040-4L32
39.88 (1.57")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM079C-040-4L38
39.88 (1.57")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM079C-040-6L38-SP
39.88 (1.57")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-040-3LL
40.00 (1.57")	19.05	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM079C-040-5LSFT19-ST
40.00 (1.57")	19.05	Black	Five Lobe - Standard Knob	Phenolic	KM079C-040-5L19-S4
40.00 (1.57")	19.05	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM079C-040-5L19-ST
40.00 (1.57")	19.05	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-040-6L19-S4
40.00 (1.57")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-079C-040-7L20-S4
40.00 (1.57")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-079C-040-7L20-ST
40.00 (1.57")	20.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-040-6L20-ST
40.00 (1.57")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-040-6L25-S4
40.00 (1.57")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-040-6L25-ST
40.00 (1.57")	25.40	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM079C-040-5LSFT25-ST
40.00 (1.57")	25.40	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM079C-040-5L25-ST
40.00 (1.57")	25.40	Black	Five Lobe - Standard Knob	Phenolic	KM079C-040-5L25-S4
40.00 (1.57")	31.75	Black	Five Lobe - Standard Knob	Phenolic	KM079C-040-5L32-S4
40.00 (1.57")	40.00	Black	Seven Lobe Knob	Thermoplastic	KM-079C-040-7L40-ST
40.00 (1.57")	40.00	Black	Seven Lobe Knob	Thermoplastic	KM-079C-040-7L40-S4
40.13 (1.58")	19.1		Cross - Standard Knob	Black Thermoplastic	KM079C-040-CS-SS19
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	KM079C-040-CSL-SS25
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	KM079C-040-CS25
43.94 (1.73")	31.8	Black	Six Lobe - Standard Knob	Phenolic	KM079C-044-6L32-SP
44.45 (1.75")	12.7		Cross - Standard Knob	Black Thermoplastic	KM079C-044-CSS13
44.45 (1.75")	25.4		Cross - Standard Knob	Black Thermoplastic	KM079C-044-CS25
44.45 (1.75")	50.8		Cross - Standard Knob	Black Thermoplastic	KM079C-044-CSL51
44.96 (1.77")	24.9	Black	Tri Knob	Thermoplastic	KM079C-045-TRI-BHM
48.51 (1.91")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-049-5L-SFT25-ST
48.51 (1.91")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-049-5L-SFT38-ST
50.00 (1.97")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-050-6L25-S4
50.00 (1.97")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-050-6L25-ST
50.00 (1.97")	25.40	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM079C-050-5LSFT25-ST
50.00 (1.97")	30.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-050-6L30-ST
50.00 (1.97")	31.75	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-050-6L32-S4
50.00 (1.97")	38.10	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM079C-050-5LSFT38-ST
50.00 (1.97")	62.0		Round - Soft Knob		KM079C-050-R-SFT
50.04 (1.97")	19.1		Three Lobe - Safety Knob		KM079C-050-3L-SAF19
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	KM079C-050-CS-SS25
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	KM079C-050-CS25
50.04 (1.97")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM079C-050-4L25
50.04 (1.97")	25.4		Three Lobe - Safety Knob		KM079C-050-3L-SAF25
50.04 (1.97")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-050-3L
50.04 (1.97")	30.0		Cross - Standard Knob	Black Thermoplastic	KM079C-050-CSL30
50.04 (1.97")	31.8		Cross - Standard Knob	Black Thermoplastic	KM079C-050-CSL-SS32
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM079C-050-4L38
50.04 (1.97")	38.1		Three Lobe - Safety Knob		KM079C-050-3L-SAF38
50.04 (1.97")	44.5	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-050-3LL
50.80 (2.00")	19.1	Black	Tri Knob	Phenolic	KM079C-051-TRI-BHM
55.12 (2.17")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM079C-055-3L-SFT
57.15 (2.25")	12.7		Cross - Standard Knob	Black Thermoplastic	KM079C-057-CS-NY13
57.15 (2.25")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-057-5L-SFT25-ST



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 5/16-18 BSW (7.938mm)					
65.02 (2.56")	24.9	Black	Tri Knob	Thermoplastic	KM079C-065-TRI-BHM
85.09 (3.35")	30.0	Black	Tri Knob	Thermoplastic	KM079C-085-TRI-BHM
Thread Size M8x1.25 (8mm Standard)					
32.00 (1.26")	15.00	Black	Seven Lobe Knob	Thermoplastic	KM-080M-032-7L15-ST
32.00 (1.26")	16.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-032-5L16
32.00 (1.26")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-080M-032-7L20-ST
32.00 (1.26")	24.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-032-5L24
32.00 (1.26")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-080M-032-7L30-ST
40.00 (1.57")	20.0	Black	Tri Knob	Phenolic	* KM080M-040-TRI-BHM
40.00 (1.57")	15.00	Black	Seven Lobe Knob	Thermoplastic	KM-080M-040-7L15-ST
40.00 (1.57")	16.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-040-5L16B
40.00 (1.57")	16.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KM080M-040-5L16A
40.00 (1.57")	20.0	Black	Five Lobe - Standard Knob	Phenolic	* KM080M-040-5L20
40.00 (1.57")	20.0		Star Knob	Plastic	** KM080M-040-STR-PL
40.00 (1.57")	20.0		Wing Knob		* KM080M-040-W
40.00 (1.57")	24.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-040-5L24
43.00 (1.69")	16.0		Star - Soft Knob		* KM080M-043-STR-SFT16
43.00 (1.69")	25.0		Star - Soft Knob		* KM080M-043-STR-SFT25
44.00 (1.73")	16.0		Grip - Soft Knob		* KM080M-044-GSB
44.00 (1.73")	30.0		Grip - Soft Knob		* KM080M-044-GSA
50.00 (1.97")	15.0		Three Lobe - Safety Knob		KM080M-050-3L-SAF15
50.00 (1.97")	16.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-050-5L16
50.00 (1.97")	20.0		Three Lobe - Safety Knob		KM080M-050-3L-SAF20
50.00 (1.97")	24.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-050-5L24
50.00 (1.97")	33.0		Three Lobe - Safety Knob		KM080M-050-3L-SAF33
50.00 (1.97")	47.0		Three Lobe - Safety Knob		KM080M-050-3L-SAF47
50.00 (1.97")	62.0		Round - Soft Knob		* KM080M-050-R-SFT
70.00 (2.76")	30.0		Wing Knob	Plastic	** KM080M-070-W
Thread Size 3/8-16 UNC (9.525mm)					
38.10 (1.50")	19.1	Black	Rosette Thumb - With Cap Screw Knob		* KM095C-038-1905-ROS-B
38.10 (1.50")	19.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM095C-038-1905-ROS-G
38.10 (1.50")	19.1	Red	Rosette Thumb - With Cap Screw Knob		* KM095C-038-1905-ROS-R
38.10 (1.50")	19.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM095C-038-1905-ROS-Y
38.10 (1.50")	25.4	Grey	Rosette Thumb - With Cap Screw Knob		* KM095C-038-2540-ROS-G
38.10 (1.50")	25.4	Yellow	Rosette Thumb - With Cap Screw Knob		* KM095C-038-2540-ROS-Y
38.10 (1.50")	25.4	Black	Rosette Thumb - With Cap Screw Knob		* KM095C-038-2540-ROS-B
38.10 (1.50")	25.4	Red	Rosette Thumb - With Cap Screw Knob		* KM095C-038-2540-ROS-R
38.10 (1.50")	38.1	Red	Rosette Thumb - With Cap Screw Knob		* KM095C-038-3810-ROS-R
38.10 (1.50")	38.1	Black	Rosette Thumb - With Cap Screw Knob		* KM095C-038-3810-ROS-B
38.10 (1.50")	38.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM095C-038-3810-ROS-Y
38.10 (1.50")	38.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM095C-038-3810-ROS-G
39.88 (1.57")	20.1		Ball - Novo-Grip Knob	Rubber	KM095C-040-NG
39.88 (1.57")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-040-3L
39.88 (1.57")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-040-3LL
44.45 (1.75")	12.7		Cross - Standard Knob	Black Thermoplastic	KM095C-044-CS-NY13
44.45 (1.75")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM095C-044-1905-TEE-Y
44.45 (1.75")	19.1	Red	Tee Thumb - With Cap Screw Knob		* KM095C-044-1905-TEE-R
44.45 (1.75")	19.1	Black	Tee Thumb - With Cap Screw Knob		* KM095C-044-1905-TEE-B
44.45 (1.75")	19.1	Grey	Tee Thumb - With Cap Screw Knob		* KM095C-044-1905-TEE-G
44.45 (1.75")	25.4		Cross - Standard Knob	Black Thermoplastic	KM095C-044-CS-PH25
44.45 (1.75")	25.4	Red	Tee Thumb - With Cap Screw Knob		* KM095C-044-2540-TEE-R
44.45 (1.75")	25.4	Grey	Tee Thumb - With Cap Screw Knob		* KM095C-044-2540-TEE-G
44.45 (1.75")	25.4	Black	Tee Thumb - With Cap Screw Knob		* KM095C-044-2540-TEE-B
44.45 (1.75")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		* KM095C-044-2540-TEE-Y
44.45 (1.75")	38.1	Red	Tee Thumb - With Cap Screw Knob		* KM095C-044-3810-TEE-R

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 3/8-16 UNC (9.525mm)					
44.45 (1.75")	38.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM095C-044-3810-TEE-Y
44.45 (1.75")	38.1	Black	Tee Thumb - With Cap Screw Knob		* KM095C-044-3810-TEE-B
44.45 (1.75")	38.1	Grey	Tee Thumb - With Cap Screw Knob		* KM095C-044-3810-TEE-G
44.45 (1.75")	50.8		Cross - Standard Knob	Black Thermoplastic	KM095C-044-CSL-PH51
50.00 (1.97")	62.0		Round - Soft Knob		KM095C-050-R-SFT
50.04 (1.97")	20.1		Ball - Novo-Grip Knob	Rubber	KM095C-050-NG
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	KM095C-050-CS25
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	KM095C-050-CS-NYSS25
50.04 (1.97")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM095C-050-4L25
50.04 (1.97")	25.4		Three Lobe - Safety Knob		KM095C-050-3L-SAF25
50.04 (1.97")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-050-3LS
50.04 (1.97")	35.1		Cross - Standard Knob	Black Thermoplastic	KM095C-050-CS35
50.04 (1.97")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-050-CS-SS38
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM095C-050-4L38A
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM095C-050-4L38B
50.04 (1.97")	38.1		Three Lobe - Safety Knob		KM095C-050-3L-SAF38
50.04 (1.97")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-050-3L
50.04 (1.97")	50.8	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-050-3LL
57.15 (2.25")	12.7		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-NY13
57.15 (2.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-PH25
57.15 (2.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-SS25
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-PH38
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-SS38
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-NY38
57.15 (2.25")	50.8		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-SS51
57.15 (2.25")	50.8		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-PH51
57.15 (2.25")	63.5		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-PH64
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	KM095C-060-CS25
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	KM095C-060-CS-SS25
59.94 (2.36")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM095C-060-4L25
59.94 (2.36")	35.1		Cross - Standard Knob	Black Thermoplastic	KM095C-060-CS35
59.94 (2.36")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-060-CS-SS38
62.99 (2.48")	44.5	Black	Four Lobe - Standard Knob	Phenolic	KM095C-063-4L44
65.02 (2.56")	24.9	Black	Tri Knob	Thermoplastic	KM095C-065-TRI-BHM
80.01 (3.15")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM095C-080-4L25
85.09 (3.35")	30.0	Black	Tri Knob	Thermoplastic	KM095C-085-TRI-BHM
104.90 (4.13")	30.0	Black	Tri Knob	Thermoplastic	KM095C-105-TRI-BHM
Thread Size 3/8-16 UNC (9.53mm)					
38.61 (1.52")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-039-5L-SFT25-ST
38.61 (1.52")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-039-5L-SFT38-ST
40.00 (1.57")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-095C-040-7L20-ST
40.00 (1.57")	40.00	Black	Seven Lobe Knob	Thermoplastic	KM-095C-040-7L40-ST
43.94 (1.73")	25.4	Black	Six Lobe - Standard Knob	Phenolic	KM095C-044-6L25-SP
43.94 (1.73")	31.8	Black	Six Lobe - Standard Knob	Phenolic	KM095C-044-6L32-SP
43.94 (1.73")	44.5	Black	Six Lobe - Standard Knob	Phenolic	KM095C-044-6L44-SP
48.51 (1.91")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-049-5L-SFT25-ST
48.51 (1.91")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-049-5L-SFT38-ST
50.00 (1.97")	20.00	Black	Five Lobe Knob	Thermoplastic	KM095C-050-5L20-ST
50.00 (1.97")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-095C-050-7L20-ST
50.00 (1.97")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-050-6L25-S4
50.00 (1.97")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-050-6L25-ST
50.00 (1.97")	25.40	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM095C-050-5LSFT25-ST
50.00 (1.97")	25.40	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM095C-050-5L25-ST

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 3/8-16 UNC (9.53mm)					
50.00 (1.97")	25.40	Black	Five Lobe - Standard Knob	Phenolic	KM095C-050-5L25-S4
50.00 (1.97")	31.75	Black	Five Lobe - Standard Knob	Phenolic	KM095C-050-5L32-S4
50.00 (1.97")	31.75	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-050-6L32-S4
50.00 (1.97")	35.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-050-6L35-ST
50.00 (1.97")	38.10	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM095C-050-5LSFT38-ST
50.00 (1.97")	38.10	Black	Five Lobe - Standard Knob	Phenolic	KM095C-050-5L38-S4
50.00 (1.97")	38.10	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM095C-050-5L38-ST
50.00 (1.97")	40.00	Black	Seven Lobe Knob	Thermoplastic	KM-095C-050-7L40-S4
50.00 (1.97")	40.00	Black	Seven Lobe Knob	Thermoplastic	KM-095C-050-7L40-ST
50.00 (1.97")	50.80	Black	Five Lobe - Standard Knob	Phenolic	KM095C-050-5L51-S4
50.04 (1.97")	44.5	Black	Six Lobe - Standard Knob	Phenolic	KM095C-050-6L44-SP
55.12 (2.17")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM095C-055-6L38-SP
57.00 (2.24")	25.4		Tri Knob	Polypropylene	* KM095W-057-TRI-BHM
57.15 (2.25")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-057-5L-SFT25-ST
57.15 (2.25")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-057-5L-SFT38-ST
60.00 (2.36")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-060-6L25-S4
60.00 (2.36")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-060-6L25-ST
60.00 (2.36")	31.75	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-060-6L32-S4
60.00 (2.36")	35.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-060-6L35-ST
63.00 (2.48")	20.00	Black	Five Lobe Knob	Thermoplastic	KM095C-063-5L20-S4
63.00 (2.48")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-095C-063-7L20-ST
63.00 (2.48")	31.75	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM095C-063-5LSFT32-ST
63.00 (2.48")	40.00	Black	Five Lobe Knob	Thermoplastic	KM095C-063-5L40-ST
63.00 (2.48")	40.00	Black	Five Lobe Knob	Thermoplastic	KM095C-063-5L40-S4
63.00 (2.48")	40.00	Black	Seven Lobe Knob	Thermoplastic	KM-095C-063-7L40-ST
63.00 (2.48")	50.80	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM095C-063-5LSFT51-ST
Thread Size 3/8-16 BSW (9.53mm)					
50.80 (2.00")	19.1	Black	Tri Knob	Phenolic	KM095W-051-TRI-BHM
Thread Size M10x1.5 (10mm Standard)					
40.00 (1.57")	15.00	Black	Seven Lobe Knob	Thermoplastic	KM-100M-040-7L15-ST
40.00 (1.57")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-100M-040-7L20-ST
40.00 (1.57")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-100M-040-7L30-ST
50.00 (1.97")	15.00	Black	Seven Lobe Knob	Thermoplastic	KM-100M-050-7L15-ST
50.00 (1.97")	20.0	Black	Five Lobe - Standard Knob	Thermoplastic	** KM100M-050-5L20
50.00 (1.97")	20.0		Three Lobe - Safety Knob		KM100M-050-3L-SAF20
50.00 (1.97")	30.0	Black	Five Lobe - Standard Knob	Phenolic	* KM100M-050-5L30
50.00 (1.97")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-100M-050-7L30-ST
50.00 (1.97")	30.0		Star Knob		* KM100M-050-STR-PL
50.00 (1.97")	30.0		Three Lobe - Safety Knob		KM100M-050-3L-SAF30
50.00 (1.97")	40.0		Three Lobe - Safety Knob		KM100M-050-3L-SAF40
50.00 (1.97")	62.0		Round - Soft Knob		* KM100M-050-R-SFT
53.00 (2.09")	20.0		Star - Soft Knob		* KM100M-053-STR-SFT20
53.00 (2.09")	30.0		Star - Soft Knob		* KM100M-053-STR-SFT30
54.00 (2.13")	30.0		Grip - Soft Knob		* KM100M-054-GSA
54.00 (2.13")	20.0		Grip - Soft Knob		* KM100M-054-GSB
57.00 (2.24")	30.0		Tri Knob	Polypropylene	** KM100M-057-TRI-BHM
63.00 (2.48")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-100M-063-7L20-ST
63.00 (2.48")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-100M-063-7L30-ST
Thread Size M12x1.75 (12mm Standard)					
50.00 (1.97")	15.00	Black	Seven Lobe Knob	Thermoplastic	KM-120M-050-7L15-ST
50.00 (1.97")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-120M-050-7L20-ST
50.00 (1.97")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-120M-050-7L30-ST
63.00 (2.48")	20.00	Black	Seven Lobe Knob	Thermoplastic	KM-120M-063-7L20-ST



Stocked or Short Delivery



Usually Available Short Delivery




Long delivery or not in current production

* Large Minimum Quantities


** Available only while stock lasts

Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size M12x1.75 (12mm Standard)					
63.00 (2.48")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-120M-063-7L30-ST
Thread Size 1/2-13 UNC (12.7mm)					
50.00 (1.97")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-127C-050-7L30-ST
50.00 (1.97")	60.00	Black	Seven Lobe Knob	Thermoplastic	KM-127C-050-7L60-ST
50.04 (1.97")	30.0		Ball - Novo-Grip Knob	Rubber	KM127C-050-NG
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM127C-050-4L38
50.04 (1.97")	39.9		Ball - Novo-Grip Knob	Rubber	KM127C-050-NG-SS
50.04 (1.97")	50.8	Black	Four Lobe - Standard Knob	Phenolic	KM127C-050-4L51
55.12 (2.17")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM127C-055-6L38-SP
55.12 (2.17")	50.8	Black	Six Lobe - Standard Knob	Phenolic	KM127C-055-6L51-SP
57.15 (2.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM127C-057-CS-PH25
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	KM127C-057-CS-PH38
57.15 (2.25")	50.8		Cross - Standard Knob	Black Thermoplastic	KM127C-057-CS-PH51
57.15 (2.25")	63.5		Cross - Standard Knob	Black Thermoplastic	KM127C-057-CS-PH64
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	KM127C-060-CS-SS25
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	KM127C-060-CS25
59.94 (2.36")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM127C-060-4L25
59.94 (2.36")	35.1		Cross - Standard Knob	Black Thermoplastic	KM127C-060-CS35
59.94 (2.36")	38.1		Cross - Standard Knob	Black Thermoplastic	KM127C-060-CS-SS38
60.00 (2.36")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM127C-060-6L25-ST
60.00 (2.36")	25.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM127C-060-6L25-S4
60.00 (2.36")	31.75	Black	Six Lobe - Standard Knob	Thermoplastic	KM127C-060-6L32-S4
60.00 (2.36")	35.00	Black	Six Lobe - Standard Knob	Thermoplastic	KM127C-060-6L35-ST
60.00 (2.36")	38.10	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM127C-060-5L38-ST
62.99 (2.48")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM127C-063-3L
62.99 (2.48")	44.5	Black	Four Lobe - Standard Knob	Phenolic	KM127C-063-4L44
62.99 (2.48")	50.8	Black	Six Lobe - Standard Knob	Phenolic	KM127C-063-6L51-SP
63.00 (2.48")	30.00	Black	Five Lobe Knob	Thermoplastic	KM127C-063-5L30-ST
63.00 (2.48")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-127C-063-7L30-ST
63.00 (2.48")	38.10	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM127C-063-5LSFT38-ST
63.00 (2.48")	60.00	Black	Five Lobe Knob	Thermoplastic	KM127C-063-5L60-ST
63.00 (2.48")	60.00	Black	Seven Lobe Knob	Thermoplastic	KM-127C-063-7L60-ST
65.02 (2.56")	24.9	Black	Tri Knob	Thermoplastic	KM127C-065-TRI-BHM
66.04 (2.60")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM127C-066-6L38-SP
66.04 (2.60")	50.8	Black	Six Lobe - Standard Knob	Phenolic	KM127C-066-6L51-SP
80.01 (3.15")	30.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM127C-080-4L30
80.01 (3.15")	35.1	Black	Four Lobe - Standard Knob	Thermoplastic	KM127C-080-4L35
80.01 (3.15")	50.8	Black	Four Lobe - Standard Knob	Phenolic	KM127C-080-4L51
85.09 (3.35")	30.0	Black	Tri Knob	Thermoplastic	KM127C-085-TRI-BHM
104.90 (4.13")	30.0	Black	Tri Knob	Thermoplastic	KM127C-105-TRI-BHM
124.97 (4.92")	30.0	Black	Tri Knob	Thermoplastic	KM127C-125-TRI-BHM
Thread Size 5/8-11 UNC (15.88mm)					
80.01 (3.15")	30.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM159C-080-4L30
80.01 (3.15")	35.1	Black	Four Lobe - Standard Knob	Thermoplastic	KM159C-080-4L35
104.90 (4.13")	30.0	Black	Tri Knob	Thermoplastic	KM159C-105-TRI-BHM
124.97 (4.92")	30.0	Black	Tri Knob	Thermoplastic	KM159C-125-TRI-BHM
Thread Size M16x2 (16mm Standard)					
63.00 (2.48")	30.00	Black	Seven Lobe Knob	Thermoplastic	KM-160M-063-7L30-ST

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 34 of 37

EOE

Pointer Knobs

Height mm (in.)	Thread Length	Colour	Style	Material	Part Number
Diameter 12					
16.00 (0.63")	-	Black	Pointer - Skirted Knob	Plastic	* KPT-12-SK
Diameter 13					
18.00 (0.71")	-	Grey and Yellow	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GY
18.00 (0.71")	-	Grey and White	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GW
18.00 (0.71")	-	Grey and Red	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GR
18.00 (0.71")	-	Grey and Green	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GG
18.00 (0.71")	-	Grey and Blue	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GB
Diameter 15					
14.00 (0.55")	-	Black	Pointer - 18T Spline Type Knob	Plastic	* KPT-15-18T-BK
Diameter 16					
14.00 (0.55")	-	Black Anodised	Pointer - Black Aluminium Knob	Aluminium	** KPT-16-ALB
14.00 (0.55")	-	Aluminium	Pointer - Brushed Aluminium Knob		* KPT-16-ALN
Diameter 19					
19.00 (0.75")	32.0	Black with White Striped Pointer	Pointer - Arrow Top Knob	Plastic	** KPT-19-AT
Diameter 20					
16.00 (0.63")	-	Black	Pointer - 18T Spline Type Knob	Plastic	* KPT-20-18T-BK
16.00 (0.63")	-	Black	Pointer - Skirted Knob	Plastic	* KPT-20-SK
18.00 (0.71")	-	Silver and Black	Pointer - Aluminium and Plastic Knob		* KPT-20-AP
18.00 (0.71")	-	Yellow	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-YLW
18.00 (0.71")	-	White	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-WHI
18.00 (0.71")	-	Red	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-RED
18.00 (0.71")	-	Grey	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-GRY
18.00 (0.71")	-	Green	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-GRN
18.00 (0.71")	-	Blue	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-BLU
18.00 (0.71")	-	Black	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-BLK
Diameter 22					
14.00 (0.55")	-	Black Anodised	Pointer - Black Aluminium Knob		* KPT-22-ALB
14.00 (0.55")	-	Aluminium	Pointer - Brushed Aluminium Knob		* KPT-22-ALN
Diameter 23					
14.00 (0.55")	-	Black	Pointer - Skirted Knob	Plastic	* KPT-23-SK
Diameter 24					
20.00 (0.79")	-	Black	Pointer - Skirted Knob	Plastic	* KPT-24-SK
Approx Base Diameter 27					
15.00 (0.59")	-	Silver and Black	Pointer - Aluminium and Plastic Knob	Aluminium	** KPT-27-AP
Diameter 29					
14.00 (0.55")	-	Black Anodised	Pointer - Black Aluminium Knob	Aluminium	** KPT-29-ALB
18.00 (0.71")	-	Silver / Black	Pointer - Skirted - Numbered Knob	Plastic	* KPT-29-SKN
Approx Base Diameter 32					
17.00 (0.67")	-	Silver and Black	Pointer - Aluminium and Plastic Knob	Aluminium	** KPT-32-AP
Diameter 35					
19.00 (0.75")	-	Black	Pointer - Skirted Knob	Plastic	** KPT-35-SK
Diameter 36					
23.50 (0.93")	-	Silver / Black	Pointer - Skirted - Numbered Knob	Plastic	* KPT-36-SKN
Approx Base Diameter 45					
20.00 (0.79")	-	Silver and Black	Pointer - Aluminium and Plastic Knob		* KPT-45-AP

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 35 of 37

EOE

NOTES

Cap Screw Knobs are designed to be pressed tightly onto the head of a standard socket head cap screw, turning the screw into a thumb screw.

Cap screw knobs are available in several different styles. Refer to the style column in the catalogue.

There is a small range of blank (unbored) 6 lobe star knobs at the end of the female threaded knobs section that you can drill and tap to suit your own thread size.



Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

Knobs