

# MBA

# 2022.1

## Knobs

Male, Female, Pointer, Cap Screw, Ball and More



### INDEX

Cap Screw Knobs	3-5
Female Threaded	6-20
Female Bored	21-22
Male	23-35
Pointer	36

Selection of knobs listed by thread or hole size. This catalogue is a quick reference guide to help you find parts quickly. Enter a part number into the search box on the website to obtain full details.

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

Wing Knobs




Cap Screw Knobs  
(Fit over standard cap screw head)



Star Knobs



Ball Knobs



# Cap Screw Knobs

Head Diameter (A) mm (in.)	Thickness (B) mm (in.)	Colour	Style	Material	Part Number
<b>Suits Cap Screw (not included) 4-40, 4-56 (2.85mm) - Use Own Screw</b>					
7.94 (0.31")	4.4	Black	Knurled Thumb Knob	Plastic	** <b>KM029-008-KNU-B</b>
7.94 (0.31")	4.4	Grey	Knurled Thumb Knob	Plastic	* KM029-008-KNU-G
7.94 (0.31")	4.4	Red	Knurled Thumb Knob	Plastic	** <b>KM029-008-KNU-R</b>
7.94 (0.31")	4.4	Yellow	Knurled Thumb Knob	Plastic	* KM029-008-KNU-Y
<b>Suits Cap Screw (not included) M3 (3.00mm) - Use Own Screw</b>					
9.60 (0.38")	4.4	Yellow	Knurled Thumb Knob	Plastic	* KM030M-010-KNU-Y
9.60 (0.38")	4.4	Black	Knurled Thumb Knob	Plastic	** <b>KM030M-010-KNU-B</b>
9.60 (0.38")	4.4	Red	Knurled Thumb Knob	Plastic	** <b>KM030M-010-KNU-R</b>
9.60 (0.38")	4.4	Grey	Knurled Thumb Knob	Plastic	* KM030M-010-KNU-G
38.10 (1.50")	11.9	Red	Rosette Thumb Knob	Plastic	* KM095-038-ROS-R
38.10 (1.50")	11.9	Yellow	Rosette Thumb Knob	Plastic	* KM095-038-ROS-Y
38.10 (1.50")	11.9	Grey	Rosette Thumb Knob	Plastic	* KM095-038-ROS-G
38.10 (1.50")	11.9	Black	Rosette Thumb Knob	Plastic	** <b>KM095-038-ROS-B</b>
44.45 (1.75")	11.9	Red	Tee Thumb Knob	Plastic	* KM095-044-TEE-R
44.45 (1.75")	11.9	Black	Tee Thumb Knob	Plastic	** <b>KM095-044-TEE-B</b>
44.45 (1.75")	11.9	Grey	Tee Thumb Knob	Plastic	* KM095-044-TEE-G
44.45 (1.75")	11.9	Yellow	Tee Thumb Knob	Plastic	* KM095-044-TEE-Y
<b>Suits Cap Screw (not included) 6-32, 6-40 (3.50mm) - Use Own Screw</b>					
9.53 (0.38")	4.8	Black	Knurled Thumb Knob	Plastic	* KM035C-010-KNU-B
9.53 (0.38")	4.8	Grey	Knurled Thumb Knob	Plastic	* KM035C-010-KNU-G
9.53 (0.38")	4.8	Red	Knurled Thumb Knob	Plastic	* KM035C-010-KNU-R
9.53 (0.38")	4.8	Yellow	Knurled Thumb Knob	Plastic	* KM035C-010-KNU-Y
<b>Suits Cap Screw (not included) M4 (4.00mm) - Use Own Screw</b>					
13.00 (0.51")	5.5	Yellow	Knurled Thumb Knob	Plastic	* KM040M-013-KNU-Y
13.00 (0.51")	5.5	Red	Knurled Thumb Knob	Plastic	* KM040M-013-KNU-R
13.00 (0.51")	5.5	Grey	Knurled Thumb Knob	Plastic	* KM040M-013-KNU-G
13.00 (0.51")	5.5	Black	Knurled Thumb Knob	Plastic	** <b>KM040M-013-KNU-B</b>
<b>Suits Cap Screw (not included) 8-32, 8-40 (4.17mm) - Use Own Screw</b>					
12.70 (0.50")	5.6	Red	Knurled Thumb Knob	Plastic	* KM042-013-KNU-R
12.70 (0.50")	5.6	Yellow	Knurled Thumb Knob	Plastic	* KM042-013-KNU-Y
12.70 (0.50")	5.6	Grey	Knurled Thumb Knob	Plastic	* KM042-013-KNU-G
12.70 (0.50")	5.6	Black	Knurled Thumb Knob	Plastic	* KM042-013-KNU-B
<b>Suits Cap Screw (not included) 10-24, 10-32 (4.76mm) - Use Own Screw</b>					
14.29 (0.56")	8.7	Black	L Thumb Knob	Plastic	* KM048-014-L-B
14.29 (0.56")	8.7	Yellow	L Thumb Knob	Plastic	* KM048-014-L-Y
14.29 (0.56")	8.7	Red	L Thumb Knob	Plastic	* KM048-014-L-R
14.29 (0.56")	8.7	Grey	L Thumb Knob	Plastic	* KM048-014-L-G
15.88 (0.63")	6.4	Grey	Knurled Thumb Knob	Plastic	* KM048-016-KNU-G
15.88 (0.63")	6.4	Red	Knurled Thumb Knob	Plastic	* KM048-016-KNU-R
15.88 (0.63")	6.4	Black	Knurled Thumb Knob	Plastic	* KM048-016-KNU-B
15.88 (0.63")	6.4	Yellow	Knurled Thumb Knob	Plastic	* KM048-016-KNU-Y
25.40 (1.00")	6.4	Grey	Tee Thumb Knob	Plastic	* KM048-025-TEE-G
25.40 (1.00")	6.4	Red	Tee Thumb Knob	Plastic	* KM048-025-TEE-R
25.40 (1.00")	6.4	Black	Tee Thumb Knob	Plastic	** <b>KM048-025-TEE-B</b>
25.40 (1.00")	6.4	Yellow	Tee Thumb Knob	Plastic	* KM048-025-TEE-Y
<b>Suits Cap Screw (not included) M4 (4.00mm) - Use Own Screw</b>					
16.00 (0.63")	6.5	Black	Knurled Thumb Knob	Plastic	** <b>KM050M-016-KNU-B</b>
16.00 (0.63")	6.5	Yellow	Knurled Thumb Knob	Plastic	** <b>KM050M-016-KNU-Y</b>
16.00 (0.63")	6.5	Red	Knurled Thumb Knob	Plastic	** <b>KM050M-016-KNU-R</b>
16.00 (0.63")	6.5	Grey	Knurled Thumb Knob	Plastic	* KM050M-016-KNU-G
21.43 (0.84")	13.5	Grey	L Thumb Knob	Plastic	** <b>KM079-021-L-G</b>
21.43 (0.84")	13.5	Red	L Thumb Knob	Plastic	** <b>KM079-021-L-R</b>
21.43 (0.84")	13.5	Yellow	L Thumb Knob	Plastic	** <b>KM079-021-L-Y</b>
21.43 (0.84")	13.5	Black	L Thumb Knob	Plastic	* KM079-021-L-B



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Cap Screw Knobs

Head Diameter (A) mm (in.)	Thickness (B) mm (in.)	Colour	Style	Material	Part Number
<b>Suits Cap Screw (not included) M4 (4.00mm) - Use Own Screw</b>					
25.40 (1.00")	10.3	Black	Knurled Thumb Knob	Plastic	* KM079-025-KNU-B
25.40 (1.00")	10.3	Yellow	Knurled Thumb Knob	Plastic	* KM079-025-KNU-Y
25.40 (1.00")	10.3	Grey	Knurled Thumb Knob	Plastic	* KM079-025-KNU-G
25.40 (1.00")	10.3	Red	Knurled Thumb Knob	Plastic	* KM079-025-KNU-R
26.00 (1.02")	6.6	Red	Tee Thumb Knob	Plastic	** <b>KM050M-026-TEE-R</b>
26.00 (1.02")	6.6	Grey	Tee Thumb Knob	Plastic	** <b>KM050M-026-TEE-G</b>
26.00 (1.02")	6.6	Black	Tee Thumb Knob	Plastic	** <b>KM050M-026-TEE-B</b>
26.00 (1.02")	6.6	Yellow	Tee Thumb Knob	Plastic	** <b>KM050M-026-TEE-Y</b>
38.10 (1.50")	10.3	Grey	Tee Thumb Knob	Plastic	* KM079-038-TEE-G
38.10 (1.50")	10.3	Black	Tee Thumb Knob	Plastic	* KM079-038-TEE-B
38.10 (1.50")	10.3	Black	Rosette Thumb Knob	Plastic	* KM079-038-ROS-B
38.10 (1.50")	10.3	Yellow	Tee Thumb Knob	Plastic	* KM079-038-TEE-Y
38.10 (1.50")	10.3	Red	Tee Thumb Knob	Plastic	** <b>KM079-038-TEE-R</b>
38.10 (1.50")	10.3	Yellow	Rosette Thumb Knob	Plastic	* KM079-038-ROS-Y
38.10 (1.50")	10.3	Grey	Rosette Thumb Knob	Plastic	* KM079-038-ROS-G
38.10 (1.50")	10.3	Red	Rosette Thumb Knob	Plastic	* KM079-038-ROS-R
<b>Suits Cap Screw (not included) M6 (6.00mm) - Use Own Screw</b>					
19.00 (0.75")	7.6	Yellow	Knurled Thumb Knob	Plastic	** <b>KM060M-019-KNU-Y</b>
19.00 (0.75")	7.6	Red	Knurled Thumb Knob	Plastic	** <b>KM060M-019-KNU-R</b>
19.00 (0.75")	7.6	Grey	Knurled Thumb Knob	Plastic	* KM060M-019-KNU-G
19.00 (0.75")	7.6	Black	Knurled Thumb Knob	Plastic	** <b>KM060M-019-KNU-B</b>
26.00 (1.02")	7.8	Yellow	Knurled Thumb Knob	Plastic	* KM060M-026-KNU-Y
26.00 (1.02")	7.8	Red	Knurled Thumb Knob	Plastic	* KM060M-026-KNU-R
26.00 (1.02")	7.8	Grey	Knurled Thumb Knob	Plastic	* KM060M-026-KNU-G
26.00 (1.02")	7.8	Black	Knurled Thumb Knob	Plastic	* KM060M-026-KNU-B
30.00 (1.18")	7.8	Yellow	Tee Thumb Knob	Plastic	* KM060M-030-TEE-Y
30.00 (1.18")	7.8	Grey	Tee Thumb Knob	Plastic	* KM060M-030-TEE-G
30.00 (1.18")	7.8	Red	Tee Thumb Knob	Plastic	** <b>KM060M-030-TEE-R</b>
30.00 (1.18")	7.8	Black	Tee Thumb Knob	Plastic	** <b>KM060M-030-TEE-B</b>
38.00 (1.50")	12.2	Black	Rosette Thumb Knob	Plastic	** <b>KM060M-038-ROS-B</b>
38.00 (1.50")	12.2	Grey	Rosette Thumb Knob	Plastic	* KM060M-038-ROS-G
38.00 (1.50")	12.2	Red	Rosette Thumb Knob	Plastic	* KM060M-038-ROS-R
38.00 (1.50")	12.2	Yellow	Rosette Thumb Knob	Plastic	** <b>KM060M-038-ROS-Y</b>
<b>Suits Cap Screw (not included) 1/4 (6.35mm) - Use Own Screw</b>					
17.46 (0.69")	11.1	Black	L Thumb Knob	Plastic	** <b>KM064-017-L-B</b>
17.46 (0.69")	11.1	Yellow	L Thumb Knob	Plastic	* KM064-017-L-Y
17.46 (0.69")	11.1	Grey	L Thumb Knob	Plastic	* KM064-017-L-G
17.46 (0.69")	11.1	Red	L Thumb Knob	Plastic	* KM064-017-L-R
19.05 (0.75")	7.9	Black	Knurled Thumb Knob	Plastic	** <b>KM064-019-KNU-B</b>
19.05 (0.75")	7.9	Grey	Knurled Thumb Knob	Plastic	* KM064-019-KNU-G
19.05 (0.75")	7.9	Red	Knurled Thumb Knob	Plastic	** <b>KM064-019-KNU-R</b>
19.05 (0.75")	7.9	Yellow	Knurled Thumb Knob	Plastic	* KM064-019-KNU-Y
25.40 (1.00")	7.9	Grey	Knurled Thumb Knob	Plastic	* KM064-025-KNU-G
25.40 (1.00")	7.9	Red	Knurled Thumb Knob	Plastic	* KM064-025-KNU-R
25.40 (1.00")	7.9	Yellow	Knurled Thumb Knob	Plastic	* KM064-025-KNU-Y
25.40 (1.00")	7.9	Black	Knurled Thumb Knob	Plastic	** <b>KM064-025-KNU-B</b>
31.75 (1.25")	7.9	Black	Tee Thumb Knob	Plastic	* KM064-032-TEE-B
31.75 (1.25")	7.9	Grey	Tee Thumb Knob	Plastic	* KM064-032-TEE-G
31.75 (1.25")	7.9	Red	Tee Thumb Knob	Plastic	** <b>KM064-032-TEE-R</b>
31.75 (1.25")	7.9	Yellow	Tee Thumb Knob	Plastic	** <b>KM064-032-TEE-Y</b>
38.10 (1.50")	11.9	Red	Rosette Thumb Knob	Plastic	** <b>KM064-038-ROS-R</b>
38.10 (1.50")	11.9	Yellow	Rosette Thumb Knob	Plastic	* KM064-038-ROS-Y
38.10 (1.50")	11.9	Grey	Rosette Thumb Knob	Plastic	* KM064-038-ROS-G
38.10 (1.50")	11.9	Black	Rosette Thumb Knob	Plastic	** <b>KM064-038-ROS-B</b>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Cap Screw Knobs

Head Diameter (A) mm (in.)	Thickness (B) mm (in.)	Colour	Style	Material	Part Number
<b>Suits Cap Screw (not included) M8 (8.00mm) - Use Own Screw</b>					
26.00 (1.02")	9.8	Grey	Knurled Thumb Knob	Plastic	* KM080M-026-KNU-G
26.00 (1.02")	9.8	Red	Knurled Thumb Knob	Plastic	* KM080M-026-KNU-R
26.00 (1.02")	9.8	Yellow	Knurled Thumb Knob	Plastic	* KM080M-026-KNU-Y
26.00 (1.02")	9.8	Black	Knurled Thumb Knob	Plastic	** <b>KM080M-026-KNU-B</b>
38.00 (1.50")	10.0	Yellow	Tee Thumb Knob	Plastic	* KM080M-038-TEE-Y
38.00 (1.50")	10.0	Red	Tee Thumb Knob	Plastic	* KM080M-038-TEE-R
38.00 (1.50")	10.0	Red	Rosette Thumb Knob	Plastic	* KM080M-038-ROS-R
38.00 (1.50")	10.0	Grey	Tee Thumb Knob	Plastic	* KM080M-038-TEE-G
38.00 (1.50")	10.0	Yellow	Rosette Thumb Knob	Plastic	* KM080M-038-ROS-Y
38.00 (1.50")	10.0	Black	Rosette Thumb Knob	Plastic	* KM080M-038-ROS-B
38.00 (1.50")	10.0	Black	Tee Thumb Knob	Plastic	* KM080M-038-TEE-B
38.00 (1.50")	10.0	Grey	Rosette Thumb Knob	Plastic	* KM080M-038-ROS-G
<b>Suits Cap Screw (not included) M10 (10.00mm) - Use Own Screw</b>					
38.00 (1.50")	12.5	Grey	Rosette Thumb Knob	Plastic	* KM100M-038-ROS-G
38.00 (1.50")	12.5	Red	Rosette Thumb Knob	Plastic	* KM100M-038-ROS-R
38.00 (1.50")	12.5	Black	Rosette Thumb Knob	Plastic	* KM100M-038-ROS-B
38.00 (1.50")	12.5	Yellow	Rosette Thumb Knob	Plastic	** <b>KM100M-038-ROS-Y</b>
45.00 (1.77")	12.5	Yellow	Tee Thumb Knob	Plastic	* KM100M-045-TEE-Y
45.00 (1.77")	12.5	Red	Tee Thumb Knob	Plastic	* KM100M-045-TEE-R
45.00 (1.77")	12.5	Grey	Tee Thumb Knob	Plastic	* KM100M-045-TEE-G
45.00 (1.77")	12.5	Black	Tee Thumb Knob	Plastic	** <b>KM100M-045-TEE-B</b>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size M3x0.5 (3.00mm Standard)</b>					
10.00 (0.39")	-	Black	Ball - Threaded Knob		* KF030M-010-TPH
12.00 (0.47")	6.5		Knurled Knob	Thermoplastic	<b>KF030M-012-KN-PH</b>
<b>Thread Size 6-32 UNC (3.50mm)</b>					
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF035C-019-TPH-IN</b>
<b>Thread Size M4x0.7 (4.00mm Standard)</b>					
12.00 (0.47")	-	Black	Ball - Threaded Knob		* KF040M-012-TPH
12.00 (0.47")	10.0		Knurled Knob	Phenolic	<b>KF040M-012-KN-PH</b>
12.00 (0.47")	10.0		Thumb Knob		* KF040M-012-THM
15.00 (0.59")	10.0		Knurled Knob	Phenolic	<b>KF040M-015-KN-PH</b>
16.00 (0.63")	-	Black	Ball - Threaded Knob	Phenolic	** <b>KF040M-016-TPH-B</b>
16.00 (0.63")	-	Black	Ball - Threaded Knob		* KF040M-016-TPH-IN
16.00 (0.63")	7.0		Ball - Threaded Knob	Thermoplastic	<b>KF040M-016-TTPL-TT</b>
16.00 (0.63")	-		Ball - Threaded Knob	Thermoplastic	<b>KF040M-016-TTPL-MT</b>
16.00 (0.63")	-		Ball - Threaded Knob	Thermoplastic	<b>KF040M-016-TTPL-BR</b>
16.00 (0.63")	-		Ball - Threaded Knob	Steel	* KF040M-016-TPST
16.00 (0.63")	7.2		Ball - Threaded Knob	Stainless Steel	<b>KF040M-016-T303</b>
20.00 (0.79")	-	Black	Ball - Threaded Knob	Phenolic	** <b>KF040M-020-TPH</b>
20.00 (0.79")	8.0		Star Knob		* KF040M-020-STRF-PL
25.00 (0.98")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF040M-025-7L-ST</b>
<b>Thread Size 8-32 UNC (4.17mm)</b>					
15.88 (0.63")	-		Ball - Threaded Knob	Aluminium	<b>KF042C-016-TPAL</b>
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF042C-019-TPH-IN</b>
20.07 (0.79")	7.9	Black	Cross - Standard Knob	Phenolic	<b>KF042C-020-CS</b>
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF042C-025-7L-ST
25.40 (1.00")	9.5	Black	Cross - Blind Knob	Nylon	<b>KF042C-025-CB</b>
31.80 (1.25")	-	Black Nickel	Classic Cabinet Hardware Knob	Zinc Diecast	* KF042C-032-CAB-BK
31.80 (1.25")	25.4	Bright Chrome	Classic Cabinet Hardware Knob	Zinc Diecast	** <b>KF042C-032-CAB-CH</b>
38.10 (1.50")	25.4	Bright Chrome	Indented Top Cabinet Hardware Knob	Zinc Diecast	<b>KF042C-038-CAB-CH16</b>
38.10 (1.50")	-	Bright Chrome	Indented Top Cabinet Hardware Knob	Zinc Diecast	* KF042C-038-CAB-CH19
<b>Thread Size 10-24 UNC (4.76mm)</b>					
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF048C-019-TPH-IN</b>
19.05 (0.75")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF048C-019-TPBR-R
19.05 (0.75")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	<b>KF048C-019-TPBR-P</b>
19.05 (0.75")	9.5		Ball - Threaded Knob	Steel	** <b>KF048C-019-TPST</b>
19.05 (0.75")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	<b>KF048C-019-3L-BHST</b>
20.07 (0.79")	7.1	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF048C-020-4L</b>
20.07 (0.79")	7.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF048C-020-4L-P</b>
20.07 (0.79")	8.9	Black	Cross - Standard Knob	Phenolic	<b>KF048C-020-CS</b>
24.89 (0.98")	7.1	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF048C-025-4L</b>
24.89 (0.98")	8.9		Ball - Threaded with Groove Knob		* KF048C-025-TPLG
24.89 (0.98")	8.9		Ball - Threaded with Knurl Knob	Plastic	<b>KF048C-025-TPLK</b>
24.89 (0.98")	8.9	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KF048C-025-3L</b>
25.40 (1.00")	9.5		Ball - Threaded Knob	Steel	<b>KF048C-025-TPST</b>
25.40 (1.00")	9.5	Black	Cross - Blind Knob	Nylon	<b>KF048C-025-CB</b>
29.97 (1.18")	7.1	Black	Six Lobe - Standard Knob	Thermoplastic	* KF048C-030-6L-BR
31.75 (1.25")	7.9	Black	Cross - Blind Knob	Phenolic	<b>KF048C-032-CB</b>
31.75 (1.25")	11.1	Black	Cross - Through Hole Knob	Phenolic	<b>KF048C-032-CHL</b>
31.75 (1.25")	25.0		Mushroom Round - Threaded Knob	Phenolic	<b>KF048C-032-MRPH</b>
32.00 (1.26")	7.1	Black	Cross - Standard Knob	Thermoplastic	<b>KF048C-032-CS</b>
32.00 (1.26")	8.9	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KF048C-032-3L</b>
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF048C-038-TPST
<b>Thread Size 10-32 UNF (4.76mm)</b>					
16.89 (0.66")	-		Ball - Threaded with Shank Knob	Phenolic	<b>KF048F-017-TPHS</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 10-32 UNF (4.76mm)</b>					
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF048F-019-TPH-IN</b>
19.05 (0.75")	-	Red	Ball - Threaded Knob		* KF048F-019-TPH-IN-R
19.05 (0.75")	-		Raw Ball - Threaded - Polished Brass Knob		* KF048F-019-TPBR-R
19.05 (0.75")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	<b>KF048F-019-TPBR-P</b>
19.05 (0.75")	9.5		Ball - Threaded Knob		* KF048F-019-TPST
19.84 (0.78")			Ball - Threaded Knob	Aluminium	<b>KF048F-020-TPAL</b>
20.07 (0.79")	7.1	Black	Four Lobe - Standard Knob	Thermoplastic	* KF048F-020-4L
20.07 (0.79")	7.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF048F-020-4L-P</b>
24.89 (0.98")	8.4	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF048F-025-7L-SP</b>
24.89 (0.98")	9.9	Black	Five Lobe - Standard Knob	Plastic	<b>KF048F-025-5L-BR</b>
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF048F-025-7L-SS
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF048F-025-7L-ST
25.40 (1.00")	-	Red	Ball - Threaded Knob		* KF048F-025-TPH-IN-R
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF048F-025-TPH-IN</b>
25.40 (1.00")	9.5		Ball - Threaded Knob	Steel	<b>KF048F-025-TPST</b>
25.40 (1.00")	9.5	Black	Cross - Blind Knob	Nylon	<b>KF048F-025-CB</b>
28.58 (1.13")		Black	Tri - Blind Hole Knob	Phenolic	<b>KF048F-029-TRI-BHF</b>
28.58 (1.13")		Black	Tri - Through Hole Knob	Phenolic	<b>KF048F-029-TRI-PF</b>
29.97 (1.18")	14.0	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KF048F-030-3L-SFT</b>
31.75 (1.25")	7.9	Black	Cross - Blind Knob	Phenolic	<b>KF048F-032-CB</b>
31.75 (1.25")	7.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF048F-032-CH</b>
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Plastic	<b>KF048F-032-5L-BR</b>
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF048F-032-7L-ST
<b>Thread Size M5x0.8 (5.00mm Standard)</b>					
15.00 (0.59")	10.0		Knurled Knob	Phenolic	<b>KF050M-015-KN-PH</b>
15.00 (0.59")	10.0		Thumb Knob		* KF050M-015-THM
16.00 (0.63")	7.0		Ball - Threaded Knob	Thermoplastic	<b>KF050M-016-TTPL-TT</b>
20.00 (0.79")	-	Black	Ball - Threaded Knob		* KF050M-020-TPH-IN
20.00 (0.79")	-	Black	Ball - Threaded Knob	Phenolic	* KF050M-020-TPH
20.00 (0.79")	-		Ball - Threaded Knob	Thermoplastic	<b>KF050M-020-TTPL-MT</b>
20.00 (0.79")	7.5		Ball - Threaded Knob	Thermoplastic	<b>KF050M-020-TTPL-ST</b>
20.00 (0.79")	9.0		Ball - Threaded Knob	Thermoplastic	<b>KF050M-020-TTPL-TT</b>
20.00 (0.79")	-		Ball - Threaded Knob	Thermoplastic	<b>KF050M-020-TTPL-BR</b>
20.00 (0.79")	9.1		Ball - Threaded Knob	Stainless Steel	<b>KF050M-020-T303</b>
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF050M-025-TPH-IN</b>
25.00 (0.98")	9.0		Star Knob	Plastic	** <b>KF050M-025-STRF-PL</b>
25.00 (0.98")	9.5	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF050M-025-7L-SP
25.00 (0.98")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	<b>KF050M-025-7LQA</b>
25.00 (0.98")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF050M-025-7L-ST</b>
32.00 (1.26")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF050M-032-7L-ST</b>
<b>Thread Size M6x1 (6.00mm Standard)</b>					
15.00 (0.59")	9.0		Knurled Knob	Phenolic	<b>KF060M-015-KN-PH</b>
16.00 (0.63")	-		Ball - Threaded Knob	Steel	* KF060M-016-TPST
17.00 (0.67")	10.0		15.00 Knurled - Torque Knob	Plastic	* KF060M-017-TQ
17.00 (0.67")	9.0		Thumb Knob	Plastic	** <b>KF060M-017-THM</b>
20.00 (0.79")	9.0		Ball - Threaded Knob	Thermoplastic	<b>KF060M-020-TTPL-TT</b>
20.00 (0.79")	7.5		Ball - Threaded Knob	Thermoplastic	<b>KF060M-020-TTPL-ST</b>
21.00 (0.83")	12.0	White	Knurled Knurled - Clean Line Knob	Duroplast	* KF060M-021-CL
23.00 (0.91")	-		14.00 Knurled - Torque Knob	Plastic	* KF060M-023-TQ
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF060M-025-TPH-IN</b>
25.00 (0.98")	-	Black	Ball - Threaded Knob		* KF060M-025-TPH
25.00 (0.98")	9.0		Ball - Threaded Knob	Thermoplastic	<b>KF060M-025-TTPL-ST</b>
25.00 (0.98")	1.0		Ball - Threaded Knob	Thermoplastic	<b>KF060M-025-TTPL-TT</b>
25.00 (0.98")	-		Ball - Threaded Knob	Thermoplastic	<b>KF060M-025-TTPL-BR</b>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 7 of 38

E&OE

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size M6x1 (6.00mm Standard)</b>					
25.00 (0.98")	-		Ball - Threaded Knob	Thermoplastic	<b>KF060M-025-TTPL-MT</b>
25.00 (0.98")			Ball - Threaded Knob		* KF060M-025-TPST
25.00 (0.98")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF060M-025-7L-ST</b>
25.00 (0.98")	11.0		Ball - Threaded Knob	Stainless Steel	<b>KF060M-025-T303</b>
30.00 (1.18")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF060M-030-6L-PBR</b>
30.00 (1.18")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF060M-030-6L-PSS</b>
30.00 (1.18")	13.5		Push-Pull Knob	Plastic	** <b>KF060M-030-PP</b>
31.75 (1.25")	12.7	Black	Cross - Through Hole Knob	Phenolic	<b>KF060M-032-CH</b>
32.00 (1.26")	9.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF060M-032-5L-BR</b>
32.00 (1.26")	9.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KF060M-032-5L-ST
32.00 (1.26")	10.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	* KF060M-032-5LCL
32.00 (1.26")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF060M-032-7L-ST</b>
32.00 (1.26")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	<b>KF060M-032-7LQA</b>
32.00 (1.26")	12.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF060M-032-7L-SP
32.00 (1.26")	13.5		Star Knob		* KF060M-032-STRF-PL
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF060M-035-TPH-IN</b>
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF060M-038-5LHX
40.00 (1.57")		Black	Tri Knob	Phenolic	* KF060M-040-TRI-BHF
40.00 (1.57")	12.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF060M-040-5L-ST</b>
40.00 (1.57")	12.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF060M-040-L303
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF060M-040-7L-SP
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF060M-040-6L-PSS</b>
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF060M-040-6L-PBR</b>
40.00 (1.57")	18.0		Wing - Contoured Knob	Plastic	** <b>KF060M-040-W</b>
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF060M-044-CH</b>
50.00 (1.97")		Black	Tri Knob	Phenolic	* KF060M-050-TRI-BHF
50.00 (1.97")	10.0		Three Lobe - Safety Knob	42.00	* KF060M-050-3L-SAF
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF060M-052-MRPH</b>
<b>Thread Size 6.1mm Unthreaded Hole with 10-32 Set Screw Hole</b>					
83.06 (3.27")	23.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KF061-083-6L-ST-GS</b>
83.06 (3.27")	23.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KF061-083-6L-ST</b>
<b>Thread Size 1/4-20 UNC (6.35mm)</b>					
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF064C-019-TPH-IN</b>
19.05 (0.75")	-	Red	Ball - Threaded Knob		* KF064C-019-TPH-IN-R
19.05 (0.75")		Black	Tri - Blind Hole Knob	ABS	<b>KF064C-019-TRI-BHF</b>
19.05 (0.75")		Black	Tri - Through Hole Knob	ABS	<b>KF064C-019-TRI-PF</b>
19.05 (0.75")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	<b>KF064C-019-3L-BHST</b>
20.06 (0.79")	9.9		Ball - Threaded with Knurl Knob	Plastic	<b>KF064C-020-TPLK</b>
20.07 (0.79")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF064C-020-4L</b>
20.07 (0.79")	9.7	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-020-4L-P</b>
20.07 (0.79")	9.9		Ball - Threaded with Groove Knob		* KF064C-020-TPLG
22.10 (0.87")	9.9	Black	Six Lobe - Standard Knob	Phenolic	<b>KF064C-022-6L-BR</b>
24.61 (0.97")			Ball - Threaded Knob	Aluminium	<b>KF064C-025-TPAL</b>
24.89 (0.98")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF064C-025-4LA</b>
24.89 (0.98")	9.7	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-025-4L-P</b>
24.89 (0.98")	9.9		Ball - Novo-Grip Knob	Rubber	<b>KF064C-025-NG</b>
24.89 (0.98")	9.9		Ball - Threaded with Groove Knob		* KF064C-025-TPLG
24.89 (0.98")	9.9		Ball - Threaded with Knurl Knob	Plastic	<b>KF064C-025-TPLK</b>
24.89 (0.98")	9.9	Black	Four Lobe - Standard Knob	Phenolic	<b>KF064C-025-4LB</b>
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF064C-025-7L-ST
24.89 (0.98")	10.9	Black	Three Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-025-3L-P</b>
24.89 (0.98")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	<b>KF064C-025-KN-SFT-TP</b>
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF064C-025-TPH-IN</b>
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF064C-025-TPH-IN-R</b>

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts



# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 1/4-20 UNC (6.35mm)</b>					
25.40 (1.00")	-		Raw Ball - Threaded - Polished Brass Knob		* KF064C-025-TPBR-R
25.40 (1.00")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	<b>KF064C-025-TPBR-P</b>
25.40 (1.00")		Black	Tri - Blind Hole Knob	ABS	<b>KF064C-025-TRI-BHF</b>
25.40 (1.00")		Black	Tri - Through Hole Knob	ABS	<b>KF064C-025-TRI-PF</b>
25.40 (1.00")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	<b>KF064C-025-3L-BHST</b>
25.40 (1.00")	12.7		Ball - Threaded Knob		* KF064C-025-TPST
25.40 (1.00")	12.7	Black	Cross - Blind Knob	Nylon	<b>KF064C-025-CB</b>
28.58 (1.13")		Black	Tri - Blind Hole Knob	Phenolic	<b>KF064C-029-TRI-BHF</b>
28.58 (1.13")		Black	Tri - Through Hole Knob	Phenolic	<b>KF064C-029-TRI-PF</b>
29.97 (1.18")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF064C-030-6L-SS</b>
29.97 (1.18")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF064C-030-6L-BR</b>
29.97 (1.18")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-030-6L-PSS</b>
29.97 (1.18")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-030-6L-PBR</b>
29.97 (1.18")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF064C-030-4L</b>
29.97 (1.18")	9.7	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-030-4L-P</b>
29.97 (1.18")	14.0	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KF064C-030-3L-SFT</b>
30.16 (1.19")	-	Red	Ball - Threaded Knob		* KF064C-030-TPH-IN-R
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF064C-030-TPH-IN</b>
31.75 (1.25")		Black	Tri - Blind Hole Knob	Phenolic	<b>KF064C-032-TRI-BHF</b>
31.75 (1.25")	9.5	Black	Cross - Through Hole Knob	Nylon	<b>KF064C-032-CH-NY</b>
31.75 (1.25")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	<b>KF064C-032-3L-BHST</b>
31.75 (1.25")	11.1	Black	Cross - Blind Knob	Phenolic	<b>KF064C-032-CB</b>
31.75 (1.25")	12.7	Black	Cross - Blind Knob	Nylon	<b>KF064C-032-CBL</b>
31.75 (1.25")	12.7	Black	Cross - Through Hole Knob	Phenolic	<b>KF064C-032-CH-PH</b>
31.75 (1.25")	25.0		Mushroom Round - Threaded Knob	Phenolic	<b>KF064C-032-MRPH</b>
31.75 (1.25")	-		Ball - Threaded with Shank Knob	Phenolic	<b>KF064C-032-TPHS</b>
32.00 (1.26")	9.5	Black	Cross - Standard Knob	Thermoplastic	<b>KF064C-032-CSL</b>
32.00 (1.26")	9.5	Black	Cross - Standard Knob	Thermoplastic	<b>KF064C-032-CS-SS</b>
32.00 (1.26")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF064C-032-CH-SS</b>
32.00 (1.26")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF064C-032-CH-TP</b>
32.00 (1.26")	9.9	Black	Cross - Standard Knob	Phenolic	<b>KF064C-032-CS</b>
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Phenolic	<b>KF064C-032-5L-SS</b>
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Phenolic	<b>KF064C-032-5L-BR10B</b>
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Plastic	<b>KF064C-032-5L-BR10A</b>
32.00 (1.26")	9.9	Black	Four Lobe - Standard Knob	Phenolic	<b>KF064C-032-4L</b>
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF064C-032-7L-SS
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Phenolic	** <b>KF064C-032-7L-BR</b>
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF064C-032-7L-ST
32.00 (1.26")	9.9	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KF064C-032-3L</b>
32.00 (1.26")	-		Five Lobe - Soft Touch - Through Hole Knob		<b>KF064C-032-5LSFT-P</b>
32.00 (1.26")	11.9	Black	Five Lobe - Standard Knob	Plastic	<b>KF064C-032-5L-BR12</b>
32.00 (1.26")	11.9	Black	Five Lobe - Standard Knob	Plastic	<b>KF064C-032-5L-BR12T</b>
32.00 (1.26")	11.9	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF064C-032-7L-SP</b>
32.00 (1.26")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-032-3L-P</b>
33.02 (1.30")	9.9	Black	Six Lobe - Standard Knob	Phenolic	<b>KF064C-033-6L-BRA</b>
33.02 (1.30")	9.9	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF064C-033-6L-BRB</b>
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	<b>KF064C-035-TSFT</b>
34.93 (1.38")	-	Red	Ball - Threaded Knob		* KF064C-035-TPH-IN-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF064C-035-TPH-IN</b>
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	<b>KF064C-035-TPST</b>
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF064C-038-TPH</b>
38.10 (1.50")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	* KF064C-038-TPBR-P
38.10 (1.50")	-		Raw Ball - Threaded - Polished Brass Knob		* KF064C-038-TPBR-R
38.10 (1.50")		Black	Tri - Through Hole Knob	Phenolic	<b>KF064C-038-TRI-PF</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 1/4-20 UNC (6.35mm)</b>					
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF064-038-5LHX
38.10 (1.50")	9.9	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KF064C-038-3L</b>
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF064C-038-TPST
38.10 (1.50")	11.8		Ball - Threaded - Wrench Flats and Knob-Lok Knob		* KF064C-038-TWFKL
38.10 (1.50")	-		Ball - Threaded with Shank Knob	Phenolic	<b>KF064C-038-TPHS</b>
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KF064C-039-5LSFT</b>
38.61 (1.52")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF064C-039-5LSFT-P</b>
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	<b>KF064C-040-6L-SP</b>
39.88 (1.57")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF064C-040-4L</b>
39.88 (1.57")	11.9	Black	Five Lobe - Standard Knob	Phenolic	<b>KF064C-040-5L-BR12A</b>
39.88 (1.57")	11.9	Black	Five Lobe - Standard Knob	Plastic	<b>KF064C-040-5L-BR12B</b>
39.88 (1.57")	14.0	Black	Five Lobe - Standard Knob	Plastic	<b>KF064C-040-5L-BR14B</b>
39.88 (1.57")	14.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF064C-040-5L-BR14A</b>
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF064C-040-7L-SP</b>
39.88 (1.57")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-040-3L-P</b>
39.88 (1.57")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	<b>KF064C-040-KN-SFT-TP</b>
39.88 (1.57")	18.0	Black	Five Lobe - Standard Knob	Plastic	<b>KF064C-040-5L-BR18</b>
40.13 (1.58")	9.5	Black	Cross - Standard Knob	Thermoplastic	<b>KF064C-040-CS</b>
40.13 (1.58")	9.5	Black	Cross - Standard Knob	Thermoplastic	<b>KF064C-040-CS-SS</b>
40.13 (1.58")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF064C-040-CH-SS</b>
40.13 (1.58")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF064C-040-CH</b>
40.13 (1.58")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF064C-040-6L-SS</b>
40.13 (1.58")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF064C-040-6L-BR</b>
40.13 (1.58")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-040-6L-PBR</b>
40.13 (1.58")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF064C-040-6L-PSS</b>
41.28 (1.63")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	<b>KF064C-041-3L-BHST</b>
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	<b>KF064C-041-MOPH</b>
42.67 (1.68")		Black	Tri - Through Hole Knob	Thermoplastic	* KF064C-043-TRI-PF
44.45 (1.75")		Black	Tri - Through Hole - Knob-Lok Knob	Polypropylene	<b>KF064C-044-TRI-PFKLK</b>
44.45 (1.75")	11.1	Black	Cross - Blind Knob	Phenolic	<b>KF064C-044-CB</b>
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Nylon	<b>KF064C-044-CBL</b>
44.45 (1.75")	12.7	Black	Cross - Through Hole Knob	Nylon	<b>KF064C-044-CH</b>
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF064C-044-CH-PH</b>
44.96 (1.77")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF064C-045-TRI-BHF</b>
44.96 (1.77")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF064C-045-TRI-PF</b>
44.96 (1.77")	17.8	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KF064C-045-3L-SFT</b>
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KF064C-049-5LSFT</b>
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF064C-049-5LSFT-P</b>
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	<b>KF064C-050-6L-SP</b>
50.04 (1.97")	10.2		Three Lobe - Safety Knob	41.91	* KF064C-050-3L-SAF
50.04 (1.97")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	<b>KF064C-050-KN-SFT-TP</b>
50.80 (2.00")	9.5		Wing Knob		* KF064C-051-W
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF064C-052-MRPH</b>
57.15 (2.25")	11.1	Black	Cross - Blind Knob	Phenolic	<b>KF064C-057-CB</b>
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Thermoplastic	<b>KF064C-057-CBL</b>
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF064C-057-CH</b>
57.15 (2.25")	18.3	Black	Five Lobe - Through Hole Knob	Polypropylene	<b>KF064C-057-5L-PB</b>
57.15 (2.25")	25.4	Black	Five Lobe - Through Hole Knob	Polypropylene	<b>KF064C-057-5L-PA</b>
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KF064C-057-5LSFT</b>
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF064C-057-5LSFT-P</b>
63.50 (2.50")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	<b>KF064C-064-4L-SFT</b>
76.20 (3.00")	15.9	Black	Cross - Blind Knob	Thermoplastic	<b>KF064C-076-CB</b>
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF064C-076-CH-TP</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 1/4-28 UNF (6.35mm)</b>					
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	KF064F-025-TPH-IN-R
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF064F-025-TPH-IN
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF064F-025-TPST
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF064F-035-TPST
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF064F-038-TPST
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	KF064F-076-CH
<b>Thread Size 7.87 Unthreaded Hole</b>					
100.08 (3.94")	31.0	Black	Six Lobe - Standard Knob	Phenolic	KF079-100-6L-ST
<b>Thread Size 7.87 Unthreaded Hole</b>					
51.05 (2.01")	21.1	Black	Six Lobe - Standard Knob	Phenolic	KF079P-051-6L-ST
<b>Thread Size 5/16-18 UNC (7.94mm)</b>					
19.05 (0.75")		Black	Tri - Through Hole Knob	ABS	KF079C-019-TRI-PF
24.89 (0.98")	14.0		Ball - Threaded with Groove Knob		* KF079C-025-TPLG
24.89 (0.98")	14.0		Ball - Threaded with Knurl Knob	Plastic	KF079C-025-TPLK
25.40 (1.00")	-	Red	Ball - Threaded Knob		* KF079C-025-TPH-IN-R
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-025-TPH-IN
25.40 (1.00")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF079C-025-TPBR-R
25.40 (1.00")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF079C-025-TPBR-P
25.40 (1.00")		Black	Tri - Blind Hole Knob	ABS	KF079C-025-TRI-BHF
25.40 (1.00")		Black	Tri - Through Hole Knob	ABS	KF079C-025-TRI-PF
25.40 (1.00")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF079C-025-3L-BHST
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF079C-025-TPST
29.97 (1.18")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-030-6L-SS
29.97 (1.18")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-030-6L-BR
30.16 (1.19")	-	Red	Ball - Threaded Knob	Phenolic	KF079C-030-TPH-IN-R
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-030-TPH-IN
31.75 (1.25")		Black	Tri - Blind Hole Knob	ABS	KF079C-032-TRI-BHF-ABS
31.75 (1.25")		Black	Tri - Blind Hole Knob	Phenolic	KF079C-032-TRI-BHF-PH
31.75 (1.25")			Ball - Threaded Knob		* KF079C-032-TPAL
31.75 (1.25")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF079C-032-3L-BHST
31.75 (1.25")	11.1	Black	Cross - Blind Knob	Phenolic	KF079C-032-CB
31.75 (1.25")	12.7	Black	Cross - Blind Knob	Nylon	KF079C-032-CBL
31.75 (1.25")	12.7	Black	Cross - Through Hole Knob	Phenolic	KF079C-032-CH
31.75 (1.25")	-		Ball - Threaded with Shank Knob	Phenolic	KF079C-032-TPHS
32.00 (1.26")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-032-CS
32.00 (1.26")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-032-CS-SS
32.00 (1.26")	32.0		Ball - Novo-Grip Knob	Rubber	KF079C-032-NG-SS
32.00 (1.26")	32.0		Ball - Novo-Grip Knob	Rubber	KF079C-032-NG
33.02 (1.30")	14.0	Black	Six Lobe - Standard Knob	Phenolic	KF079C-033-6L-BRB
33.02 (1.30")	14.0	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-033-6L-BRA
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	KF079C-035-TSFT
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-035-TPH-IN
34.93 (1.38")	-	Red	Ball - Threaded Knob		* KF079C-035-TPH-IN-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF079C-035-TPST
35.05 (1.38")	14.0		Ball - Threaded with Groove Knob		* KF079C-035-TPLG
35.05 (1.38")	14.0		Ball - Threaded with Knurl Knob	Plastic	KF079C-035-TPLK
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-038-TPH-IN
38.10 (1.50")		Black	Tri - Through Hole Knob	Phenolic	KF079C-038-TRI-PF
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF079-038-5LHX
38.10 (1.50")			Ball - Threaded - Soft Touch Knob	Rubber	KF079C-038-TSFT
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF079C-038-TPST
38.10 (1.50")	-		Ball - Threaded with Shank Knob	Phenolic	KF079C-038-TPHS
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF079C-039-5LSFT

Stocked or Short Delivery    
  Usually Available Short Delivery    
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 5/16-18 UNC (7.94mm)</b>					
38.61 (1.52")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF079C-039-5LSFT-P</b>
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	<b>KF079C-040-6L-SP</b>
39.88 (1.57")	11.9	Black	Five Lobe - Standard Knob	Plastic	<b>KF079C-040-5L-BR12</b>
39.88 (1.57")	11.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF079C-040-4L11</b>
39.88 (1.57")	11.9	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF079C-040-4L-P</b>
39.88 (1.57")	13.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF079C-040-5L-BR13</b>
39.88 (1.57")	13.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF079C-040-5L-SS</b>
39.88 (1.57")	14.0	Black	Cross - Standard Knob	Phenolic	<b>KF079C-040-CS</b>
39.88 (1.57")	14.0	Black	Four Lobe - Standard Knob	Phenolic	<b>KF079C-040-4L13</b>
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF079C-040-7L-ST
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF079C-040-7L-SS
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF079C-040-7L-SP</b>
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Phenolic	* KF079C-040-7L-BR
39.88 (1.57")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KF079C-040-3L</b>
39.88 (1.57")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	<b>KF079C-040-3L-P</b>
39.88 (1.57")	16.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF079C-040-5L-BR16</b>
39.88 (1.57")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	<b>KF079C-040-KN-SFT-TP</b>
39.88 (1.57")	-		Five Lobe - Soft Touch -Through Hole Knob		<b>KF079C-040-5LSFT-P</b>
39.88 (1.57")	18.0	Black	Five Lobe - Standard Knob	Plastic	<b>KF079C-040-5L-BR18</b>
40.13 (1.58")	11.9	Black	Cross - Standard Knob	Thermoplastic	<b>KF079C-040-CSL</b>
40.13 (1.58")	11.9	Black	Cross - Standard Knob	Thermoplastic	<b>KF079C-040-CS-SS</b>
40.13 (1.58")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF079C-040-CH-SS</b>
40.13 (1.58")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF079C-040-CH</b>
40.13 (1.58")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF079C-040-6L-SS</b>
40.13 (1.58")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF079C-040-6L-BR</b>
40.13 (1.58")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF079C-040-6L-PBR</b>
40.13 (1.58")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF079C-040-6L-PSS</b>
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF079C-041-TPH-IN</b>
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF079C-041-TPH-IN-R</b>
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	<b>KF079C-041-MOPH</b>
42.67 (1.68")		Black	Tri - Through Hole Knob	Thermoplastic	* KF079C-043-TRI-PF
43.94 (1.73")	14.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KF079C-044-6L-BR</b>
44.45 (1.75")		Black	Tri - Through Hole - Knob-Lok Knob	Polypropylene	<b>KF079C-044-TRI-PFKLK</b>
44.45 (1.75")	11.1	Black	Cross - Blind Knob	Phenolic	<b>KF079C-044-CB</b>
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Nylon	<b>KF079C-044-CBL</b>
44.45 (1.75")	12.7	Black	Cross - Through Hole Knob	Nylon	<b>KF079C-044-CH-NY</b>
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF079C-044-CH-PH</b>
44.96 (1.77")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF079C-045-TRI-BHF</b>
44.96 (1.77")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF079C-045-TRI-PF</b>
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KF079C-049-5LSFT</b>
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF079C-049-5LSFT-P</b>
50.00 (1.97")	62.0		Round - Soft Knob		* KF079C-050-RSFTF
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	<b>KF079C-050-6L-SP</b>
50.04 (1.97")	11.9	Black	Cross - Standard Knob	Thermoplastic	<b>KF079C-050-CS</b>
50.04 (1.97")	11.9	Black	Cross - Standard Knob	Thermoplastic	<b>KF079C-050-CS-SS</b>
50.04 (1.97")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF079C-050-CH-SS</b>
50.04 (1.97")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF079C-050-CH</b>
50.04 (1.97")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF079C-050-6L-SS</b>
50.04 (1.97")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF079C-050-6L-BR</b>
50.04 (1.97")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF079C-050-6L-PSS</b>
50.04 (1.97")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF079C-050-6L-PBR</b>
50.04 (1.97")	11.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF079C-050-4L11</b>
50.04 (1.97")	11.9	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF079C-050-4L-P</b>
50.04 (1.97")	14.0	Black	Four Lobe - Standard Knob	Phenolic	<b>KF079C-050-4L13</b>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 12 of 38

E&OE

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 5/16-18 UNC (7.94mm)</b>					
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF079C-050-7L-ST
50.04 (1.97")	14.0		Three Lobe - Safety Knob	41.91	* KF079C-050-3L-SAF
50.04 (1.97")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KF079C-050-3L</b>
50.04 (1.97")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	<b>KF079C-050-3L-P</b>
50.04 (1.97")	16.0	Black	Five Lobe - Standard Knob	Plastic	<b>KF079C-050-5L-BR16</b>
50.04 (1.97")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	<b>KF079C-050-KN-SFT-TP</b>
50.04 (1.97")	18.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF079C-050-5L-BR18</b>
50.04 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF079C-050-7L-SP</b>
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Phenolic	<b>KF079C-050-5L-BR20A</b>
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Plastic	<b>KF079C-050-5L-BR20B</b>
50.80 (2.00")		Black	Tri - Through Hole Knob	Phenolic	<b>KF079C-051-TRI-PF</b>
50.80 (2.00")	9.5		Wing Knob	Phenolic	KF079C-051-W
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF079C-052-MRPH</b>
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	<b>KF079C-057-CBL</b>
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Thermoplastic	<b>KF079C-057-CB</b>
57.15 (2.25")	12.7	Black	Cross - Through Hole Knob	Nylon	<b>KF079C-057-CH-NY</b>
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF079C-057-CH</b>
57.15 (2.25")	18.3	Black	Five Lobe - Through Hole Knob	Polypropylene	<b>KF079C-057-5L-PB</b>
57.15 (2.25")	25.4	Black	Five Lobe - Through Hole Knob	Polypropylene	<b>KF079C-057-5L-PA</b>
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KF079C-057-5LSFT</b>
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF079C-057-5LSFT-P</b>
59.94 (2.36")	11.9	Black	Cross - Standard Knob	Thermoplastic	<b>KF079C-060-CS</b>
59.94 (2.36")	11.9	Black	Cross - Standard Knob	Thermoplastic	<b>KF079C-060-CS-SS</b>
59.94 (2.36")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF079C-060-6L-SS</b>
59.94 (2.36")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF079C-060-6L-BR</b>
65.02 (2.56")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF079C-065-TRI-BHF</b>
65.02 (2.56")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF079C-065-TRI-PF</b>
76.20 (3.00")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	<b>KF079C-076-4L-SFT</b>
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF079C-076-CH</b>
<b>Thread Size 5/16-24 UNF (7.94mm)</b>					
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF079F-025-TPH-IN-R</b>
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF079F-025-TPH-IN</b>
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	<b>KF079F-025-TPST</b>
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	<b>KF079F-035-TPST</b>
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF079F-038-TPST
44.45 (1.75")	11.1	Black	Cross - Blind Knob	Phenolic	<b>KF079F-044-CB</b>
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF079F-044-CH</b>
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF079F-052-MRPH</b>
<b>Shaft Diameter 7.94 Push On</b>					
38.10 (1.50")	14.3		Oval Tapered - Press On Knob		** KF079-038-OT-P
<b>Thread Size 8-32 UNC (4.17mm)</b>					
16.89 (0.66")	6.4		Ball - Threaded with Shank Knob	Phenolic	<b>KF042-017-TPHS</b>
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF080M-025-TPH-IN</b>
25.00 (0.98")	9.0		Ball - Threaded Knob	Thermoplastic	<b>KF080M-025-TTPL-ST</b>
25.00 (0.98")	1.0		Ball - Threaded Knob	Thermoplastic	<b>KF080M-025-TTPL-TT</b>
26.00 (1.02")	13.0	White	Knurled Knurled - Clean Line Knob	Duroplast	* KF080M-026-CL
30.00 (1.18")	-		Ball - Threaded Knob	Thermoplastic	<b>KF080M-030-TTPL-MT</b>
30.00 (1.18")	-		Ball - Threaded Knob	Thermoplastic	<b>KF080M-030-TTPL-BR</b>
30.00 (1.18")	-		Knurled - Torque Knob	Plastic	** KF080M-030-TQ
30.00 (1.18")	15.0		Lever - Threaded Bore Knob	Plastic	** KF080M-030-LVR
31.75 (1.25")	13.1	Black	Cross - Through Hole Knob	Phenolic	<b>KF080M-032-CH</b>
32.00 (1.26")	-	Black	Ball - Threaded Knob		* KF080M-032-TPH
32.00 (1.26")	-	Black	Ball - Threaded Knob	Phenolic	** KF080M-032-TPH-IN

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 13 of 38

E&OE

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 8-32 UNC (4.17mm)</b>					
32.00 (1.26")	14.5		Ball - Threaded Knob	Thermoplastic	<b>KF080M-032-TTPL-TT</b>
32.00 (1.26")	12.0		Ball - Threaded Knob	Thermoplastic	<b>KF080M-032-TTPL-ST</b>
32.00 (1.26")			Ball - Threaded Knob	Steel	* KF080M-032-TPST
32.00 (1.26")	14.5		Ball - Threaded Knob	Stainless Steel	<b>KF080M-032-T303</b>
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF080M-035-TPH-IN</b>
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF080M-038-5LHX
39.00 (1.54")	16.0		Push-Pull Knob		* KF080M-039-PP
40.00 (1.57")	11.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KF080M-040-5L-ST11
40.00 (1.57")	12.0		Press Fit Type C Lobe Knob	303 Stainless Steel	* KF080PF-040-L303
40.00 (1.57")	12.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF080M-040-L303
40.00 (1.57")	13.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	* KF080M-040-5LCL
40.00 (1.57")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	<b>KF080M-040-7LQA</b>
40.00 (1.57")	14.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF080M-040-5L-ST14</b>
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF080M-040-7L-SP
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF080M-040-7L-ST</b>
40.00 (1.57")	16.0		Star Knob		* KF080M-040-STRF-PL
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF080M-040-6L-PBR</b>
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF080M-040-6L-PSS</b>
40.00 (1.57")	20.0		Wing - Contoured Knob		* KF080M-040-W
43.00 (1.69")	15.0		Star - Soft Knob	Rubber	* KF080M-043-STRF-SFT
44.00 (1.73")	13.0		Grip - Soft Knob		* KF080M-044-GSC
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF080M-044-CH</b>
50.00 (1.97")		Black	Tri Knob	Phenolic	* KF080M-050-TRI-BHF
50.00 (1.97")	14.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF080M-050-5L-ST14</b>
50.00 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF080M-050-7L-ST</b>
50.00 (1.97")	14.0		Three Lobe - Safety Knob	42.00	* KF080M-050-3L-SAF
50.00 (1.97")	15.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF080M-050-L303
50.00 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF080M-050-7L-SP
50.00 (1.97")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF080M-050-6L-PBR</b>
50.00 (1.97")	62.0		Round - Soft Knob		* KF080M-050-RSFTF
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF080M-052-MRPH</b>
62.00 (2.44")		Black	Tri Knob	Phenolic	* KF080M-062-TRI-BHF
70.00 (2.76")	25.0		Wing - Contoured Knob		* KF080M-070-W
40.0 (393.66")	15.0		Star - 304 Stainless - Threaded Knob		* KF080M-040-STRF-304
<b>Thread Size 3/8-16 UNC (9.53mm)</b>					
25.40 (1.00")	-	Red	Ball - Threaded Knob		* KF095C-025-TPH-IN-R
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095C-025-TPH-IN</b>
25.40 (1.00")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF095C-025-TPBR-R
25.40 (1.00")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	<b>KF095C-025-TPBR-P</b>
25.40 (1.00")		Black	Tri - Blind Hole Knob	ABS	<b>KF095C-025-TRI-BHF</b>
25.40 (1.00")		Black	Tri - Through Hole Knob	ABS	<b>KF095C-025-TRI-PF</b>
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	<b>KF095C-025-TPST</b>
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095C-030-TPH-IN</b>
30.16 (1.19")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF095C-030-TPH-IN-R</b>
31.75 (1.25")		Black	Tri - Blind Hole Knob	ABS	<b>KF095C-032-TRI-BHF</b>
31.75 (1.25")		Black	Tri - Through Hole Knob	ABS	<b>KF095C-032-TRI-PF</b>
31.75 (1.25")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	<b>KF095C-032-3L-BHST</b>
31.75 (1.25")	-		Ball - Threaded with Shank Knob	Phenolic	<b>KF095C-032-TPHS</b>
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	<b>KF095C-035-TSFT</b>
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	* KF095C-035-TPH-IN-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095C-035-TPH-IN</b>
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	<b>KF095C-035-TPST</b>
35.05 (1.38")	14.0		Ball - Threaded with Groove Knob		* KF095C-035-TPLG
35.05 (1.38")	14.0		Ball - Threaded with Knurl Knob	Plastic	<b>KF095C-035-TPLK</b>

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 14 of 38

E&OE

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 3/8-16 UNC (9.53mm)</b>					
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095C-038-TPH-IN</b>
38.10 (1.50")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF095C-038-TPBR-R
38.10 (1.50")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF095C-038-TPBR-P
38.10 (1.50")	-		Ball - Threaded - Soft Touch Knob	Rubber	<b>KF095C-038-TSFT</b>
38.10 (1.50")	15.9		Ball - Threaded Knob	Steel	* KF095C-038-TPST
38.10 (1.50")	-		Ball - Threaded - Wrench Flats and Knob-Lok Knob		* KF095C-038-TWFKL
38.10 (1.50")	-		Ball - Threaded with Shank Knob	Phenolic	<b>KF095C-038-TPHS</b>
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KF095C-039-5LSFT</b>
38.61 (1.52")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF095C-039-5LSFT-P</b>
39.69 (1.56")	-		Ball - Threaded Knob	Aluminium	<b>KF095C-040-TPAL</b>
39.88 (1.57")	-	Black	Six Lobe - Standard Knob	Plastic	<b>KF095C-040-6L-SP</b>
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF095C-040-7L-ST
39.88 (1.57")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	<b>KF095C-040-KN-SFT-TP</b>
39.88 (1.57")	39.9		Ball - Novo-Grip Knob	Rubber	<b>KF095C-040-NG</b>
40.13 (1.58")	14.3	Black	Cross - Standard Knob	Thermoplastic	<b>KF095C-040-CS</b>
40.13 (1.58")	14.3	Black	Cross - Standard Knob	Thermoplastic	<b>KF095C-040-CS-SS</b>
40.13 (1.58")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF095C-040-6L-SS</b>
40.13 (1.58")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF095C-040-6L-BR</b>
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095C-041-TPH-IN</b>
41.28 (1.63")	-	Red	Ball - Threaded Knob		* KF095C-041-TPH-IN-R
41.28 (1.63")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	<b>KF095C-041-3L-BHST</b>
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	<b>KF095C-041-MOPH</b>
43.66 (1.72")	-		Ball - Threaded with Shank Knob	Phenolic	<b>KF095C-044-TPHS</b>
43.94 (1.73")	14.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KF095C-044-6L-BR</b>
44.45 (1.75")	-	Black	Tri - Through Hole - Knob-Lok Knob	Polypropylene	<b>KF095C-044-TRI-PFKLK</b>
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Phenolic	<b>KF095C-044-CBL</b>
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Thermoplastic	<b>KF095C-044-CB</b>
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF095C-044-CH</b>
44.45 (1.75")	-		Ball - Threaded - Lateral Grooved Knob		* KF095C-044-TLG
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF095C-048-TPH-R</b>
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095C-048-TPH</b>
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095C-048-TPH-IN</b>
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF095C-048-TPH-IN-R</b>
47.63 (1.88")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF095-048-5LHX
47.63 (1.88")	12.7		Ball - Threaded - Recessed Top Knob	Plastic	<b>KF095C-048-TRT</b>
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KF095C-049-5LSFT</b>
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF095C-049-5LSFT-P</b>
50.00 (1.97")	62.0		Round - Soft Knob		* KF095C-050-RSFTF
50.04 (1.97")	-	Black	Six Lobe - Standard Knob	Plastic	<b>KF095C-050-6L-SP</b>
50.04 (1.97")	14.0	Black	Cross - Standard Knob	Phenolic	<b>KF095C-050-CS</b>
50.04 (1.97")	14.0	Black	Four Lobe - Standard Knob	Phenolic	<b>KF095C-050-4LB</b>
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF095C-050-7L-ST
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Phenolic	* KF095C-050-7L-BR
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF095C-050-7L-SS
50.04 (1.97")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KF095C-050-3L</b>
50.04 (1.97")	14.2	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF095C-050-4LA</b>
50.04 (1.97")	14.2	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF095C-050-4L-P</b>
50.04 (1.97")	14.3	Black	Cross - Standard Knob	Thermoplastic	<b>KF095C-050-CS-SS</b>
50.04 (1.97")	14.3	Black	Cross - Standard Knob	Thermoplastic	<b>KF095C-050-CSL</b>
50.04 (1.97")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF095C-050-CH</b>
50.04 (1.97")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF095C-050-CH-SS</b>
50.04 (1.97")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF095C-050-6L-BR</b>
50.04 (1.97")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF095C-050-6L-SS</b>

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 3/8-16 UNC (9.53mm)</b>					
50.04 (1.97")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF095C-050-6L-PBR</b>
50.04 (1.97")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF095C-050-6L-PSS</b>
50.04 (1.97")	16.0	Black	Five Lobe - Standard Knob	Plastic	<b>KF095C-050-5L-BR16A</b>
50.04 (1.97")	16.0	Black	Five Lobe - Standard Knob	Plastic	<b>KF095C-050-5L-BR16B</b>
50.04 (1.97")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	<b>KF095C-050-KN-SFT-TP</b>
50.04 (1.97")	17.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF095C-050-5L-SS</b>
50.04 (1.97")	17.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF095C-050-5L-BR17</b>
50.04 (1.97")	17.0		Three Lobe - Safety Knob	41.91	* KF095C-050-3L-SAF
50.04 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF095C-050-7L-SP</b>
50.04 (1.97")	-		Five Lobe - Soft Touch -Through Hole Knob		<b>KF095C-050-5LSFT-P</b>
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Plastic	<b>KF095C-050-5L-BR20B</b>
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Phenolic	<b>KF095C-050-5L-BR20A</b>
50.04 (1.97")	50.0		Ball - Novo-Grip Knob	Rubber	<b>KF095C-050-NG-SS</b>
50.80 (2.00")		Black	Tri - Blind Hole Knob	Phenolic	<b>KF095C-051-TRI-BHF</b>
50.80 (2.00")		Black	Tri - Through Hole Knob	Phenolic	<b>KF095C-051-TRI-PF</b>
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF095C-051-TPST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF095C-052-MRPH15</b>
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF095C-052-MRPH12</b>
55.12 (2.17")	14.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KF095C-055-6L-BR</b>
55.12 (2.17")	22.9	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KF095C-055-3L-SFT</b>
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Thermoplastic	<b>KF095C-057-CB</b>
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	<b>KF095C-057-CBL</b>
57.15 (2.25")	12.7	Black	Cross - Through Hole Knob	Nylon	<b>KF095C-057-CH-NY</b>
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF095C-057-CH-PH</b>
57.15 (2.25")	18.3	Black	Five Lobe - Through Hole Knob	Polypropylene	<b>KF095C-057-5L-PB</b>
57.15 (2.25")	25.4	Black	Five Lobe - Through Hole Knob	Polypropylene	<b>KF095C-057-5L-PA</b>
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KF095C-057-5LSFT</b>
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF095C-057-5LSFT-P</b>
59.94 (2.36")	14.2	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF095C-060-4L</b>
59.94 (2.36")	14.2	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF095C-060-4L-P</b>
59.94 (2.36")	14.3	Black	Cross - Standard Knob	Thermoplastic	<b>KF095C-060-CS-SS</b>
59.94 (2.36")	14.3	Black	Cross - Standard Knob	Thermoplastic	<b>KF095C-060-CS</b>
59.94 (2.36")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF095C-060-CH-SS</b>
59.94 (2.36")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF095C-060-CH</b>
59.94 (2.36")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF095C-060-6L-BR</b>
59.94 (2.36")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF095C-060-6L-SS</b>
59.94 (2.36")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF095C-060-6L-PSS</b>
59.94 (2.36")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF095C-060-6L-PBR</b>
59.94 (2.36")	17.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF095C-060-5L-ST17</b>
59.94 (2.36")	20.1	Black	Five Lobe - Standard Knob	Phenolic	<b>KF095C-060-5L-ST20</b>
62.99 (2.48")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF095C-063-7L-ST
62.99 (2.48")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KF095C-063-3L</b>
62.99 (2.48")	20.1	Black	Five Lobe - Standard Knob	Plastic	<b>KF095C-063-5L-BR20</b>
62.99 (2.48")	22.1	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF095C-063-7L-SP</b>
62.99 (2.48")	23.1	Black	Three Lobe - Through Hole Knob	Thermoplastic	<b>KF095C-063-3L-P</b>
62.99 (2.48")	-		Five Lobe - Soft Touch -Through Hole Knob		<b>KF095C-063-5LSFT-P</b>
62.99 (2.48")	25.9	Black	Five Lobe - Standard Knob	Plastic	<b>KF095C-063-5L-BR26</b>
63.50 (2.50")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	<b>KF095C-064-4L-SFT</b>
65.02 (2.56")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF095C-065-TRI-BHF</b>
65.02 (2.56")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF095C-065-TRI-PF</b>
69.09 (2.72")	24.9	Black	Six Lobe - Standard Knob	Phenolic	<b>KF095C-069-6L-ST</b>
76.20 (3.00")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	<b>KF095C-076-4L-SFT</b>
76.20 (3.00")	15.9	Black	Cross - Blind Knob	Thermoplastic	<b>KF095C-076-CB</b>
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF095C-076-CH</b>

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts



# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 3/8-16 UNC (9.53mm)</b>					
85.09 (3.35")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF095C-085-TRI-BHF</b>
85.09 (3.35")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF095C-085-TRI-PF</b>
104.90 (4.13")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF095C-105-TRI-BHF</b>
104.90 (4.13")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF095C-105-TRI-PF</b>
<b>Thread Size 3/8-24 UNF (9.53mm)</b>					
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095F-025-TPH-IN</b>
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	* KF095F-025-TPH-IN-R
30.16 (1.19")	-	Red	Ball - Threaded Knob		* KF095F-030-TPH-IN-R
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095F-030-TPH-IN</b>
34.93 (1.38")	-	Red	Ball - Threaded Knob		* KF095F-035-TPH-IN-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095F-035-TPH-IN</b>
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	<b>KF095F-035-TPST</b>
41.28 (1.63")	-	Red	Ball - Threaded Knob		* KF095F-041-TPH-IN-R
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095F-041-TPH-IN</b>
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	<b>KF095F-041-MOPH</b>
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Phenolic	<b>KF095F-044-CB</b>
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF095F-044-CH</b>
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF095F-048-TPH-IN-R</b>
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095F-048-TPH</b>
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF095F-048-TPH-IN</b>
47.63 (1.88")	12.7		Ball - Threaded - Recessed Top Knob	Plastic	<b>KF095F-048-TPST</b>
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF095F-051-TPST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF095F-052-MRPH</b>
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	<b>KF095F-057-CB</b>
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF095F-057-CH</b>
76.20 (3.00")	15.9	Black	Cross - Blind Knob	Thermoplastic	<b>KF095F-076-CB</b>
<b>Shaft Diameter 9.53 Push On</b>					
50.80 (2.00")	19.1		Oval Tapered - Press On Knob	Phenolic	** <b>KF095-051-OT-P</b>
69.09 (2.72")	24.9	Black	Six Lobe - Standard Knob	Phenolic	<b>KF095P-069-6L-ST</b>
<b>Thread Size M10x1.5 (10.00mm Standard)</b>					
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF100M-025-TPH-IN</b>
31.00 (1.22")	17.0	White	Knurled Knurled - Clean Line Knob	Duroplast	* KF100M-031-CL
32.00 (1.26")	-	Black	Ball - Threaded Knob	Phenolic	** <b>KF100M-032-TPH</b>
32.00 (1.26")	12.0		Ball - Threaded Knob	Thermoplastic	<b>KF100M-032-TTPL-ST</b>
32.00 (1.26")	14.5		Ball - Threaded Knob	Thermoplastic	<b>KF100M-032-TTPL-TT</b>
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF100M-035-TPH-IN</b>
35.00 (1.38")	-		Ball - Threaded Knob	Thermoplastic	<b>KF100M-035-TTPL-BR</b>
35.00 (1.38")	-		Ball - Threaded Knob	Thermoplastic	<b>KF100M-035-TTPL-MT</b>
40.00 (1.57")	-		Ball - Threaded Knob	Thermoplastic	<b>KF100M-040-TTPL-MT</b>
40.00 (1.57")	-		Ball - Threaded Knob	Thermoplastic	<b>KF100M-040-TTPL-BR</b>
40.00 (1.57")	14.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF100M-040-5L-ST</b>
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF100M-040-7L-ST</b>
40.00 (1.57")	18.0		Ball - Threaded Knob	Stainless Steel	<b>KF100M-040-T303</b>
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF100M-044-CH</b>
47.63 (1.88")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF100M-048-5LHX
48.00 (1.89")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF100M-048-TPH-IN</b>
50.00 (1.97")	14.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KF100M-050-5L-ST14B
50.00 (1.97")	14.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KF100M-050-5L-ST14A</b>
50.00 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF100M-050-7L-ST</b>
50.00 (1.97")	15.0		Press Fit Type C Lobe Knob	303 Stainless Steel	* KF100PF-050-L303
50.00 (1.97")	15.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF100M-050-L303
50.00 (1.97")	17.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	* KF100M-050-5LCL
50.00 (1.97")	17.0		Three Lobe - Safety Knob	42.00	* KF100M-050-3L-SAF
50.00 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF100M-050-7L-SP

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 17 of 38

E&OE

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size M10x1.5 (10.00mm Standard)</b>					
50.00 (1.97")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF100M-050-6L-PBR</b>
50.00 (1.97")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF100M-050-6L-PSS</b>
50.00 (1.97")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	<b>KF100M-050-7LQA</b>
50.00 (1.97")	21.0		Star Knob	Plastic	* KF100M-050-STRF-PL
50.00 (1.97")	21.0		Push-Pull Knob		* KF100M-050-PP
50.00 (1.97")	18.0		Star - 304 Stainless - Threaded Knob		* KF100M-050-STRF-304
50.00 (1.97")	62.0		Round - Soft Knob		* KF100M-050-RSFTF
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF100M-052-MRPB</b>
53.00 (2.09")	18.0		Star - Soft Knob		* KF100M-053-STRF-SFT
54.00 (2.13")	18.0		Grip - Soft Knob		* KF100M-054-GSC
60.00 (2.36")	18.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF100M-060-L303
63.00 (2.48")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF100M-063-7L-ST</b>
63.00 (2.48")	22.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF100M-063-7L-SP
<b>Thread Size 7/16-20 UNF (11.11mm)</b>					
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF111F-035-TPH-IN</b>
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF111F-035-TPH-IN-R</b>
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	<b>KF111F-035-TPST</b>
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF111F-041-TPH-IN-R</b>
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF111F-041-TPH-IN</b>
<b>Thread Size M12x1.75 (12.00mm Standard)</b>					
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF120M-035-TPH-IN</b>
45.00 (1.77")	-		Ball - Threaded Knob	Thermoplastic	<b>KF120M-045-TTPL-MT</b>
48.00 (1.89")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF120M-048-TPH-IN</b>
50.00 (1.97")	-		Ball - Threaded Knob	Thermoplastic	<b>KF120M-050-TTPL-MT</b>
50.00 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF120M-050-7L-ST</b>
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF120M-052-MRPB</b>
57.15 (2.25")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	* KF120M-057-5LHX
60.00 (2.36")	18.0		Press Fit Type C Lobe Knob	303 Stainless Steel	* KF120PF-060-L303
60.00 (2.36")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF120M-060-6L-PBR</b>
60.00 (2.36")	20.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	* KF120M-060-5LCL
60.00 (2.36")	22.0		Threaded Type E Lobe Knob	303 Stainless Steel	* KF120M-060-L303
63.00 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF120M-063-7L-ST</b>
63.00 (2.48")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	<b>KF120M-063-7LQA</b>
63.00 (2.48")	22.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF120M-063-7L-SP
60.0 (393.66")	22.0		Star - 304 Stainless - Threaded Knob		* KF120M-060-STRF-304
<b>Thread Size 1/2-13 UNC (12.7mm)</b>					
31.75 (1.25")		Black	Tri - Blind Hole Knob	ABS	<b>KF127C-032-TRI-BHF</b>
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	** <b>KF127C-035-TSFT</b>
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF127C-035-TPH-IN</b>
34.93 (1.38")	-	Red	Ball - Threaded Knob		* KF127C-035-TPH-IN-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	<b>KF127C-035-TPST</b>
35.05 (1.38")	18.0		Ball - Threaded with Groove Knob		* KF127C-035-TPLG
35.05 (1.38")	19.1		Ball - Threaded with Knurl Knob	Plastic	<b>KF127C-035-TPLK</b>
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF127C-038-TPH</b>
38.10 (1.50")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	* KF127CC-038-TPBR-P
38.10 (1.50")	-		Raw Ball - Threaded - Polished Brass Knob		* KF127CC-038-TPBR-R
38.10 (1.50")			Ball - Threaded - Soft Touch Knob	Rubber	<b>KF127C-038-TSFT</b>
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF127C-038-TPST
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	<b>KF127C-040-6L-SP</b>
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	* KF127C-041-TPH-IN-R
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF127C-041-TPH-IN</b>
43.66 (1.72")	-		Ball - Threaded with Shank Knob	Phenolic	<b>KF127C-044-TPHS</b>
44.45 (1.75")	-		Ball - Threaded - Lateral Grooved Knob		* KF127C-044-TLG
44.96 (1.77")	18.0		Ball - Threaded with Groove Knob		* KF127C-045-TPLG

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 18 of 38

E&OE

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 1/2-13 UNC (12.7mm)</b>					
44.96 (1.77")	19.1		Ball - Threaded with Knurl Knob	Plastic	<b>KF127C-045-TPLK</b>
47.62 (1.87")	-	Red	Ball - Threaded Knob		* KF127C-048-TPH-IN-R
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF127C-048-TPH-IN</b>
47.63 (1.88")	15.9		Ball - Threaded - Recessed Top Knob	Plastic	<b>KF127C-048-TRT</b>
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF127C-049-5LSFT-P</b>
50.00 (1.97")			Ball - Threaded Knob	Aluminium	<b>KF127C-050-TPAL</b>
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	<b>KF127C-050-6L-SP</b>
50.04 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF127C-050-7L-ST
50.04 (1.97")	19.1	Black	Cross - Standard Knob	Thermoplastic	<b>KF127C-050-CS</b>
50.04 (1.97")	19.1	Black	Cross - Standard Knob	Thermoplastic	<b>KF127C-050-CS-SS</b>
50.04 (1.97")	19.1	Black	Four Lobe - Standard Knob	Phenolic	<b>KF127C-050-4L</b>
50.04 (1.97")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF127C-050-6L-BR</b>
50.04 (1.97")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF127C-050-6L-SS</b>
50.04 (1.97")	50.0		Ball - Novo-Grip Knob	Rubber	<b>KF127C-050-NG-SS</b>
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF127C-051-TPST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	<b>KF127C-052-MRPH</b>
55.12 (2.17")	19.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KF127C-055-6L-BR</b>
55.12 (2.17")	22.9	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KF127C-055-3L-SFT</b>
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	<b>KF127C-057-CB</b>
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF127C-057-CH</b>
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KF127C-057-5LSFT</b>
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	<b>KF127C-057-5LSFT-P</b>
59.94 (2.36")	17.0	Black	Five Lobe - Standard Knob	Plastic	<b>KF127C-060-5L-BR17</b>
59.94 (2.36")	19.1	Black	Cross - Standard Knob	Thermoplastic	<b>KF127C-060-CS-SS</b>
59.94 (2.36")	19.1	Black	Cross - Standard Knob	Thermoplastic	<b>KF127C-060-CS</b>
59.94 (2.36")	19.1	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF127C-060-CH-SS</b>
59.94 (2.36")	19.1	Black	Cross - Through Hole Knob	Thermoplastic	<b>KF127C-060-CH</b>
59.94 (2.36")	19.1	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF127C-060-4L</b>
59.94 (2.36")	19.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF127C-060-4L-P</b>
59.94 (2.36")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF127C-060-6L-BR</b>
59.94 (2.36")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KF127C-060-6L-SS</b>
59.94 (2.36")	19.1	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF127C-060-6L-PBR</b>
59.94 (2.36")	19.1	Black	Six Lobe - Through Hole Knob	Thermoplastic	<b>KF127C-060-6L-PSS</b>
59.94 (2.36")	20.1	Black	Five Lobe - Standard Knob	Phenolic	<b>KF127C-060-5L-ST20</b>
59.94 (2.36")	25.2	Black	Five Lobe - Standard Knob	Phenolic	<b>KF127C-060-5L-ST</b>
62.99 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF127C-063-7L-ST
62.99 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF127C-063-7L-SS
62.99 (2.48")	19.1	Black	Cross - Standard Knob	Phenolic	<b>KF127C-063-CS</b>
62.99 (2.48")	19.1	Black	Seven Lobe - Standard Knob	Phenolic	* KF127C-063-7L-BR
62.99 (2.48")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KF127C-063-3L</b>
62.99 (2.48")	20.1	Black	Five Lobe - Standard Knob	Plastic	<b>KF127C-063-5L-BR20</b>
62.99 (2.48")	22.1	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF127C-063-7L-SP</b>
62.99 (2.48")	-		Five Lobe - Soft Touch -Through Hole Knob		<b>KF127C-063-5LSFT-P</b>
62.99 (2.48")	25.9	Black	Five Lobe - Standard Knob	Plastic	<b>KF127C-063-5L-BR26</b>
63.50 (2.50")	15.9	Black	Four Lobe - Soft Touch Knob	Thermoplastic	<b>KF127C-064-4L-SFT</b>
65.02 (2.56")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF127C-065-TRI-PF</b>
66.04 (2.60")	19.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KF127C-066-6L-BR</b>
69.85 (2.75")	20.1	Black	Five Lobe - Standard Knob	Phenolic	<b>KF127C-070-5L-ST20</b>
69.85 (2.75")	25.2	Black	Five Lobe - Standard Knob	Phenolic	<b>KF127C-070-5L-ST25</b>
76.20 (3.00")	15.9	Black	Four Lobe - Soft Touch Knob	Thermoplastic	<b>KF127C-076-4L-SFT</b>
80.01 (3.15")	19.1	Black	Cross - Standard Knob	Phenolic	<b>KF127C-080-CS</b>
80.01 (3.15")	19.1	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF127C-080-4L</b>
80.01 (3.15")	19.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF127C-080-4L-P</b>
82.04 (3.23")	30.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KF127P-082-6L-ST</b>
82.04 (3.23")	30.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KF127C-082-6L-ST</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Female Knobs

Ball Diameter mm (in.)	Thread Depth (C) mm (in.)	Colour	Style	Material	Part Number
<b>Thread Size 1/2-13 UNC (12.7mm)</b>					
85.09 (3.35")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF127C-085-TRI-BHF</b>
85.09 (3.35")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF127C-085-TRI-PF</b>
99.06 (3.90")	34.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KF127P-099-6L-ST</b>
104.90 (4.13")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF127C-105-TRI-BHF</b>
104.90 (4.13")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF127C-105-TRI-PF</b>
124.97 (4.92")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF127C-125-TRI-BHF</b>
124.97 (4.92")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF127C-125-TRI-PF</b>
<b>Thread Size 1/2-20 UNF (12.7mm)</b>					
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF127F-035-TPH-IN-BR-R</b>
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF127F-035-TPH-IN-A</b>
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	<b>KF127F-035-TPST</b>
38.10 (1.50")	15.9		Ball - Threaded Knob		* KF127F-038-TPST
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF127F-041-TPH-IN-A</b>
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF127F-041TPH-IN-BR-R</b>
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF127F-048-TPH-IN-BR-R</b>
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF127F-048-TPH-IN-A</b>
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF127F-051-TPST
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	<b>KF127F-057-CB</b>
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	<b>KF127F-057-CH</b>
<b>Thread Size 5/8-11 UNC (15.88mm)</b>					
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF159C-051-TPST
62.99 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF159C-063-7L-ST
62.99 (2.48")	22.1	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF159C-063-7L-SP</b>
80.01 (3.15")	23.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KF159C-080-4L</b>
80.01 (3.15")	23.9	Black	Four Lobe - Through Hole Knob	Thermoplastic	<b>KF159C-080-4L-P</b>
84.84 (3.34")	21.8	Black	Five Lobe - Standard Knob	Phenolic	<b>KF159C-085-5LF</b>
104.90 (4.13")		Black	Tri - Blind Hole Knob	Thermoplastic	<b>KF159C-105-TRI-BHF</b>
104.90 (4.13")		Black	Tri - Through Hole Knob	Thermoplastic	<b>KF159C-105-TRI-PF</b>
124.97 (4.92")		Black	Tri - Through Hole Knob	Thermoplastic	* KF159C-125-TRI-PF
<b>Thread Size 5/8-18 UNF (15.88mm)</b>					
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	<b>KF159F-048-TPH-R</b>
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF159F-048-TPH</b>
50.80 (2.00")	19.1		Ball - Threaded Knob		* KF159F-051-TPST
<b>Thread Size M16x2 (16.00mm Standard)</b>					
48.00 (1.89")	-	Black	Ball - Threaded Knob	Phenolic	<b>KF160M-048-TPH-IN</b>
63.00 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	<b>KF160M-063-7L-ST</b>
63.00 (2.48")	22.0	Black	Seven Lobe - Standard Knob	Thermoplastic	* KF160M-063-7L-SP
<b>Thread Size Blank</b>					
51.05 (2.01")	21.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KF000-051-6L-ST</b>
69.09 (2.72")	24.9	Black	Six Lobe - Standard Knob	Phenolic	<b>KF000-069-6L-ST</b>
82.04 (3.23")	30.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KF000-082-6L-ST</b>
99.06 (3.90")	34.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KF000-099-6L-ST</b>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 20 of 38

E&OE

# Female Knobs - Bored

OD (A) mm (in.)	Overall Length mm (in.)	Colour	Style	Material	Part Number
<b>Hole Size 3.20 Push On</b>					
25.40 (1.00")	10.4		Precision - Knurled Knob	Steel	* KF032-025-PKN-C
25.40 (1.00")	9.5		Precision - Knurled Knob		* KF032-025-PKN-S
38.10 (1.50")	10.4		Precision - Knurled Knob	Steel	* KF032-038-PKN-C
38.10 (1.50")	9.5		Precision - Knurled Knob		* KF032-038-PKN-S
50.80 (2.00")	10.4		Precision - Knurled Knob		* KF032-051-PKN-C
50.80 (2.00")	9.5		Precision - Knurled Knob		* KF032-051-PKN-S
<b>Hole Size 4.00 Push On</b>					
16.00 (0.63")	-	Black	Ball - Knock On Knob	Phenolic	** KF040-016-KOPH
<b>Hole Size 4.76 Push On</b>					
19.05 (0.75")	-	Black	Ball - Knock On Knob	Phenolic	KF048-019-KOPH
25.40 (1.00")	10.4		Precision - Knurled Knob		* KF048-025-PKN-C
25.40 (1.00")	10.3		Precision - Knurled Knob		* KF048-025-PKN-S
38.10 (1.50")	10.4		Precision - Knurled Knob		* KF048-038-PKN-C
38.10 (1.50")	10.3		Precision - Knurled Knob		* KF048-038-PKN-S
50.80 (2.00")	10.4		Precision - Knurled Knob		* KF048-051-PKN-C
50.80 (2.00")	10.3		Precision - Knurled Knob		* KF048-051-PKN-S
<b>Hole Size 5.00 Push On</b>					
20.00 (0.79")	-	Black	Ball - Knock On Knob		* KF050-020-KOPH
<b>Hole Size 6.00 Push On</b>					
20.00 (0.79")	13.5		Lever - Through Bore Knob		* KF060M-020-LVR
<b>Hole Size 6.00 Knock On</b>					
25.00 (0.98")	-	Black	Ball - Knock On Knob		* KF060-025-KOPH
<b>Hole Size 6.35 Knock On</b>					
19.05 (0.75")	-	Black	Ball - Knock On Knob	Phenolic	KF064-019-KOPH
22.23 (0.88")	15.9		Lever - Through Bore Knob	Phenolic	KF064-022-LVR
25.40 (1.00")	-	Black	Ball - Knock On Knob	Phenolic	KF064-025-KOPH
25.40 (1.00")	10.4		Precision - Knurled Knob		* KF064-025-PKN-C
25.40 (1.00")	11.1		Precision - Knurled Knob		* KF064-025-PKN-S
31.75 (1.25")	-	Black	Ball - Knock On Knob	Phenolic	KF064-032-KOPH
38.10 (1.50")	10.4		Precision - Knurled Knob		* KF064-038-PKN-C
38.10 (1.50")	11.1		Precision - Knurled Knob		* KF064-038-PKN-S
50.80 (2.00")	11.1		Precision - Knurled Knob		* KF064-051-PKN-S
50.80 (2.00")	10.4		Precision - Knurled Knob		* KF064-051-PKN-C
<b>Hole Size 7.94 Knock On</b>					
25.40 (1.00")	-	Black	Ball - Knock On Knob	Phenolic	KF079-025-KOPH
<b>Hole Size 7.94 Push On</b>					
28.58 (1.13")	14.3		Lever - Through Bore Knob	Phenolic	KF079-029-LVR
<b>Hole Size 8.00 Knock On</b>					
32.00 (1.26")	-	Black	Ball - Knock On Knob		* KF080-032-KOPH
<b>Hole Size 9.53 Knock On</b>					
31.75 (1.25")	-	Black	Ball - Knock On Knob	Phenolic	KF095-032-KOPH
38.10 (1.50")	-	Black	Ball - Knock On Knob	Phenolic	KF095-038-KOPH
<b>Hole Size 9.53 Push On</b>					
34.93 (1.38")	19.1		Lever - Through Bore Knob	Phenolic	KF095-035-LVR
<b>Hole Size 12.70 Push On</b>					
34.93 (1.38")	19.1		Lever - Through Bore Knob	Phenolic	KF127-035-LVR
38.10 (1.50")	-	Black	Ball - Knock On Knob	Phenolic	KF127-038-KOPH
44.45 (1.75")	-	Black	Ball - Knock On Knob	Phenolic	KF127-044-KOPH
50.80 (2.00")	-	Black	Ball - Knock On Knob	Phenolic	KF127-051-KOPH
<b>Hole Size 15.88 Knock On</b>					
44.45 (1.75")	-	Black	Ball - Knock On Knob	Phenolic	KF159-044-KOPH
50.80 (2.00")	-	Black	Ball - Knock On Knob	Phenolic	KF159-051-KOPH



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Female Knobs - Bored

OD (A) mm (in.)	Overall Length mm (in.)	Colour	Style	Material	Part Number
<b>Hole Size (d2) 8.00 (H7) Press Fit (0.31")</b>					
40.0 (0.31")	15.0		Star - 304 Stainless - Press Fit Knob		* KF080PF-040-STRF-304
50.0 (0.39")	18.0		Star - 304 Stainless - Press Fit Knob		* KF100PF-050-STRF-304
60.0 (0.47")	22.0		Star - 304 Stainless - Press Fit Knob		* KF120PF-060-STRF-304



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size Blank</b>					
128.78 (5.07")	34.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KM000-129-6L34-ST</b>
<b>Thread Size 4-40 UNC (2.85mm)</b>					
7.94 (0.31")	6.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM029C-008-0635-KNU-Y
7.94 (0.31")	6.4	Red	Knurled Thumb - With Cap Screw Knob		* KM029C-008-0635-KNU-R
7.94 (0.31")	6.4	Grey	Knurled Thumb - With Cap Screw Knob	Plastic	** <b>KM029C-008-0635-KNU-G</b>
7.94 (0.31")	6.4	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** <b>KM029C-008-0635-KNU-B</b>
7.94 (0.31")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1270-KNU-Y
7.94 (0.31")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1270-KNU-R
7.94 (0.31")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1270-KNU-G
7.94 (0.31")	12.7	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** <b>KM029C-008-1270-KNU-B</b>
7.94 (0.31")	19.1	Black	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1905-KNU-B
7.94 (0.31")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1905-KNU-R
7.94 (0.31")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1905-KNU-Y
7.94 (0.31")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM029C-008-1905-KNU-G
<b>Thread Size 6-32 UNC (3.50mm)</b>					
9.53 (0.38")	6.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM035C-010-0635-KNU-Y
9.53 (0.38")	6.4	Red	Knurled Thumb - With Cap Screw Knob	Plastic	** <b>KM035C-010-0635-KNU-R</b>
9.53 (0.38")	6.4	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** <b>KM035C-010-0635-KNU-B</b>
9.53 (0.38")	6.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM035C-010-0635-KNU-G
9.53 (0.38")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1270-KNU-G
9.53 (0.38")	12.7	Red	Knurled Thumb - With Cap Screw Knob	Plastic	** <b>KM035C-010-1270-KNU-R</b>
9.53 (0.38")	12.7	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** <b>KM035C-010-1270-KNU-B</b>
9.53 (0.38")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1270-KNU-Y
9.53 (0.38")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1905-KNU-R
9.53 (0.38")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1905-KNU-Y
9.53 (0.38")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM035C-010-1905-KNU-G
9.53 (0.38")	19.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	* KM035C-010-1905-KNU-B
<b>Thread Size M4x0.7 (4.00mm Standard)</b>					
13.00 (0.51")	8.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM040M-013-KPC08</b>
13.00 (0.51")	10.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM040M-013-KPC10</b>
13.00 (0.51")	12.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM040M-013-KPC12</b>
13.00 (0.51")	18.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM040M-013-KPC18</b>
15.00 (0.59")	10.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM040M-015-TQ
18.00 (0.71")	20.0		Knurled - Torque Knob	Phenolic	** <b>KM040M-018-TQ</b>
20.00 (0.79")	10.0		Star Knob		* KM040M-020-STR-PL
<b>Thread Size 8-32 UNC (4.17mm)</b>					
12.70 (0.50")	9.5	Grey	Knurled Thumb - With Cap Screw Knob		* KM042C-013-0953-KNU-G
12.70 (0.50")	9.5	Black	Knurled Thumb - With Cap Screw Knob		* KM042C-013-0953-KNU-B
12.70 (0.50")	9.5	Red	Knurled Thumb - With Cap Screw Knob		* KM042C-013-0953-KNU-R
12.70 (0.50")	9.5	Yellow	Knurled Thumb - With Cap Screw Knob		* KM042C-013-0953-KNU-Y
12.70 (0.50")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1270-KNU-B
12.70 (0.50")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1270-KNU-G
12.70 (0.50")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1270-KNU-R
12.70 (0.50")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1270-KNU-Y
12.70 (0.50")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1905-KNU-G
12.70 (0.50")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1905-KNU-R
12.70 (0.50")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1905-KNU-Y
12.70 (0.50")	19.1	Black	Knurled Thumb - With Cap Screw Knob		* KM042C-013-1905-KNU-B
12.70 (0.50")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM042C-013-2540-KNU-G



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 8-32 UNC (4.17mm)</b>					
12.70 (0.50")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM042C-013-2540-KNU-Y
12.70 (0.50")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM042C-013-2540-KNU-R
12.70 (0.50")	25.4	Black	Knurled Thumb - With Cap Screw Knob		* KM042C-013-2540-KNU-B
19.05 (0.75")	12.7		Knurled Knob	Phenolic	<b>KM042C-019-KN-PH</b>
<b>Thread Size 10-24 UNC (4.76mm)</b>					
14.29 (0.56")	9.5	Grey	L Thumb - With Cap Screw Knob		* KM048C-014-0953-L-G
14.29 (0.56")	9.5	Red	L Thumb - With Cap Screw Knob		* KM048C-014-0953-L-R
14.29 (0.56")	9.5	Black	L Thumb - With Cap Screw Knob		* KM048C-014-0953-L-B
14.29 (0.56")	9.5	Yellow	L Thumb - With Cap Screw Knob		* KM048C-014-0953-L-Y
14.29 (0.56")	12.7	Black	L Thumb - With Cap Screw Knob		* KM048C-014-1270-L-B
14.29 (0.56")	12.7	Yellow	L Thumb - With Cap Screw Knob		* KM048C-014-1270-L-Y
14.29 (0.56")	12.7	Grey	L Thumb - With Cap Screw Knob		* KM048C-014-1270-L-G
14.29 (0.56")	12.7	Red	L Thumb - With Cap Screw Knob		* KM048C-014-1270-L-R
14.29 (0.56")	19.1	Yellow	L Thumb - With Cap Screw Knob		* KM048C-014-1905-L-Y
14.29 (0.56")	19.1	Red	L Thumb - With Cap Screw Knob		* KM048C-014-1905-L-R
14.29 (0.56")	19.1	Grey	L Thumb - With Cap Screw Knob		* KM048C-014-1905-L-G
14.29 (0.56")	19.1	Black	L Thumb - With Cap Screw Knob		* KM048C-014-1905-L-B
14.29 (0.56")	25.4	Black	L Thumb - With Cap Screw Knob		* KM048C-014-2540-L-B
14.29 (0.56")	25.4	Yellow	L Thumb - With Cap Screw Knob		* KM048C-014-2540-L-Y
14.29 (0.56")	25.4	Grey	L Thumb - With Cap Screw Knob		* KM048C-014-2540-L-G
14.29 (0.56")	25.4	Red	L Thumb - With Cap Screw Knob		* KM048C-014-2540-L-R
15.88 (0.63")	9.5	Black	Knurled Thumb - With Cap Screw Knob	Plastic	* KM048C-016-0953-KNU-B
15.88 (0.63")	9.5	Yellow	Knurled Thumb - With Cap Screw Knob		* KM048C-016-0953-KNU-Y
15.88 (0.63")	9.5	Grey	Knurled Thumb - With Cap Screw Knob		* KM048C-016-0953-KNU-G
15.88 (0.63")	9.5	Red	Knurled Thumb - With Cap Screw Knob		* KM048C-016-0953-KNU-R
15.88 (0.63")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1270-KNU-B
15.88 (0.63")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1270-KNU-G
15.88 (0.63")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1270-KNU-R
15.88 (0.63")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1270-KNU-Y
15.88 (0.63")	19.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	<b>** KM048C-016-1905-KNU-B</b>
15.88 (0.63")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1905-KNU-G
15.88 (0.63")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1905-KNU-Y
15.88 (0.63")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM048C-016-1905-KNU-R
15.88 (0.63")	25.4	Black	Knurled Thumb - With Cap Screw Knob		* KM048C-016-2540-KNU-B
15.88 (0.63")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM048C-016-2540-KNU-R
15.88 (0.63")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM048C-016-2540-KNU-G
15.88 (0.63")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM048C-016-2540-KNU-Y
20.07 (0.79")	19.1	Black	Four Lobe - Standard Knob	Phenolic	<b>KM048C-020-4L19</b>
24.89 (0.98")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM048C-025-3L</b>
25.40 (1.00")	9.5	Black	Tee Thumb - With Cap Screw Knob		* KM048C-025-0953-TEE-B
25.40 (1.00")	9.5	Grey	Tee Thumb - With Cap Screw Knob		* KM048C-025-0953-TEE-G
25.40 (1.00")	9.5	Red	Tee Thumb - With Cap Screw Knob		* KM048C-025-0953-TEE-R
25.40 (1.00")	9.5	Yellow	Tee Thumb - With Cap Screw Knob		* KM048C-025-0953-TEE-Y
25.40 (1.00")	12.7	Yellow	Tee Thumb - With Cap Screw Knob		* KM048C-025-1270-TEE-Y
25.40 (1.00")	12.7	Red	Tee Thumb - With Cap Screw Knob		* KM048C-025-1270-TEE-R
25.40 (1.00")	12.7	Grey	Tee Thumb - With Cap Screw Knob		* KM048C-025-1270-TEE-G
25.40 (1.00")	12.7	Black	Tee Thumb - With Cap Screw Knob		* KM048C-025-1270-TEE-B
25.40 (1.00")	19.1	Grey	Tee Thumb - With Cap Screw Knob		* KM048C-025-1905-TEE-G
25.40 (1.00")	19.1	Red	Tee Thumb - With Cap Screw Knob		* KM048C-025-1905-TEE-R
25.40 (1.00")	19.1	Black	Tee Thumb - With Cap Screw Knob		* KM048C-025-1905-TEE-B
25.40 (1.00")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM048C-025-1905-TEE-Y
25.40 (1.00")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		* KM048C-025-2540-TEE-Y
25.40 (1.00")	25.4	Black	Tee Thumb - With Cap Screw Knob		* KM048C-025-2540-TEE-B
25.40 (1.00")	25.4	Grey	Tee Thumb - With Cap Screw Knob		* KM048C-025-2540-TEE-G
25.40 (1.00")	25.4	Red	Tee Thumb - With Cap Screw Knob		* KM048C-025-2540-TEE-R
31.75 (1.25")	19.1		Cross - Standard Knob	Black Thermoplastic	<b>KM048C-032-CS19</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts



# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 10-32 UNF (4.76mm)</b>					
25.00 (0.98")	10.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-048F025-7L10-ST</b>
25.00 (0.98")	10.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-048F025-7L10-S4</b>
25.00 (0.98")	12.7	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM048F-025-5LSFT13-ST</b>
25.00 (0.98")	19.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM048F-025-5LSFT19-ST</b>
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-048F025-7L20-S4</b>
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-048F025-7L20-ST</b>
28.58 (1.13")	11.1	Black	Tri Knob	Phenolic	<b>KM048F-029-TRI-BHM</b>
29.97 (1.18")	12.7	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KM048F-030-3L-SFT</b>
29.97 (1.18")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KM048F-030-3LL-SFT</b>
31.75 (1.25")	19.1		Cross - Standard Knob	Black Thermoplastic	<b>KM048F-032-CS19</b>
<b>Thread Size M5x0.8 (5.00mm Standard)</b>					
15.00 (0.59")	8.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM050M-015-KPC08</b>
15.00 (0.59")	10.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM050M-015-KPC10</b>
15.00 (0.59")	12.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM050M-015-KPC12</b>
15.00 (0.59")	16.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM050M-015-KPC16</b>
22.00 (0.87")	20.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM050M-022-TQ
25.00 (0.98")	10.0	Black	Seven Lobe Knob	Thermoplastic	KM-050M-025-7L10-ST
25.00 (0.98")	10.0		Star Knob		* KM050M-025-STR-PL
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-050M-025-7L20-ST
25.00 (0.98")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-050M-025-7L30-ST
<b>Thread Size M6x1.0 (6mm Standard)</b>					
15.00 (0.59")	8.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM060M-015-KPC08</b>
15.00 (0.59")	10.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM060M-015-KPC10</b>
15.00 (0.59")	12.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM060M-015-KPC12</b>
15.00 (0.59")	16.0	Black	Knurled - Torque Knob	Polypropylene Head - 4.8 Grade Steel Shank	<b>KM060M-015-KPC16</b>
23.00 (0.91")	20.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM060M-023-TQ
25.00 (0.98")	10.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-025-7L10-ST
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-025-7L20-ST
25.00 (0.98")	20.0		Star Knob	Plastic	<b>KM060M-025-STR-PL</b>
25.00 (0.98")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-025-7L30-ST
26.00 (1.02")	25.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM060M-026-TQ
28.00 (1.10")	15.0		Wing Knob		* KM060M-028-W
30.00 (1.18")	20.0		Knurled - Torque Knob	Phenolic Plastic - Steel Inserts	* KM060M-030-TQ
32.00 (1.26")	10.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-032-7L10-ST
32.00 (1.26")	12.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KM060M-032-5L12</b>
32.00 (1.26")	15.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KM060M-032-5L15
32.00 (1.26")	15.0		Star Knob	Plastic	** <b>KM060M-032-STR-PL</b>
32.00 (1.26")	18.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KM060M-032-5L18</b>
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-032-7L20-ST
32.00 (1.26")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-032-7L30-ST
40.00 (1.57")	15.0	Black	Tri Knob	Phenolic	* KM060M-040-TRI-BHM
40.00 (1.57")	18.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KM060M-040-5L18</b>
40.00 (1.57")	20.0		Wing Knob		* KM060M-040-W



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size M6x1.0 (6mm Standard)</b>					
50.00 (1.97")	15.0		Three Lobe - Safety Knob		<b>KM060M-050-3L-SAF15</b>
50.00 (1.97")	20.0		Three Lobe - Safety Knob		<b>KM060M-050-3L-SAF20</b>
50.00 (1.97")	30.0		Three Lobe - Safety Knob		<b>KM060M-050-3L-SAF30</b>
50.00 (1.97")	40.0		Three Lobe - Safety Knob		<b>KM060M-050-3L-SAF40</b>
<b>Thread Size 1/4-20 UNC (6.35mm)</b>					
17.46 (0.69")	12.7	Yellow	L Thumb - With Cap Screw Knob		* KM064C-017-1270-L-Y
17.46 (0.69")	12.7	Red	L Thumb - With Cap Screw Knob		* KM064C-017-1270-L-R
17.46 (0.69")	12.7	Black	L Thumb - With Cap Screw Knob		* KM064C-017-1270-L-B
17.46 (0.69")	12.7	Grey	L Thumb - With Cap Screw Knob		* KM064C-017-1270-L-G
17.46 (0.69")	19.1	Black	L Thumb - With Cap Screw Knob		* KM064C-017-1905-L-B
17.46 (0.69")	19.1	Grey	L Thumb - With Cap Screw Knob		* KM064C-017-1905-L-G
17.46 (0.69")	19.1	Red	L Thumb - With Cap Screw Knob		* KM064C-017-1905-L-R
17.46 (0.69")	19.1	Yellow	L Thumb - With Cap Screw Knob		* KM064C-017-1905-L-Y
17.46 (0.69")	25.4	Yellow	L Thumb - With Cap Screw Knob		* KM064C-017-2540-L-Y
17.46 (0.69")	25.4	Black	L Thumb - With Cap Screw Knob	Plastic	* KM064C-017-2540-L-B
17.46 (0.69")	25.4	Grey	L Thumb - With Cap Screw Knob		* KM064C-017-2540-L-G
17.46 (0.69")	25.4	Red	L Thumb - With Cap Screw Knob		* KM064C-017-2540-L-R
17.46 (0.69")	38.1	Grey	L Thumb - With Cap Screw Knob		* KM064C-017-3810-L-G
17.46 (0.69")	38.1	Red	L Thumb - With Cap Screw Knob		* KM064C-017-3810-L-R
17.46 (0.69")	38.1	Yellow	L Thumb - With Cap Screw Knob		* KM064C-017-3810-L-Y
17.46 (0.69")	38.1	Black	L Thumb - With Cap Screw Knob		* KM064C-017-3810-L-B
19.05 (0.75")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1270-KNU-B
19.05 (0.75")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1270-KNU-G
19.05 (0.75")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1270-KNU-R
19.05 (0.75")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1270-KNU-Y
19.05 (0.75")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1905-KNU-G
19.05 (0.75")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1905-KNU-R
19.05 (0.75")	19.1	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1905-KNU-B
19.05 (0.75")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-019-1905-KNU-Y
19.05 (0.75")	25.4	Black	Knurled Thumb - With Cap Screw Knob	Plastic	* KM064C-019-2540-KNU-B
19.05 (0.75")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-019-2540-KNU-G
19.05 (0.75")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-019-2540-KNU-R
19.05 (0.75")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-019-2540-KNU-Y
19.05 (0.75")	38.1	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-019-3810-KNU-R
19.05 (0.75")	38.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-019-3810-KNU-Y
19.05 (0.75")	38.1	Grey	Knurled Thumb - With Cap Screw Knob	Plastic	** <b>KM064C-019-3810-KNU-G</b>
19.05 (0.75")	38.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	* KM064C-019-3810-KNU-B
20.07 (0.79")	13.0	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM064C-020-4L13</b>
20.07 (0.79")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM064C-020-4L25</b>
22.10 (0.87")	19.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KM064C-022-6L19-SP</b>
24.89 (0.98")	12.7	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM064C-025-3L</b>
24.89 (0.98")	13.0	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM064C-025-4L13</b>
24.89 (0.98")	19.1	Black	Four Lobe - Standard Knob	Phenolic	<b>KM064C-025-4L19</b>
24.89 (0.98")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM064C-025-3LL</b>
24.89 (0.98")	20.1		Ball - Novo-Grip Knob	Rubber	<b>KM064C-025-NG</b>
24.89 (0.98")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM064C-025-4L25</b>
24.89 (0.98")	30.0		Ball - Novo-Grip Knob	Rubber	<b>KM064C-025-NG-SS</b>
24.89 (0.98")	30.0		Ball - Novo-Grip Knob	Rubber	<b>KM064C-025-NGL</b>
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-064C-025-7L20-ST</b>
25.00 (0.98")	30.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-064C-025-7L30-ST</b>
25.40 (1.00")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1270-KNU-G
25.40 (1.00")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1270-KNU-R
25.40 (1.00")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1270-KNU-Y
25.40 (1.00")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1270-KNU-B
25.40 (1.00")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1905-KNU-R



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 1/4-20 UNC (6.35mm)</b>					
25.40 (1.00")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1905-KNU-Y
25.40 (1.00")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-025-1905-KNU-G
25.40 (1.00")	19.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	* KM064C-025-1905-KNU-B
25.40 (1.00")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM064C-025-2540-KNU-G
25.40 (1.00")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-025-2540-KNU-R
25.40 (1.00")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-025-2540-KNU-Y
25.40 (1.00")	25.4	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-025-2540-KNU-B
25.40 (1.00")	38.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM064C-025-3810-KNU-Y
25.40 (1.00")	38.1	Black	Knurled Thumb - With Cap Screw Knob		* KM064C-025-3810-KNU-B
25.40 (1.00")	38.1	Red	Knurled Thumb - With Cap Screw Knob		* KM064C-025-3810-KNU-R
25.40 (1.00")	38.1	Grey	Knurled Thumb - With Cap Screw Knob	Plastic	** <b>KM064C-025-3810-KNU-G</b>
28.58 (1.13")	12.7	Black	Tri Knob	Phenolic	<b>KM064C-029-TRI-BHM</b>
29.97 (1.18")	12.7	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KM064C-030-3L-SFT</b>
29.97 (1.18")	13.0	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM064C-030-4L13</b>
29.97 (1.18")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM064C-030-4L25</b>
29.97 (1.18")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KM064C-030-3LL-SFT</b>
30.00 (1.18")	13.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM064C-030-6L13-ST</b>
30.00 (1.18")	13.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM064C-030-6L13-S4</b>
30.00 (1.18")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM064C-030-6L25-S4</b>
30.00 (1.18")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM064C-030-6L25-ST</b>
31.75 (1.25")	12.7	Red	Tee Thumb - With Cap Screw Knob		* KM064C-032-1270-TEE-R
31.75 (1.25")	12.7	Yellow	Tee Thumb - With Cap Screw Knob		* KM064C-032-1270-TEE-Y
31.75 (1.25")	12.7	Black	Tee Thumb - With Cap Screw Knob		* KM064C-032-1270-TEE-B
31.75 (1.25")	12.7	Grey	Tee Thumb - With Cap Screw Knob		* KM064C-032-1270-TEE-G
31.75 (1.25")	19.1	Black	Tee Thumb - With Cap Screw Knob		* KM064C-032-1905-TEE-B
31.75 (1.25")	19.1	Grey	Tee Thumb - With Cap Screw Knob		* KM064C-032-1905-TEE-G
31.75 (1.25")	19.1	Red	Tee Thumb - With Cap Screw Knob		* KM064C-032-1905-TEE-R
31.75 (1.25")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM064C-032-1905-TEE-Y
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-032-CSP-SS25</b>
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-032-CSP25</b>
31.75 (1.25")	25.4	Grey	Tee Thumb - With Cap Screw Knob		* KM064C-032-2540-TEE-G
31.75 (1.25")	25.4	Red	Tee Thumb - With Cap Screw Knob		* KM064C-032-2540-TEE-R
31.75 (1.25")	25.4	Black	Tee Thumb - With Cap Screw Knob		* KM064C-032-2540-TEE-B
31.75 (1.25")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		* KM064C-032-2540-TEE-Y
31.75 (1.25")	38.1	Black	Tee Thumb - With Cap Screw Knob		* KM064C-032-3810-TEE-B
31.75 (1.25")	38.1	Grey	Tee Thumb - With Cap Screw Knob		* KM064C-032-3810-TEE-G
31.75 (1.25")	38.1	Red	Tee Thumb - With Cap Screw Knob		* KM064C-032-3810-TEE-R
31.75 (1.25")	38.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM064C-032-3810-TEE-Y
32.00 (1.26")	12.7	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM064C-032-3L</b>
32.00 (1.26")	13.0		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-032-CSTS13</b>
32.00 (1.26")	13.0		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-032-CSTS-SS13</b>
32.00 (1.26")	19.1	Black	Four Lobe - Standard Knob	Phenolic	<b>KM064C-032-4L19</b>
32.00 (1.26")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-032-CST25</b>
32.00 (1.26")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-032-CST-SS25</b>
32.00 (1.26")	25.4	Black	Four Lobe - Standard Knob	Phenolic	<b>KM064C-032-4L25A</b>
32.00 (1.26")	25.4	Black	Four Lobe - Standard Knob	Phenolic	<b>KM064C-032-4L25B</b>
32.00 (1.26")	31.8	Black	Four Lobe - Standard Knob	Phenolic	<b>KM064C-032-4L32</b>
32.00 (1.26")	31.8	Black	Six Lobe - Standard Knob	Phenolic	<b>KM064C-032-6L32-SP</b>
32.00 (1.26")	12.7	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM064C-032-5LSFT13-ST</b>
32.00 (1.26")	12.7	Black	Five Lobe - Standard Knob	Phenolic	<b>KM064C-032-5L13-S4</b>
32.00 (1.26")	19.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM064C-032-5LSFT19-ST</b>
32.00 (1.26")	19.1	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	<b>KM064C-032-5L19-ST</b>
32.00 (1.26")	19.1	Black	Five Lobe - Standard Knob	Phenolic	<b>KM064C-032-5L19-S4</b>
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-064C-032-7L20-S4</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 1/4-20 UNC (6.35mm)</b>					
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-064C-032-7L20-ST</b>
32.00 (1.26")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM064C-032-5LSFT25-ST</b>
32.00 (1.26")	25.4	Black	Five Lobe - Standard Knob	Phenolic	<b>KM064C-032-5L25-S4</b>
32.00 (1.26")	25.4	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	<b>KM064C-032-5L25-ST</b>
32.00 (1.26")	30.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-064C-032-7L30-S4</b>
32.00 (1.26")	30.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-064C-032-7L30-ST</b>
33.02 (1.30")	12.7	Black	Six Lobe - Standard Knob	Phenolic	<b>KM064C-033-6L13-SP</b>
33.02 (1.30")	19.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KM064C-033-6L19-SP</b>
33.02 (1.30")	25.4	Black	Six Lobe - Standard Knob	Phenolic	<b>KM064C-033-6L25-SP</b>
33.02 (1.30")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM064C-033-6L32-SP</b>
38.10 (1.50")	14.3	Black	Tri Knob	Phenolic	<b>KM064C-038-TRI-BHM</b>
38.10 (1.50")	12.7	Yellow	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1270-ROS-Y
38.10 (1.50")	12.7	Red	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1270-ROS-R
38.10 (1.50")	12.7	Black	Rosette Thumb - With Cap Screw Knob	Plastic	** <b>KM064C-038-1270-ROS-B</b>
38.10 (1.50")	12.7	Grey	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1270-ROS-G
38.10 (1.50")	19.1	Black	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1905-ROS-B
38.10 (1.50")	19.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1905-ROS-G
38.10 (1.50")	19.1	Red	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1905-ROS-R
38.10 (1.50")	19.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM064C-038-1905-ROS-Y
38.10 (1.50")	25.4	Black	Rosette Thumb - With Cap Screw Knob		* KM064C-038-2540-ROS-B
38.10 (1.50")	25.4	Grey	Rosette Thumb - With Cap Screw Knob		* KM064C-038-2540-ROS-G
38.10 (1.50")	25.4	Red	Rosette Thumb - With Cap Screw Knob		* KM064C-038-2540-ROS-R
38.10 (1.50")	25.4	Yellow	Rosette Thumb - With Cap Screw Knob		* KM064C-038-2540-ROS-Y
38.10 (1.50")	38.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM064C-038-3810-ROS-Y
38.10 (1.50")	38.1	Grey	Rosette Thumb - With Cap Screw Knob	Plastic	** <b>KM064C-038-3810-ROS-G</b>
38.10 (1.50")	38.1	Red	Rosette Thumb - With Cap Screw Knob		* KM064C-038-3810-ROS-R
38.10 (1.50")	38.1	Black	Rosette Thumb - With Cap Screw Knob	Plastic	** <b>KM064C-038-3810-ROS-B</b>
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM064C-039-5L-SFT13-ST</b>
38.61 (1.52")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM064C-039-5L-SFT25-ST</b>
39.88 (1.57")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM064C-040-4L25</b>
39.88 (1.57")	31.8	Black	Four Lobe - Standard Knob	Phenolic	<b>KM064C-040-4L32</b>
39.88 (1.57")	31.8	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM064C-040-3L</b>
40.00 (1.57")	12.7	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM064C-040-5LSFT13-ST</b>
40.00 (1.57")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM064C-040-6L25-ST</b>
40.00 (1.57")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM064C-040-6L25-S4</b>
40.00 (1.57")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM064C-040-5LSFT25-ST</b>
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-040-CS25</b>
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-040-CS-SS25</b>
44.45 (1.75")	12.7		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-044-CS13</b>
44.45 (1.75")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM064C-044-CSL25</b>
44.96 (1.77")	24.9	Black	Tri Knob	Thermoplastic	<b>KM064C-045-TRI-BHM</b>
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM064C-049-5L-SFT13-ST</b>
48.51 (1.91")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM064C-049-5L-SFT25-ST</b>
50.04 (1.97")	19.1		Three Lobe - Safety Knob		<b>KM064C-050-3L-SAF19</b>
50.04 (1.97")	25.4		Three Lobe - Safety Knob		<b>KM064C-050-3L-SAF25</b>
50.04 (1.97")	38.1		Three Lobe - Safety Knob		<b>KM064C-050-3L-SAF38</b>
55.12 (2.17")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KM064C-055-3L-SFT</b>
57.15 (2.25")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM064C-057-5L-SFT13-ST</b>
57.15 (2.25")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM064C-057-5L-SFT25-ST</b>
<b>Thread Size 7.87 Unthreaded Hole</b>					
130.05 (5.12")	30.0	Black	Six Lobe - Standard Knob	Phenolic	<b>KM079-130-6L30-ST</b>
<b>Thread Size 5/16-18 BSW (7.94mm)</b>					
19.05 (0.75")	24.9	Black	Tri Knob	Thermoplastic	* KM079W-019-TRI-BHM



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 28 of 38

E&OE

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 5/16-18 BSW (7.94mm)</b>					
21.43 (0.84")	12.7	Grey	L Thumb - With Cap Screw Knob		* KM079C-021-1270-L-G
21.43 (0.84")	12.7	Red	L Thumb - With Cap Screw Knob		* KM079C-021-1270-L-R
21.43 (0.84")	12.7	Yellow	L Thumb - With Cap Screw Knob		* KM079C-021-1270-L-Y
21.43 (0.84")	12.7	Black	L Thumb - With Cap Screw Knob		* KM079C-021-1270-L-B
21.43 (0.84")	19.1	Grey	L Thumb - With Cap Screw Knob		* KM079C-021-1905-L-G
21.43 (0.84")	19.1	Red	L Thumb - With Cap Screw Knob		* KM079C-021-1905-L-R
21.43 (0.84")	19.1	Black	L Thumb - With Cap Screw Knob		* KM079C-021-1905-L-B
21.43 (0.84")	19.1	Yellow	L Thumb - With Cap Screw Knob		* KM079C-021-1905-L-Y
21.43 (0.84")	25.4	Black	L Thumb - With Cap Screw Knob		* KM079C-021-2540-L-B
21.43 (0.84")	25.4	Grey	L Thumb - With Cap Screw Knob		* KM079C-021-2540-L-G
21.43 (0.84")	25.4	Red	L Thumb - With Cap Screw Knob		* KM079C-021-2540-L-R
21.43 (0.84")	25.4	Yellow	L Thumb - With Cap Screw Knob		* KM079C-021-2540-L-Y
21.43 (0.84")	38.1	Yellow	L Thumb - With Cap Screw Knob		* KM079C-021-3810-L-Y
21.43 (0.84")	38.1	Red	L Thumb - With Cap Screw Knob		* KM079C-021-3810-L-R
21.43 (0.84")	38.1	Black	L Thumb - With Cap Screw Knob		* KM079C-021-3810-L-B
21.43 (0.84")	38.1	Grey	L Thumb - With Cap Screw Knob		* KM079C-021-3810-L-G
25.40 (1.00")	12.7	Black	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1270-KNU-B
25.40 (1.00")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1270-KNU-G
25.40 (1.00")	12.7	Red	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1270-KNU-R
25.40 (1.00")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1270-KNU-Y
25.40 (1.00")	19.1	Black	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1905-KNU-B
25.40 (1.00")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1905-KNU-G
25.40 (1.00")	19.1	Red	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1905-KNU-R
25.40 (1.00")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM079C-025-1905-KNU-Y
25.40 (1.00")	25.4	Black	Knurled Thumb - With Cap Screw Knob		* KM079C-025-2540-KNU-B
25.40 (1.00")	25.4	Red	Knurled Thumb - With Cap Screw Knob		* KM079C-025-2540-KNU-R
25.40 (1.00")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		* KM079C-025-2540-KNU-G
25.40 (1.00")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		* KM079C-025-2540-KNU-Y
25.40 (1.00")	38.1	Black	Knurled Thumb - With Cap Screw Knob		* KM079C-025-3810-KNU-B
25.40 (1.00")	38.1	Grey	Knurled Thumb - With Cap Screw Knob		* KM079C-025-3810-KNU-G
25.40 (1.00")	38.1	Red	Knurled Thumb - With Cap Screw Knob		* KM079C-025-3810-KNU-R
25.40 (1.00")	38.1	Yellow	Knurled Thumb - With Cap Screw Knob		* KM079C-025-3810-KNU-Y
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-032-CS-SS25</b>
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-032-CS25</b>
32.00 (1.26")	39.9		Ball - Novo-Grip Knob	Rubber	<b>KM079C-032-NG</b>
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-079C-032-7L20-ST</b>
32.00 (1.26")	40.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-079C-032-7L40-ST</b>
33.02 (1.30")	19.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KM079C-033-6L19-SP</b>
33.02 (1.30")	25.4	Black	Six Lobe - Standard Knob	Phenolic	<b>KM079C-033-6L25-SP</b>
33.02 (1.30")	38.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KM079C-033-6L38-SP</b>
33.02 (1.30")	44.5	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM079C-033-6L44-SP</b>
38.10 (1.50")	19.1	Black	Tri Knob	Phenolic	<b>KM079C-038-TRI-BHM</b>
38.10 (1.50")	12.7	Yellow	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1270-ROS-Y
38.10 (1.50")	12.7	Red	Tee Thumb - With Cap Screw Knob		* KM079C-038-1270-TEE-R
38.10 (1.50")	12.7	Black	Tee Thumb - With Cap Screw Knob		* KM079C-038-1270-TEE-B
38.10 (1.50")	12.7	Yellow	Tee Thumb - With Cap Screw Knob		* KM079C-038-1270-TEE-Y
38.10 (1.50")	12.7	Red	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1270-ROS-R
38.10 (1.50")	12.7	Grey	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1270-ROS-G
38.10 (1.50")	12.7	Black	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1270-ROS-B
38.10 (1.50")	12.7	Grey	Tee Thumb - With Cap Screw Knob		* KM079C-038-1270-TEE-G
38.10 (1.50")	19.1	Red	Tee Thumb - With Cap Screw Knob		* KM079C-038-1905-TEE-R
38.10 (1.50")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM079C-038-1905-TEE-Y
38.10 (1.50")	19.1	Grey	Tee Thumb - With Cap Screw Knob		* KM079C-038-1905-TEE-G
38.10 (1.50")	19.1	Black	Tee Thumb - With Cap Screw Knob	Plastic	* KM079C-038-1905-TEE-B
38.10 (1.50")	19.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1905-ROS-Y
38.10 (1.50")	19.1	Red	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1905-ROS-R

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 5/16-18 BSW (7.94mm)</b>					
38.10 (1.50")	19.1	Black	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1905-ROS-B
38.10 (1.50")	19.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM079C-038-1905-ROS-G
38.10 (1.50")	20.1		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-038-CS20</b>
38.10 (1.50")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		* KM079C-038-2540-TEE-Y
38.10 (1.50")	25.4	Black	Tee Thumb - With Cap Screw Knob		* KM079C-038-2540-TEE-B
38.10 (1.50")	25.4	Grey	Tee Thumb - With Cap Screw Knob		* KM079C-038-2540-TEE-G
38.10 (1.50")	25.4	Grey	Rosette Thumb - With Cap Screw Knob		* KM079C-038-2540-ROS-G
38.10 (1.50")	25.4	Black	Rosette Thumb - With Cap Screw Knob		* KM079C-038-2540-ROS-B
38.10 (1.50")	25.4	Red	Tee Thumb - With Cap Screw Knob		* KM079C-038-2540-TEE-R
38.10 (1.50")	25.4	Yellow	Rosette Thumb - With Cap Screw Knob		* KM079C-038-2540-ROS-Y
38.10 (1.50")	25.4	Red	Rosette Thumb - With Cap Screw Knob		* KM079C-038-2540-ROS-R
38.10 (1.50")	38.1	Red	Rosette Thumb - With Cap Screw Knob		* KM079C-038-3810-ROS-R
38.10 (1.50")	38.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM079C-038-3810-ROS-Y
38.10 (1.50")	38.1	Black	Tee Thumb - With Cap Screw Knob		* KM079C-038-3810-TEE-B
38.10 (1.50")	38.1	Grey	Tee Thumb - With Cap Screw Knob		* KM079C-038-3810-TEE-G
38.10 (1.50")	38.1	Red	Tee Thumb - With Cap Screw Knob		* KM079C-038-3810-TEE-R
38.10 (1.50")	38.1	Black	Rosette Thumb - With Cap Screw Knob		* KM079C-038-3810-ROS-B
38.10 (1.50")	38.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM079C-038-3810-ROS-G
38.10 (1.50")	38.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM079C-038-3810-TEE-Y
38.61 (1.52")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM079C-039-5L-SFT25-ST</b>
38.61 (1.52")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM079C-039-5L-SFT38-ST</b>
39.88 (1.57")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM079C-040-3LS</b>
39.88 (1.57")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM079C-040-4L25A</b>
39.88 (1.57")	25.4	Black	Four Lobe - Standard Knob	Phenolic	<b>KM079C-040-4L25B</b>
39.88 (1.57")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM079C-040-3L</b>
39.88 (1.57")	31.8	Black	Four Lobe - Standard Knob	Phenolic	<b>KM079C-040-4L32</b>
39.88 (1.57")	38.1	Black	Four Lobe - Standard Knob	Phenolic	<b>KM079C-040-4L38</b>
39.88 (1.57")	38.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KM079C-040-6L38-SP</b>
39.88 (1.57")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM079C-040-3LL</b>
40.00 (1.57")	19.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM079C-040-5LSFT19-ST</b>
40.00 (1.57")	19.1	Black	Five Lobe - Standard Knob	Phenolic	<b>KM079C-040-5L19-S4</b>
40.00 (1.57")	19.1	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	<b>KM079C-040-5L19-ST</b>
40.00 (1.57")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM079C-040-6L19-S4</b>
40.00 (1.57")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-079C-040-7L20-S4</b>
40.00 (1.57")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-079C-040-7L20-ST</b>
40.00 (1.57")	20.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM079C-040-6L20-ST</b>
40.00 (1.57")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM079C-040-6L25-S4</b>
40.00 (1.57")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM079C-040-6L25-ST</b>
40.00 (1.57")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM079C-040-5LSFT25-ST</b>
40.00 (1.57")	25.4	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	<b>KM079C-040-5L25-ST</b>
40.00 (1.57")	25.4	Black	Five Lobe - Standard Knob	Phenolic	<b>KM079C-040-5L25-S4</b>
40.00 (1.57")	31.8	Black	Five Lobe - Standard Knob	Phenolic	<b>KM079C-040-5L32-S4</b>
40.00 (1.57")	40.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-079C-040-7L40-ST</b>
40.00 (1.57")	40.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-079C-040-7L40-S4</b>
40.13 (1.58")	19.1		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-040-CS-SS19</b>
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-040-CSL-SS25</b>
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-040-CS25</b>
43.94 (1.73")	31.8	Black	Six Lobe - Standard Knob	Phenolic	<b>KM079C-044-6L32-SP</b>
44.45 (1.75")	12.7		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-044-CSS13</b>
44.45 (1.75")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-044-CS25</b>
44.45 (1.75")	50.8		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-044-CSL51</b>
44.96 (1.77")	24.9	Black	Tri Knob	Thermoplastic	<b>KM079C-045-TRI-BHM</b>
48.51 (1.91")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM079C-049-5L-SFT25-ST</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 5/16-18 BSW (7.94mm)</b>					
48.51 (1.91")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM079C-049-5L-SFT38-ST</b>
50.00 (1.97")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM079C-050-6L25-S4</b>
50.00 (1.97")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM079C-050-6L25-ST</b>
50.00 (1.97")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM079C-050-5LSFT25-ST</b>
50.00 (1.97")	30.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM079C-050-6L30-ST</b>
50.00 (1.97")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM079C-050-6L32-S4</b>
50.00 (1.97")	38.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM079C-050-5LSFT38-ST</b>
50.00 (1.97")	62.0		Round - Soft Knob		<b>KM079C-050-R-SFT</b>
50.04 (1.97")	19.1		Three Lobe - Safety Knob		<b>KM079C-050-3L-SAF19</b>
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-050-CS-SS25</b>
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-050-CS25</b>
50.04 (1.97")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM079C-050-4L25</b>
50.04 (1.97")	25.4		Three Lobe - Safety Knob		<b>KM079C-050-3L-SAF25</b>
50.04 (1.97")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM079C-050-3L</b>
50.04 (1.97")	30.0		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-050-CSL30</b>
50.04 (1.97")	31.8		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-050-CSL-SS32</b>
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	<b>KM079C-050-4L38</b>
50.04 (1.97")	38.1		Three Lobe - Safety Knob		<b>KM079C-050-3L-SAF38</b>
50.04 (1.97")	44.5	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM079C-050-3LL</b>
50.80 (2.00")	19.1	Black	Tri Knob	Phenolic	<b>KM079C-051-TRI-BHM</b>
55.12 (2.17")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	<b>KM079C-055-3L-SFT</b>
57.15 (2.25")	12.7		Cross - Standard Knob	Black Thermoplastic	<b>KM079C-057-CS-NY13</b>
57.15 (2.25")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM079C-057-5L-SFT25-ST</b>
65.02 (2.56")	24.9	Black	Tri Knob	Thermoplastic	<b>KM079C-065-TRI-BHM</b>
85.09 (3.35")	30.0	Black	Tri Knob	Thermoplastic	<b>KM079C-085-TRI-BHM</b>
<b>Thread Size M8x1.25 (8.00mm Standard)</b>					
32.00 (1.26")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-080M-032-7L15-ST
32.00 (1.26")	16.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KM080M-032-5L16</b>
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-080M-032-7L20-ST
32.00 (1.26")	24.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KM080M-032-5L24</b>
32.00 (1.26")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-080M-032-7L30-ST
40.00 (1.57")	20.0	Black	Tri Knob	Phenolic	* KM080M-040-TRI-BHM
40.00 (1.57")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-080M-040-7L15-ST
40.00 (1.57")	16.0	Black	Five Lobe - Standard Knob	Thermoplastic	* KM080M-040-5L16A
40.00 (1.57")	16.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KM080M-040-5L16B</b>
40.00 (1.57")	20.0	Black	Five Lobe - Standard Knob	Phenolic	* KM080M-040-5L20
40.00 (1.57")	20.0		Star Knob	Plastic	* KM080M-040-STR-PL
40.00 (1.57")	20.0		Wing Knob		* KM080M-040-W
40.00 (1.57")	24.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KM080M-040-5L24</b>
43.00 (1.69")	16.0		Star - Soft Knob		* KM080M-043-STR-SFT16
43.00 (1.69")	25.0		Star - Soft Knob		* KM080M-043-STR-SFT25
44.00 (1.73")	30.0		Grip - Soft Knob		* KM080M-044-GSA
44.00 (1.73")	16.0		Grip - Soft Knob		* KM080M-044-GSB
50.00 (1.97")	15.0		Three Lobe - Safety Knob		<b>KM080M-050-3L-SAF15</b>
50.00 (1.97")	16.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KM080M-050-5L16</b>
50.00 (1.97")	20.0		Three Lobe - Safety Knob		<b>KM080M-050-3L-SAF20</b>
50.00 (1.97")	24.0	Black	Five Lobe - Standard Knob	Phenolic	<b>KM080M-050-5L24</b>
50.00 (1.97")	33.0		Three Lobe - Safety Knob		<b>KM080M-050-3L-SAF33</b>
50.00 (1.97")	47.0		Three Lobe - Safety Knob		<b>KM080M-050-3L-SAF47</b>
50.00 (1.97")	62.0		Round - Soft Knob		* KM080M-050-R-SFT
70.00 (2.76")	30.0		Wing Knob	Plastic	** <b>KM080M-070-W</b>
<b>Thread Size 3/8-16 UNC (9.53mm)</b>					
38.10 (1.50")	19.1	Red	Rosette Thumb - With Cap Screw Knob		* KM095C-038-1905-ROS-R
38.10 (1.50")	19.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM095C-038-1905-ROS-Y

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 31 of 38

E&OE

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 3/8-16 UNC (9.53mm)</b>					
38.10 (1.50")	19.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM095C-038-1905-ROS-G
38.10 (1.50")	19.1	Black	Rosette Thumb - With Cap Screw Knob		* KM095C-038-1905-ROS-B
38.10 (1.50")	25.4	Red	Rosette Thumb - With Cap Screw Knob		* KM095C-038-2540-ROS-R
38.10 (1.50")	25.4	Grey	Rosette Thumb - With Cap Screw Knob		* KM095C-038-2540-ROS-G
38.10 (1.50")	25.4	Yellow	Rosette Thumb - With Cap Screw Knob		* KM095C-038-2540-ROS-Y
38.10 (1.50")	25.4	Black	Rosette Thumb - With Cap Screw Knob		* KM095C-038-2540-ROS-B
38.10 (1.50")	38.1	Yellow	Rosette Thumb - With Cap Screw Knob		* KM095C-038-3810-ROS-Y
38.10 (1.50")	38.1	Red	Rosette Thumb - With Cap Screw Knob		* KM095C-038-3810-ROS-R
38.10 (1.50")	38.1	Black	Rosette Thumb - With Cap Screw Knob		* KM095C-038-3810-ROS-B
38.10 (1.50")	38.1	Grey	Rosette Thumb - With Cap Screw Knob		* KM095C-038-3810-ROS-G
39.88 (1.57")	20.1		Ball - Novo-Grip Knob	Rubber	<b>KM095C-040-NG</b>
39.88 (1.57")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM095C-040-3L</b>
39.88 (1.57")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM095C-040-3LL</b>
44.45 (1.75")	12.7		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-044-CS-NY13</b>
44.45 (1.75")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM095C-044-1905-TEE-Y
44.45 (1.75")	19.1	Red	Tee Thumb - With Cap Screw Knob		* KM095C-044-1905-TEE-R
44.45 (1.75")	19.1	Grey	Tee Thumb - With Cap Screw Knob		* KM095C-044-1905-TEE-G
44.45 (1.75")	19.1	Black	Tee Thumb - With Cap Screw Knob		* KM095C-044-1905-TEE-B
44.45 (1.75")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-044-CS-PH25</b>
44.45 (1.75")	25.4	Black	Tee Thumb - With Cap Screw Knob		* KM095C-044-2540-TEE-B
44.45 (1.75")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		* KM095C-044-2540-TEE-Y
44.45 (1.75")	25.4	Grey	Tee Thumb - With Cap Screw Knob		* KM095C-044-2540-TEE-G
44.45 (1.75")	25.4	Red	Tee Thumb - With Cap Screw Knob		* KM095C-044-2540-TEE-R
44.45 (1.75")	38.1	Red	Tee Thumb - With Cap Screw Knob		* KM095C-044-3810-TEE-R
44.45 (1.75")	38.1	Grey	Tee Thumb - With Cap Screw Knob		* KM095C-044-3810-TEE-G
44.45 (1.75")	38.1	Black	Tee Thumb - With Cap Screw Knob		* KM095C-044-3810-TEE-B
44.45 (1.75")	38.1	Yellow	Tee Thumb - With Cap Screw Knob		* KM095C-044-3810-TEE-Y
44.45 (1.75")	50.8		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-044-CSL-PH51</b>
50.00 (1.97")	62.0		Round - Soft Knob		<b>KM095C-050-R-SFT</b>
50.04 (1.97")	20.1		Ball - Novo-Grip Knob	Rubber	<b>KM095C-050-NG</b>
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-050-CS25</b>
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-050-CS-NYSS25</b>
50.04 (1.97")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM095C-050-4L25</b>
50.04 (1.97")	25.4		Three Lobe - Safety Knob		<b>KM095C-050-3L-SAF25</b>
50.04 (1.97")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM095C-050-3LS</b>
50.04 (1.97")	35.1		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-050-CS35</b>
50.04 (1.97")	38.1		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-050-CS-SS38</b>
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	<b>KM095C-050-4L38A</b>
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	<b>KM095C-050-4L38B</b>
50.04 (1.97")	38.1		Three Lobe - Safety Knob		<b>KM095C-050-3L-SAF38</b>
50.04 (1.97")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM095C-050-3L</b>
50.04 (1.97")	50.8	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM095C-050-3LL</b>
57.15 (2.25")	12.7		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-057-CS-NY13</b>
57.15 (2.25")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-057-CS-PH25</b>
57.15 (2.25")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-057-CS-SS25</b>
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-057-CS-SS38</b>
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-057-CS-NY38</b>
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-057-CS-PH38</b>
57.15 (2.25")	50.8		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-057-CS-SS51</b>
57.15 (2.25")	50.8		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-057-CS-PH51</b>
57.15 (2.25")	63.5		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-057-CS-PH64</b>
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-060-CS25</b>
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-060-CS-SS25</b>
59.94 (2.36")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM095C-060-4L25</b>
59.94 (2.36")	35.1		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-060-CS35</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts



# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 3/8-16 UNC (9.53mm)</b>					
59.94 (2.36")	38.1		Cross - Standard Knob	Black Thermoplastic	<b>KM095C-060-CS-SS38</b>
62.99 (2.48")	44.5	Black	Four Lobe - Standard Knob	Phenolic	<b>KM095C-063-4L44</b>
65.02 (2.56")	24.9	Black	Tri Knob	Thermoplastic	<b>KM095C-065-TRI-BHM</b>
80.01 (3.15")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM095C-080-4L25</b>
85.09 (3.35")	30.0	Black	Tri Knob	Thermoplastic	<b>KM095C-085-TRI-BHM</b>
104.90 (4.13")	30.0	Black	Tri Knob	Thermoplastic	<b>KM095C-105-TRI-BHM</b>
<b>Thread Size 3/8-16 UNC (9.53mm)</b>					
38.61 (1.52")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM095C-039-5L-SFT25-ST</b>
38.61 (1.52")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM095C-039-5L-SFT38-ST</b>
40.00 (1.57")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-095C-040-7L20-ST</b>
40.00 (1.57")	40.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-095C-040-7L40-ST</b>
43.94 (1.73")	25.4	Black	Six Lobe - Standard Knob	Phenolic	<b>KM095C-044-6L25-SP</b>
43.94 (1.73")	31.8	Black	Six Lobe - Standard Knob	Phenolic	<b>KM095C-044-6L32-SP</b>
43.94 (1.73")	44.5	Black	Six Lobe - Standard Knob	Phenolic	<b>KM095C-044-6L44-SP</b>
48.51 (1.91")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM095C-049-5L-SFT25-ST</b>
48.51 (1.91")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM095C-049-5L-SFT38-ST</b>
50.00 (1.97")	20.0	Black	Five Lobe Knob	Thermoplastic	<b>KM095C-050-5L20-ST</b>
50.00 (1.97")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-095C-050-7L20-ST</b>
50.00 (1.97")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM095C-050-6L25-S4</b>
50.00 (1.97")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM095C-050-6L25-ST</b>
50.00 (1.97")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM095C-050-5LSFT25-ST</b>
50.00 (1.97")	25.4	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	<b>KM095C-050-5L25-ST</b>
50.00 (1.97")	25.4	Black	Five Lobe - Standard Knob	Phenolic	<b>KM095C-050-5L25-S4</b>
50.00 (1.97")	31.8	Black	Five Lobe - Standard Knob	Phenolic	<b>KM095C-050-5L32-S4</b>
50.00 (1.97")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM095C-050-6L32-S4</b>
50.00 (1.97")	35.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM095C-050-6L35-ST</b>
50.00 (1.97")	38.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM095C-050-5LSFT38-ST</b>
50.00 (1.97")	38.1	Black	Five Lobe - Standard Knob	Phenolic	<b>KM095C-050-5L38-S4</b>
50.00 (1.97")	38.1	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	<b>KM095C-050-5L38-ST</b>
50.00 (1.97")	40.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-095C-050-7L40-ST</b>
50.00 (1.97")	40.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-095C-050-7L40-S4</b>
50.00 (1.97")	50.8	Black	Five Lobe - Standard Knob	Phenolic	<b>KM095C-050-5L51-S4</b>
50.04 (1.97")	44.5	Black	Six Lobe - Standard Knob	Phenolic	<b>KM095C-050-6L44-SP</b>
55.12 (2.17")	38.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KM095C-055-6L38-SP</b>
57.00 (2.24")	25.4		Tri Knob	Polypropylene	* KM095W-057-TRI-BHM
57.15 (2.25")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM095C-057-5L-SFT25-ST</b>
57.15 (2.25")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	<b>KM095C-057-5L-SFT38-ST</b>
60.00 (2.36")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM095C-060-6L25-ST</b>
60.00 (2.36")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM095C-060-6L25-S4</b>
60.00 (2.36")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM095C-060-6L32-S4</b>
60.00 (2.36")	35.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM095C-060-6L35-ST</b>
63.00 (2.48")	20.0	Black	Five Lobe Knob	Thermoplastic	<b>KM095C-063-5L20-S4</b>
63.00 (2.48")	20.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-095C-063-7L20-ST</b>
63.00 (2.48")	31.8	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM095C-063-5LSFT32-ST</b>
63.00 (2.48")	40.0	Black	Five Lobe Knob	Thermoplastic	<b>KM095C-063-5L40-ST</b>
63.00 (2.48")	40.0	Black	Five Lobe Knob	Thermoplastic	<b>KM095C-063-5L40-S4</b>
63.00 (2.48")	40.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-095C-063-7L40-ST</b>
63.00 (2.48")	50.8	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM095C-063-5LSFT51-ST</b>
<b>Thread Size 3/8-16 BSW (9.53mm)</b>					
50.80 (2.00")	19.1	Black	Tri Knob	Phenolic	* KM095W-051-TRI-BHM



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 33 of 38

E&OE

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size M10x1.5 (10.00mm Standard)</b>					
40.00 (1.57")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-040-7L15-ST
40.00 (1.57")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-040-7L20-ST
40.00 (1.57")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-040-7L30-ST
50.00 (1.97")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-050-7L15-ST
50.00 (1.97")	20.0	Black	Five Lobe - Standard Knob	Thermoplastic	** <b>KM100M-050-5L20</b>
50.00 (1.97")	20.0		Three Lobe - Safety Knob		<b>KM100M-050-3L-SAF20</b>
50.00 (1.97")	30.0	Black	Five Lobe - Standard Knob	Phenolic	* KM100M-050-5L30
50.00 (1.97")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-050-7L30-ST
50.00 (1.97")	30.0		Star Knob		* KM100M-050-STR-PL
50.00 (1.97")	30.0		Three Lobe - Safety Knob		<b>KM100M-050-3L-SAF30</b>
50.00 (1.97")	40.0		Three Lobe - Safety Knob		<b>KM100M-050-3L-SAF40</b>
50.00 (1.97")	62.0		Round - Soft Knob		* KM100M-050-R-SFT
53.00 (2.09")	20.0		Star - Soft Knob		* KM100M-053-STR-SFT20
53.00 (2.09")	30.0		Star - Soft Knob		* KM100M-053-STR-SFT30
54.00 (2.13")	30.0		Grip - Soft Knob		* KM100M-054-GSA
54.00 (2.13")	20.0		Grip - Soft Knob		* KM100M-054-GSB
57.00 (2.24")	30.0		Tri Knob	Polypropylene	** <b>KM100M-057-TRI-BHM</b>
63.00 (2.48")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-063-7L20-ST
63.00 (2.48")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-063-7L30-ST
<b>Thread Size M12x1.75 (12.00mm Standard)</b>					
50.00 (1.97")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-050-7L15-ST
50.00 (1.97")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-050-7L20-ST
50.00 (1.97")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-050-7L30-ST
63.00 (2.48")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-063-7L20-ST
63.00 (2.48")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-063-7L30-ST
<b>Thread Size 1/2-13 UNC (12.7mm)</b>					
50.00 (1.97")	30.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-127C-050-7L30-ST</b>
50.00 (1.97")	60.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-127C-050-7L60-ST</b>
50.04 (1.97")	30.0		Ball - Novo-Grip Knob	Rubber	<b>KM127C-050-NG</b>
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	<b>KM127C-050-4L38</b>
50.04 (1.97")	39.9		Ball - Novo-Grip Knob	Rubber	<b>KM127C-050-NG-SS</b>
50.04 (1.97")	50.8	Black	Four Lobe - Standard Knob	Phenolic	<b>KM127C-050-4L51</b>
55.12 (2.17")	38.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KM127C-055-6L38-SP</b>
55.12 (2.17")	50.8	Black	Six Lobe - Standard Knob	Phenolic	<b>KM127C-055-6L51-SP</b>
57.15 (2.25")	25.4		Cross - Standard Knob	Black Thermoplastic	<b>KM127C-057-CS-PH25</b>
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	<b>KM127C-057-CS-PH38</b>
57.15 (2.25")	50.8		Cross - Standard Knob	Black Thermoplastic	<b>KM127C-057-CS-PH51</b>
57.15 (2.25")	63.5		Cross - Standard Knob	Black Thermoplastic	<b>KM127C-057-CS-PH64</b>
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM127C-060-CS25</b>
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	<b>KM127C-060-CS-SS25</b>
59.94 (2.36")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM127C-060-4L25</b>
59.94 (2.36")	35.1		Cross - Standard Knob	Black Thermoplastic	<b>KM127C-060-CS35</b>
59.94 (2.36")	38.1		Cross - Standard Knob	Black Thermoplastic	<b>KM127C-060-CS-SS38</b>
60.00 (2.36")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM127C-060-6L25-ST</b>
60.00 (2.36")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM127C-060-6L25-S4</b>
60.00 (2.36")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM127C-060-6L32-S4</b>
60.00 (2.36")	35.0	Black	Six Lobe - Standard Knob	Thermoplastic	<b>KM127C-060-6L35-ST</b>
60.00 (2.36")	38.1	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	<b>KM127C-060-5L38-ST</b>
62.99 (2.48")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	<b>KM127C-063-3L</b>
62.99 (2.48")	44.5	Black	Four Lobe - Standard Knob	Phenolic	<b>KM127C-063-4L44</b>
62.99 (2.48")	50.8	Black	Six Lobe - Standard Knob	Phenolic	<b>KM127C-063-6L51-SP</b>
63.00 (2.48")	30.0	Black	Five Lobe Knob	Thermoplastic	<b>KM127C-063-5L30-ST</b>
63.00 (2.48")	30.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-127C-063-7L30-ST</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
<b>Thread Size 1/2-13 UNC (12.7mm)</b>					
63.00 (2.48")	38.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	<b>KM127C-063-5LSFT38-ST</b>
63.00 (2.48")	60.0	Black	Five Lobe Knob	Thermoplastic	<b>KM127C-063-5L60-ST</b>
63.00 (2.48")	60.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-127C-063-7L60-ST</b>
65.02 (2.56")	24.9	Black	Tri Knob	Thermoplastic	* KM127C-065-TRI-BHM
66.04 (2.60")	38.1	Black	Six Lobe - Standard Knob	Phenolic	<b>KM127C-066-6L38-SP</b>
66.04 (2.60")	50.8	Black	Six Lobe - Standard Knob	Phenolic	<b>KM127C-066-6L51-SP</b>
80.01 (3.15")	30.0	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM127C-080-4L30</b>
80.01 (3.15")	35.1	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM127C-080-4L35</b>
80.01 (3.15")	50.8	Black	Four Lobe - Standard Knob	Phenolic	<b>KM127C-080-4L51</b>
85.09 (3.35")	30.0	Black	Tri Knob	Thermoplastic	<b>KM127C-085-TRI-BHM</b>
104.90 (4.13")	30.0	Black	Tri Knob	Thermoplastic	<b>KM127C-105-TRI-BHM</b>
124.97 (4.92")	30.0	Black	Tri Knob	Thermoplastic	<b>KM127C-125-TRI-BHM</b>
<b>Thread Size 5/8-11 UNC (15.88mm)</b>					
80.01 (3.15")	30.0	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM159C-080-4L30</b>
80.01 (3.15")	35.1	Black	Four Lobe - Standard Knob	Thermoplastic	<b>KM159C-080-4L35</b>
104.90 (4.13")	30.0	Black	Tri Knob	Thermoplastic	<b>KM159C-105-TRI-BHM</b>
124.97 (4.92")	30.0	Black	Tri Knob	Thermoplastic	<b>KM159C-125-TRI-BHM</b>
<b>Thread Size M16x2 (16.00mm Standard)</b>					
63.00 (2.48")	30.0	Black	Seven Lobe Knob	Thermoplastic	<b>KM-160M-063-7L30-ST</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Pointer Knobs

Height mm (in.)	Thread Length	Colour	Style	Material	Part Number
<b>Diameter 12.00 Spline</b>					
16.00 (0.63")	-	Black	Pointer - Skirted Knob	Plastic	* KPT-12-SK
<b>Diameter 13.00 Spline</b>					
18.00 (0.71")	-	Grey and Blue	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GB
18.00 (0.71")	-	Grey and Yellow	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GY
18.00 (0.71")	-	Grey and White	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GW
18.00 (0.71")	-	Grey and Green	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GG
18.00 (0.71")	-	Grey and Red	Pointer - 18T Spline Type Knob	Plastic	* KPT-13-18T-GR
<b>Diameter 15.00 Spline</b>					
14.00 (0.55")	-	Black	Pointer - 18T Spline Type Knob	Plastic	* KPT-15-18T-BK
<b>Diameter 16.00 Spline</b>					
14.00 (0.55")	-	Black Anodised	Pointer - Black Aluminium Knob	Aluminium	* KPT-16-ALB
14.00 (0.55")	-	Aluminium	Pointer - Brushed Aluminium Knob		* KPT-16-ALN
<b>Diameter 19.00 Spline</b>					
19.00 (0.75")	32.0	Black with White Striped Pointer	Pointer - Arrow Top Knob	Plastic	** KPT-19-AT
<b>Diameter 20.00 Spline</b>					
16.00 (0.63")	-	Black	Pointer - 18T Spline Type Knob	Plastic	* KPT-20-18T-BK
16.00 (0.63")	-	Black	Pointer - Skirted Knob	Plastic	* KPT-20-SK
18.00 (0.71")	-	Silver and Black	Pointer - Aluminium and Plastic Knob		* KPT-20-AP
18.00 (0.71")	-	Green	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-GRN
18.00 (0.71")	-	Blue	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-BLU
18.00 (0.71")	-	Grey	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-GRY
18.00 (0.71")	-	Red	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-RED
18.00 (0.71")	-	White	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-WHI
18.00 (0.71")	-	Yellow	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-YLW
18.00 (0.71")	-	Black	Pointer - Coloured Cap Knob	Plastic	* KPT-20-CC-BLK
<b>Diameter 22.00 Spline</b>					
14.00 (0.55")	-	Black Anodised	Pointer - Black Aluminium Knob		* KPT-22-ALB
14.00 (0.55")	-	Aluminium	Pointer - Brushed Aluminium Knob		* KPT-22-ALN
<b>Diameter 23.00 Spline</b>					
14.00 (0.55")	-	Black	Pointer - Skirted Knob	Plastic	* KPT-23-SK
<b>Diameter 24.00 Spline</b>					
20.00 (0.79")	-	Black	Pointer - Skirted Knob	Plastic	* KPT-24-SK
<b>Approx Base Diameter 27.00 Spline</b>					
15.00 (0.59")	-	Silver and Black	Pointer - Aluminium and Plastic Knob	Aluminium	* KPT-27-AP
<b>Diameter 29.00 Spline</b>					
14.00 (0.55")	-	Black Anodised	Pointer - Black Aluminium Knob	Aluminium	* KPT-29-ALB
18.00 (0.71")	-	Silver / Black	Pointer - Skirted - Numbered Knob	Plastic	* KPT-29-SKN
<b>Approx Base Diameter 32.00 Spline</b>					
17.00 (0.67")	-	Silver and Black	Pointer - Aluminium and Plastic Knob	Aluminium	* KPT-32-AP
<b>Diameter 35.00 Spline</b>					
19.00 (0.75")	-	Black	Pointer - Skirted Knob	Plastic	** KPT-35-SK
<b>Diameter 36.00 Spline</b>					
23.50 (0.93")	-	Silver / Black	Pointer - Skirted - Numbered Knob	Plastic	* KPT-36-SKN
<b>Approx Base Diameter 45.00 Spline</b>					
20.00 (0.79")	-	Silver and Black	Pointer - Aluminium and Plastic Knob		* KPT-45-AP

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 36 of 38

E&OE

## **NOTES**

Cap Screw Knobs are designed to be pressed tightly onto the head of a standard socket head cap screw, turning the screw into a thumb screw.

Cap screw knobs are available in several different styles. Refer to the style column in the catalogue.

There is a small range of blank (unbored) 6 lobe star knobs at the end of the female threaded knobs section that you can drill and tap to suit your own thread size.



## Distributed By

Miniature Bearings Australia  
<http://www.minibearings.com.au>  
[sales@minibearings.com.au](mailto:sales@minibearings.com.au)

Resellers: Please place your contact sticker over our details

## Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

# Knobs