

MBA

2022.2

Leveling Mounts

Male Threaded, Female Socket, Many styles and colours.



Socket Type
Pages 3-10


Studded Type
Pages 11-35

Selection of leveling mounts listed by load capacity. This catalogue is a quick reference guide to help you find parts quickly. Enter a part number into the search box on the website to obtain full details.


To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

Basic Diagrams: Note, many part numbers in this catalogue will vary slightly from the diagrams below. Please use these diagrams as a basic guide and double check the part numbers online for the correct corresponding diagrams.

Socket Type



Studded type



Socket Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Min.Thread Depth mm	Base Height (E) mm	Part Number
Load Rating 70 Kg					
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.79	MSF-0070-048F-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Acetal Padded
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.79	MSF-0070-048F-G-A Mounts - Leveling - Socket - Gold Chromate - Swivel - Acetal Padded
Load Rating 90 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	MSF-0090-064C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Acetal Padded
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	MSF-0090-064C-G-A Mounts - Leveling - Socket - Gold Chromate - Swivel - Acetal Padded
Load Rating 140 Kg					
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.75	MSF-0140-095C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Acetal Padded
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	MSF-0140-095C-G-A Mounts - Leveling - Socket - Gold Chromate - Swivel - Acetal Padded
Load Rating 230 Kg					
M6.0x1.00 (6 mm)	19.00	17.00	4.00	6.00	* MSF-0110-M06-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
M6.0x1.00 (6 mm)	19.00	17.00	4.00	6.00	* MSF-0235-M06-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
M6.0x1.00 (6 mm)	19.00	17.00	4.00	6.00	MSF-0235-M06-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
Load Rating 240 Kg					
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.79	MSF-0240-048F-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
10-32 UNF (4.76 mm)	19.05	16.76	4.32	6.10	MSF-0240-048F-B-R Mounts - Leveling - Socket - Black Chromate - Swivel - Rubber Padded
10-32 UNF (4.76 mm)	19.05	16.76	4.32	6.10	MSF-0240-048F-CC-R Mounts - Leveling - Socket - Clear Chromate - Swivel - Rubber Padded
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.79	MSF-0240-048F-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.79	* MSF-0240-048F-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
M6.0x1.00 (6 mm)	19.10	13.50	5.80	2.80	MSF-0245-M06-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
Load Rating 270 Kg					
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.79	MSF-0270-048F-B Mounts - Leveling - Socket - Black Chromate - Swivel
Load Rating 315 Kg					
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.79	MSF-0320-048F-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.79	* MLF-0315-048F-S6 Mounts - Leveling - Socket - 316 Stainless
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.80	MSF-0320-048F-CC Mounts - Leveling - Socket - Clear Chromate - Swivel
10-32 UNF (4.76 mm)	19.05	13.46	4.32	2.79	MSF-0320-048F-G Mounts - Leveling - Socket - Gold Chromate - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	4.32	2.78	MSF-0320-048F-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	4.32	2.80	MLF-0315-048F-G Mounts - Leveling - Socket - Gold Chromate - Swivel
M6.0x1.00 (6 mm)	19.00	13.00	4.00	3.00	MSF-0315-M06-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
M6.0x1.00 (6 mm)	19.00	13.00	4.00	3.00	* MLF-0315-M06-S6 Mounts - Leveling - Socket - 316 Stainless
M6.0x1.00 (6 mm)	19.00	13.00	4.00	3.00	MSF-0315-M06-NP Mounts - Leveling - Socket - Nickel Plated - Swivel

Socket Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Min.Thread Depth mm	Base Height (E) mm	Part Number
Load Rating 315 Kg					
M6.0x1.00 (6 mm)	19.10	13.50		2.80	MLF-0315-M06-G Mounts - Leveling - Socket - Gold Chromate - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	MSF-0320-064C-B Mounts - Leveling - Socket - Black Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-0320-127C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Acetal Padded
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-0320-127C-G-A Mounts - Leveling - Socket - Gold Chromate - Swivel - Acetal Padded
Load Rating 340 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	* MSF-0340-064C-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	* MSF-0340-064C-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
M8.0x1.25 (8 mm)	25.00	21.00	8.00	7.00	MSF-0150-M08-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
M8.0x1.25 (8 mm)	25.00	21.00	8.00	7.00	* MSF-0340-M08-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
M8.0x1.25 (8 mm)	25.00	21.00	8.00	7.00	* MSF-0340-M08-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
Load Rating 360 Kg					
1/4-20 UNC (6.35 mm)	25.40	21.08	7.87	7.11	MSF-0360-064C-B-R Mounts - Leveling - Socket - Black Chromate - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	21.08	7.87	7.11	MSF-0360-064C-CC-R Mounts - Leveling - Socket - Clear Chromate - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	MSF-0360-064C-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
Load Rating 450 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	* MLF-0450-064C-S6 Mounts - Leveling - Socket - 316 Stainless
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	MSF-0450-064C-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
1/4-20 UNC (6.35 mm)	101.60	47.63	20.57	13.49	MSF-0450-064C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
M8.0x1.25 (8 mm)	25.00	18.00	8.00	4.00	* MLF-0450-M08-S6 Mounts - Leveling - Socket - 316 Stainless
M8.0x1.25 (8 mm)	25.00	18.00	8.00	4.00	MSF-0450-M08-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
Load Rating 490 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.80	MSF-0490-064C-CC Mounts - Leveling - Socket - Clear Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	MSF-0490-095C-B Mounts - Leveling - Socket - Black Chromate - Swivel
Load Rating 500 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	MSF-0505-064C-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.78	7.87	3.81	* MSF-0500-064C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86		3.80	MLF-0500-064C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
M8.0x1.25 (8 mm)	25.40	17.80		3.80	MLF-0500-M08-G Mounts - Leveling - Socket - Gold Chromate - Swivel
Load Rating 540 Kg					
M8.0x1.25 (8 mm)	25.40	17.80	7.90	3.80	MSF-0540-M08-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MSF-0540-159C-G-A Mounts - Leveling - Socket - Gold Chromate - Swivel - Acetal Padded

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 4 of 37

E&OE

Socket Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Min.Thread Depth mm	Base Height (E) mm	Part Number
Load Rating 540 Kg					
M16.0x2.00 (16 mm)	64.00	32.00	11.20	8.00	* MSF-0540-M16-G-A Mounts - Leveling - Socket - Gold Chromate - Swivel - Acetal Padded
Load Rating 670 Kg					
1/4-16 (6.35 mm)	25.40	17.46	8.75		MLF-0670-064A-G Mounts - Leveling - Socket - Acme Thread - Gold Chromate
1/4-16 (6.35 mm)	25.40	17.46	17.46		MLF-0670-064A-S3 Mounts - Leveling - Socket - Acme Thread - Stainless
Load Rating 820 Kg					
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	MSF-0820-191C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Acetal Padded
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	MSF-0820-191C-G-A Mounts - Leveling - Socket - Gold Chromate - Swivel - Acetal Padded
M20.0x2.50 (20 mm)	76.00	38.00	15.70	13.00	MSF-0820-M20-G-A Mounts - Leveling - Socket - Gold Chromate - Swivel - Acetal Padded
Load Rating 900 Kg					
3/4-10 UNC (19.1 mm)	113.79	44.96			* MLF-0900-191C-NC Mounts - Leveling - Socket - Nylon - No Lag Holes
3/4-10 UNC (19.1 mm)	113.79	44.96			MLF-0900-191C-NS3 Mounts - Leveling - Socket - Nylon - No Lag Holes
Load Rating 1090 Kg					
1-8 UNC (25.4 mm)	101.60	47.63	20.57	27.76	MSF-1090-254C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Acetal Padded
1-8 UNC (25.4 mm)	101.60	47.63	20.57	10.32	MSF-1090-254C-G-A Mounts - Leveling - Socket - Gold Chromate - Swivel - Acetal Padded
Load Rating 1170 Kg					
1/2-13 UNC (12.7 mm)	101.60	18.54			MLF-1170-127C-NS3 Mounts - Leveling - Socket - Nylon - No Lag Holes
5/8-11 UNC (15.88 mm)	101.60	18.54			MLF-1170-159C-NS3 Mounts - Leveling - Socket - Nylon - No Lag Holes
5/8-11 UNC (15.88 mm)	101.60	18.54			* MLF-1170-159C-NC Mounts - Leveling - Socket - Nylon - No Lag Holes
3/4-10 UNC (19.1 mm)	101.60	18.54			MLF-1170-191C-NS3 Mounts - Leveling - Socket - Nylon - No Lag Holes
Load Rating 1180 Kg					
1/2-13 UNC (12.7 mm)	101.60	18.54	-		MLF-1180-127C-NS3-2 Mounts - Leveling - Socket - Nylon - With Lag Holes
5/8-11 UNC (15.88 mm)	101.60	18.54	-		* MLF-1180-159C-NC-2 Mounts - Leveling - Socket - Nylon - With Lag Holes
3/4-10 UNC (19.1 mm)	101.60	18.54	-		MLF-1180-191C-NS3-2 Mounts - Leveling - Socket - Nylon - With Lag Holes
Load Rating 1270 Kg					
3/8-16 UNC (9.53 mm)	25.40	17.78	9.65	3.81	MSF-1270-095C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	* MSF-1270-095C-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	9.65	7.93	MSF-1270-095C-B-R Mounts - Leveling - Socket - Black Chromate - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	9.65	7.93	MSF-1270-095C-CC-R Mounts - Leveling - Socket - Clear Chromate - Swivel - Rubber Padded
3/8-24 UNF (9.53 mm)	31.75	22.23	9.65	4.76	MSF-1270-095F-G Mounts - Leveling - Socket - Gold Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	MSF-1270-095C-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	* MSF-1270-095C-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
M10.0x1.50 (10 mm)	32.00	25.00	9.60	8.00	MSF-1270-M10-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Socket Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Min.Thread Depth mm	Base Height (E) mm	Part Number
Load Rating 1270 Kg					
M10.0x1.50 (10 mm)	32.00	25.00	10.00	8.00	MSF-0580-M10-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
M10.0x1.50 (10 mm)	32.00	25.00	10.00	8.00	* MSF-1270-M10-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
M10.0x1.50 (10 mm)	32.00	25.00	10.00	8.00	* MSF-1270-M10-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
Load Rating 1700 Kg					
5/16-14 (7.94 mm)	31.75	22.22	11.11		MLF-1700-079A-G Mounts - Leveling - Socket - Acme Thread - Gold Chromate
5/16-14 (7.94 mm)	31.75	22.22	11.11		MLF-1700-079A-S3 Mounts - Leveling - Socket - Acme Thread - Stainless
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	* MSF-1700-095C-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	* MLF-1700-095C-S6 Mounts - Leveling - Socket - 316 Stainless
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	MSF-1700-095C-CC Mounts - Leveling - Socket - Clear Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	MSF-1700-095C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	9.65	4.76	MSF-1700-095C-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23		4.80	MLF-1700-095C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	9.60	5.00	MSF-1700-M10-B Mounts - Leveling - Socket - Black Chromate - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	9.60	5.00	MSF-1700-M10-G Mounts - Leveling - Socket - Gold Chromate - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	9.70	5.00	MSF-1700-M10-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
M10.0x1.50 (10 mm)	32.00	22.00		5.00	MLF-1700-M10-G Mounts - Leveling - Socket - Gold Chromate - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	10.00	5.00	* MLF-1700-M10-S6 Mounts - Leveling - Socket - 316 Stainless
M12.0x1.75 (12 mm)	48.00	32.00	11.00	10.00	MSF-0770-M12-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
M12.0x1.75 (12 mm)	48.00	32.00	11.00	10.00	* MSF-1700-M12-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
M12.0x1.75 (12 mm)	48.00	32.00	11.00	10.00	MSF-1700-M12-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
M12.0x1.75 (12 mm)	48.00	33.00	11.20	9.00	MSF-1700-M12-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	31.75	22.23	9.65	4.76	MSF-1700-127C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-1700-127C-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-1700-127C-B Mounts - Leveling - Socket - Black Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	31.75	11.18	9.53	MSF-1700-127C-B-R Mounts - Leveling - Socket - Black Chromate - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	31.75	11.18	9.53	MSF-1700-127C-CC-R Mounts - Leveling - Socket - Clear Chromate - Swivel - Rubber Padded
1/2-20 UNF (12.7 mm)	47.63	28.58	11.18	6.35	MSF-1700-127F-G Mounts - Leveling - Socket - Gold Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-1700-127C-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-1700-127C-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Socket Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Min.Thread Depth mm	Base Height (E) mm	Part Number
Load Rating 1740 Kg					
M10.0x1.50 (10 mm)	32.00	22.00	10.00	5.00	MSF-1740-M10-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
Load Rating 1750 Kg					
M12.0x1.75 (12 mm)	48.00	29.00	11.20	6.00	MSF-1750-M12-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
Load Rating 2040 Kg					
5/8-11 UNC (15.88 mm)	47.63	28.58	11.18	6.35	MSF-2040-159C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MSF-2040-159C-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	11.18	11.10	MSF-2040-159C-CC-R Mounts - Leveling - Socket - Clear Chromate - Swivel - Rubber Padded
5/8-18 UNF (15.88 mm)	63.50	31.75	11.18	7.94	MSF-2040-159F-G Mounts - Leveling - Socket - Gold Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MSF-2040-159C-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MSF-2040-159C-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
M16.0x2.00 (16 mm)	64.00	35.00	11.00	11.00	MSF-0930-M16-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
M16.0x2.00 (16 mm)	64.00	35.00	11.00	11.00	* MSF-2045-M16-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
M16.0x2.00 (16 mm)	64.00	35.00	11.00	11.00	* MSF-2045-M16-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
M16.0x2.00 (16 mm)	64.00	35.00	11.20	11.00	MSF-2040-M16-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
Load Rating 2250 Kg					
M12.0x1.75 (12 mm)	48.00	29.00	11.00	6.00	MSF-2250-M12-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
Load Rating 2270 Kg					
M12.0x1.75 (12 mm)	48.00	29.00	11.20	6.00	MSF-2270-M12-B Mounts - Leveling - Socket - Black Chromate - Swivel
M12.0x1.75 (12 mm)	48.00	29.00	11.20	6.00	MSF-2270-M12-G Mounts - Leveling - Socket - Gold Chromate - Swivel
M12.0x1.75 (12 mm)	48.00	29.00	11.20	6.00	MLF-2270-M12-G Mounts - Leveling - Socket - Gold Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-2270-127C-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MLF-2270-127C-S6 Mounts - Leveling - Socket - 316 Stainless
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-2270-127C-CC Mounts - Leveling - Socket - Clear Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-2270-127C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.35	MSF-2270-127C-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	11.18	6.40	MLF-2270-127C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MSF-2270-159C-B Mounts - Leveling - Socket - Black Chromate - Swivel
Load Rating 2450 Kg					
3/4-10 UNC (19.1 mm)	63.50	31.75	11.18	7.94	MSF-2450-191C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	* MSF-2450-191C-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
3/4-10 UNC (19.1 mm)	76.20	41.28	15.75	15.88	MSF-2450-191C-B-R Mounts - Leveling - Socket - Black Chromate - Swivel - Rubber Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Socket Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Min.Thread Depth mm	Base Height (E) mm	Part Number
Load Rating 2450 Kg					
3/4-16 UNF (19.1 mm)	76.20	38.10	15.75	12.70	MSF-2450-191F-G Mounts - Leveling - Socket - Gold Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	MSF-2450-191C-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	* MSF-2450-191C-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
M20.0x2.50 (20 mm)	76.00	41.00	15.70	16.00	MSF-2450-M20-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
Load Rating 2520 Kg					
M20.0x2.50 (20 mm)	76.00	41.00	16.00	16.00	* MSF-1140-M20-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
M20.0x2.50 (20 mm)	76.00	41.00	16.00	16.00	* MSF-2520-M20-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
M20.0x2.50 (20 mm)	76.00	41.00	16.00	16.00	* MSF-2520-M20-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
Load Rating 2550 Kg					
3/8-12 (9.53 mm)	31.75	22.22	11.11		MLF-2550-095A-G Mounts - Leveling - Socket - Acme Thread - Gold Chromate
3/8-12 (9.53 mm)	31.75	22.22	11.11		MLF-2550-095A-S3 Mounts - Leveling - Socket - Acme Thread - Stainless
Load Rating 2700 Kg					
M12.0x1.75 (12 mm)	48.00	29.00	11.00	6.00	* MLF-2700-M12-S6 Mounts - Leveling - Socket - 316 Stainless
M16.0x2.00 (16 mm)	64.00	32.00	11.00	8.00	MSF-2700-M16-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
M16.0x2.00 (16 mm)	64.00	32.00	11.00	8.00	MSF-2700-M16-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
Load Rating 2720 Kg					
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MSF-2720-159C-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MLF-2720-159C-S6 Mounts - Leveling - Socket - 316 Stainless
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MSF-2720-159C-CC Mounts - Leveling - Socket - Clear Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MSF-2720-159C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	11.18	7.94	MSF-2720-159C-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	-	7.93	MSF-2720-159C-B Mounts - Leveling - Socket - Black Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75		7.90	MLF-2720-159C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75		7.93	MSF-2720-159C-LH Mounts - Leveling - Socket - Swivel - With Lag Holes
M16.0x2.00 (16 mm)	64.00	32.00	11.20	8.00	MSF-2720-M16-B Mounts - Leveling - Socket - Black Chromate - Swivel
M16.0x2.00 (16 mm)	64.00	32.00	11.20	8.00	MSF-2730-M16-CC Mounts - Leveling - Socket - Clear Chromate - Swivel
M16.0x2.00 (16 mm)	64.00	32.00		8.00	MLF-2720-M16-G Mounts - Leveling - Socket - Gold Chromate - Swivel
M16.0x2.00 (16 mm)	64.00	32.00	11.20	8.00	MSF-2730-M16-G Mounts - Leveling - Socket - Gold Chromate - Swivel
Load Rating 3080 Kg					
M24.0x3.00 (24 mm)	102.00	51.00	20.00	14.00	* MSF-3080-M24-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Socket Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Min.Thread Depth mm	Base Height (E) mm	Part Number
Load Rating 3270 Kg					
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	MSF-3270-191C-B Mounts - Leveling - Socket - Black Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	MSF-3270-191C-CC Mounts - Leveling - Socket - Clear Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	MSF-3270-191C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	MSF-3270-191C-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10		12.70	MLF-3270-191C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
3/4-16 UNC (19.1 mm)	76.20	38.10		12.70	MSF-3270-191C-LH Mounts - Leveling - Socket - Swivel - With Lag Holes
M20.0x2.50 (20 mm)	76.00	38.00	15.70	13.00	MSF-3270-M20-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
M20.0x2.50 (20 mm)	76.00	38.00	15.70	13.00	MSF-3270-M20-B Mounts - Leveling - Socket - Black Chromate - Swivel
M20.0x2.50 (20 mm)	76.00	38.00	15.70	13.00	MSF-3270-M20-CC Mounts - Leveling - Socket - Clear Chromate - Swivel
M20.0x2.50 (20 mm)	76.00	38.00		13.00	MLF-3270-M20-G Mounts - Leveling - Socket - Gold Chromate - Swivel
M20.0x2.50 (20 mm)	76.00	38.00	15.70	13.00	MSF-3270-M20-G Mounts - Leveling - Socket - Gold Chromate - Swivel
Load Rating 3350 Kg					
M16.0x2.00 (16 mm)	64.00	32.00	11.00	8.00	* MLF-3350-M16-S6 Mounts - Leveling - Socket - 316 Stainless
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	MSF-3360-191C-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	15.75	12.70	MLF-3350-191C-S6 Mounts - Leveling - Socket - 316 Stainless
M20.0x2.50 (20 mm)	76.00	38.00	16.00	13.00	MSF-3350-M20-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
Load Rating 3400 Kg					
1/2-10 (12.7 mm)	47.63	28.58	14.30		MLF-3400-127A-G Mounts - Leveling - Socket - Acme Thread - Gold Chromate
1/2-10 (12.7 mm)	47.63	28.58	14.30		MLF-3400-127A-S3 Mounts - Leveling - Socket - Acme Thread - Stainless
Load Rating 4080 Kg					
5/8-8 (15.88 mm)	63.50	31.75	15.90		MLF-4080-159A-G Mounts - Leveling - Socket - Acme Thread - Gold Chromate
5/8-8 (15.88 mm)	63.50	31.75	15.90		MLF-4080-159A-S3 Mounts - Leveling - Socket - Acme Thread - Stainless
Load Rating 5030 Kg					
3/4-6 (19.1 mm)	76.20	38.10	19.10		MLF-5030-191A-G Mounts - Leveling - Socket - Acme Thread - Gold Chromate
3/4-6 (19.1 mm)	76.20	38.10	19.10		MLF-5030-191A-S3 Mounts - Leveling - Socket - Acme Thread - Stainless
Load Rating 6800 Kg					
M24.0x3.00 (24 mm)	102.00	51.00	20.00	14.00	* MSF-S6800-M24-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
M24.0x3.00 (24 mm)	102.00	51.00	20.00	14.00	* MSF-6800-M24-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded
1-8 UNC (25.4 mm)	101.60	47.63	20.57	13.49	MSF-S6800-254C-S6-R Mounts - Leveling - Socket - 316 Stainless - Swivel - Rubber Padded
1-8 UNC (25.4 mm)	101.60	47.63	20.57	13.49	* MSF-6800-254C-NP-R Mounts - Leveling - Socket - Nickel Plated - Swivel - Rubber Padded

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Socket Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Min.Thread Depth mm	Base Height (E) mm	Part Number
Load Rating 7440 Kg					
1-8 UNC (25.4 mm)	101.60	50.80	20.57	30.94	MSF-7440-254C-B-R Mounts - Leveling - Socket - Black Chromate - Swivel - Rubber Padded
1-8 UNC (25.4 mm)	101.60	47.63	20.57	13.49	MSF-7440-254C-G-R Mounts - Leveling - Socket - Gold Chromate - Swivel - Rubber Padded
Load Rating 7660 Kg					
M24.0x3.00 (24 mm)	102.00	48.00	20.60	10.00	MSF-7660-M24-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
Load Rating 9000 Kg					
M20.0x2.50 (20 mm)	76.00	38.00	16.00	13.00	* MLF-9000-M20-S6 Mounts - Leveling - Socket - 316 Stainless
M24.0x3.00 (24 mm)	102.00	48.00	20.00	10.00	* MLF-9000-M24-S6 Mounts - Leveling - Socket - 316 Stainless
M24.0x3.00 (24 mm)	102.00	48.00	20.00	10.00	MSF-9000-M24-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
Load Rating 9070 Kg					
1-8 UNC (25.4 mm)	101.60	47.63	20.57	10.32	* MSF-9070-254C-S3 Mounts - Leveling - Socket - 303 Stainless - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	20.57	10.32	* MLF-9070-254C-S6 Mounts - Leveling - Socket - 316 Stainless
Load Rating 9530 Kg					
1-8 UNC (25.4 mm)	76.20	38.10	15.75	12.70	MSF-9530-254C-36 Mounts - Leveling - Socket - 303 Stainless - Swivel - Rubber Padded
Load Rating 9920 Kg					
1-8 UNC (25.4 mm)	101.60	47.63	20.57	10.32	MSF-9920-254C-B Mounts - Leveling - Socket - Black Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	20.57	10.32	MSF-9920-254C-CC Mounts - Leveling - Socket - Clear Chromate - Swivel
Load Rating 9980 Kg					
M24.0x3.00 (24 mm)	102.00	48.00		10.00	MLF-9980-M24-G Mounts - Leveling - Socket - Gold Chromate - Swivel
1-12 UNF (25.4 mm)	101.60	47.63	20.57	10.32	MSF-9980-254F-G Mounts - Leveling - Socket - Gold Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	20.57	10.32	MSF-9980-254C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	20.57	10.32	MSF-9980-254C-NP Mounts - Leveling - Socket - Nickel Plated - Swivel
1-8 UNC (25.4 mm)	101.60	47.63		10.30	MLF-9980-254C-G Mounts - Leveling - Socket - Gold Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	36.50		27.76	MSF-9980-254C-LH Mounts - Leveling - Socket - Swivel - With Lag Holes
Load Rating 13610 Kg					
1-5 (25.4 mm)	101.60	47.62	23.80		MLF-13610-254A-G Mounts - Leveling - Socket - Acme Thread - Gold Chromate
1-5 (25.4 mm)	101.60	47.62	23.80		MLF-13610-254A-S3 Mounts - Leveling - Socket - Acme Thread - Stainless



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 14 Kg					
1/4-28 UNF (6.35 mm)	44.45	50.80			MLM-0014-064F-044-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
Load Rating 47 Kg					
3/8-24 UNF (9.53 mm)	76.20	79.38			MLM-0047-095F-076-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
M12.0x1.75 (12 mm)	76.20	41.28	51.00		MLM-0047-M12-051-AV Mounts - Leveling - Studded - Anti-Vibration
M12.0x1.75 (12 mm)	76.20	41.28	84.00		MLM-0047-M12-084-AV Mounts - Leveling - Studded - Anti-Vibration
1/2-13 UNC (12.7 mm)	76.20	41.28	50.80		MLM-0047-127C-051-AV Mounts - Leveling - Studded - Anti-Vibration
1/2-13 UNC (12.7 mm)	76.20	41.28	101.60		MLM-0047-127C-102-AV Mounts - Leveling - Studded - Anti-Vibration
Load Rating 70 Kg					
10-32 UNF (4.76 mm)	19.05	13.49	50.80	2.77	MSM-0070-048F-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
10-32 UNF (4.76 mm)	19.05	16.67	25.40	5.95	MSM-0070-048F-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
Load Rating 78 Kg					
5/16-18 UNC (7.94 mm)	32.00	12.95	38.10		MLM-0078-079C-P-A Mounts - Leveling - Studded - Thermoplastic
5/16-18 UNC (7.94 mm)	39.88	12.95	38.10		MLM-0078-079C-P-B Mounts - Leveling - Studded - Thermoplastic
3/8-16 UNC (9.53 mm)	32.00	12.95	44.45		MLM-0078-095C-P-A Mounts - Leveling - Studded - Thermoplastic
3/8-16 UNC (9.53 mm)	39.88	12.95	44.45		MLM-0078-095C-P-B Mounts - Leveling - Studded - Thermoplastic
Load Rating 90 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.85	63.50	3.96	MSM-0090-064C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
1/4-20 UNC (6.35 mm)	25.40	21.03	31.75	7.14	MSM-0090-064C-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
1/4-20 UNC (6.35 mm)	25.40	21.03	63.50	7.14	MSM-0090-064C-L-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
M12.0x1.75 (12 mm)	76.20	41.28	51.00		MLM-0090-051-M12-AV Mounts - Leveling - Studded - Anti-Vibration
M12.0x1.75 (12 mm)	76.20	41.28	84.00		MLM-0090-084-M12-AV Mounts - Leveling - Studded - Anti-Vibration
1/2-13 UNC (12.7 mm)	76.20	41.28	50.80		MLM-0090-051-127C-AV Mounts - Leveling - Studded - Anti-Vibration
1/2-13 UNC (12.7 mm)	76.20	41.28	101.60		MLM-0090-102-127C-AV Mounts - Leveling - Studded - Anti-Vibration
Load Rating 100 Kg					
M8.0x1.25 (8 mm)	32.00	22.00	45.00		MLM-0100-22-32-45-M08-P Mounts - Leveling - Studded - Thermoplastic
M8.0x1.25 (8 mm)	32.00	22.00	70.00		MLM-0100-22-32-70-M08-P Mounts - Leveling - Studded - Thermoplastic
M8.0x1.25 (8 mm)	40.00	22.00	70.00		MLM-0100-22-40-70-M08-P Mounts - Leveling - Studded - Thermoplastic
M8.0x1.25 (8 mm)	40.00	22.00	45.00		MLM-0100-22-40-45-M08-P Mounts - Leveling - Studded - Thermoplastic
M8.0x1.25 (8 mm)	80.00	27.00	45.00		MLM-0100-27-80-45-M08-P-B Mounts - Leveling - Studded - Thermoplastic
M8.0x1.25 (8 mm)	50.00	27.00	70.00		MLM-0100-27-50-70-M08-P Mounts - Leveling - Studded - Thermoplastic
M8.0x1.25 (8 mm)	50.00	27.00	45.00		MLM-0100-27-50-45-M08-P Mounts - Leveling - Studded - Thermoplastic

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 100 Kg					
M8.0x1.25 (8 mm)	80.00	27.00	45.00		MLM-0100-27-80-45-M08-P Mounts - Leveling - Studded - Thermoplastic
M8.0x1.25 (8 mm)	80.00	27.00	70.00		MLM-0100-27-80-70-M08-P-B Mounts - Leveling - Studded - Thermoplastic
M10.0x1.50 (10 mm)	40.00	22.00	70.00		MLM-0100-22-40-70-M10-P Mounts - Leveling - Studded - Thermoplastic
M10.0x1.50 (10 mm)	32.00	22.00	45.00		MLM-0100-22-32-45-M10-P Mounts - Leveling - Studded - Thermoplastic
M10.0x1.50 (10 mm)	80.00	27.00	45.00		MLM-0100-27-80-45-M10-P-B Mounts - Leveling - Studded - Thermoplastic
M10.0x1.50 (10 mm)	80.00	27.00	70.00		MLM-0100-27-80-70-M10-P-B Mounts - Leveling - Studded - Thermoplastic
M10.0x1.50 (10 mm)	50.00	27.00	45.00		MLM-0100-27-50-45-M10-P Mounts - Leveling - Studded - Thermoplastic
M10.0x1.50 (10 mm)	50.00	27.00	70.00		MLM-0100-27-50-70-M10-P Mounts - Leveling - Studded - Thermoplastic
M10.0x1.50 (10 mm)	80.00	27.00	45.00		MLM-0100-27-80-45-M10-P Mounts - Leveling - Studded - Thermoplastic
M12.0x1.75 (12 mm)	80.00	27.00	45.00		MLM-0100-27-80-45-M12-P-B Mounts - Leveling - Studded - Thermoplastic
M12.0x1.75 (12 mm)	50.00	27.00	45.00		MLM-0100-27-50-45-M12-P Mounts - Leveling - Studded - Thermoplastic
M12.0x1.75 (12 mm)	80.00	27.00	70.00		MLM-0100-27-80-70-M12-P Mounts - Leveling - Studded - Thermoplastic
M12.0x1.75 (12 mm)	80.00	27.00	70.00		MLM-0100-27-80-70-M12-P-B Mounts - Leveling - Studded - Thermoplastic
M14.0x2.00 (14 mm)	80.00	27.00	120.00		MLM-0100-27-80-120-M14-P-B Mounts - Leveling - Studded - Thermoplastic
M14.0x2.00 (14 mm)	80.00	27.00	120.00		MLM-0100-27-80-120-M14-P Mounts - Leveling - Studded - Thermoplastic
M14.0x2.00 (14 mm)	80.00	27.00	70.00		MLM-0100-27-80-70-M14-P Mounts - Leveling - Studded - Thermoplastic
M14.0x2.00 (14 mm)	80.00	27.00	70.00		MLM-0100-27-80-70-M14-P-B Mounts - Leveling - Studded - Thermoplastic
M16.0x2.00 (16 mm)	80.00	27.00	70.00		MLM-0100-27-80-70-M16-P-B Mounts - Leveling - Studded - Thermoplastic
M16.0x2.00 (16 mm)	80.00	27.00	120.00		MLM-0100-27-80-120-M16-P-B Mounts - Leveling - Studded - Thermoplastic
M16.0x2.00 (16 mm)	80.00	27.00	70.00		MLM-0100-27-80-70-M16-P Mounts - Leveling - Studded - Thermoplastic
M16.0x2.00 (16 mm)	80.00	27.00	120.00		MLM-0100-27-80-120-M16-P Mounts - Leveling - Studded - Thermoplastic
M20.0x2.50 (20 mm)	80.00	27.00	100.00		MLM-0100-27-80-100-M20-P Mounts - Leveling - Studded - Thermoplastic
M20.0x2.50 (20 mm)	80.00	27.00	100.00		MLM-0100-27-80-100-M20-P-B Mounts - Leveling - Studded - Thermoplastic

Load Rating 110 Kg

10-24 UNC (4.76 mm)	30.48		31.75		MLM-0110-048C-030-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
10-24 UNC (4.76 mm)	30.48		38.10		MLM-0110-048C-C-N Mounts - Leveling - Studded - Industrial - Nylon Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
1/4-20 UNC (6.35 mm)	30.48		31.75		MLM-0110-030-064C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
1/4-20 UNC (6.35 mm)	30.48		38.10		MLM-0110-038-064C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
1/4-20 UNC (6.35 mm)	30.48		38.10		MLM-0110-064C-C-N Mounts - Leveling - Studded - Industrial - Nylon Padded
1/4-20 UNC (6.35 mm)	30.48		31.75		MLM-0110-064C-C-R Mounts - Leveling - Studded -Industrial - Rubber Padded
5/16-18 UNC (7.94 mm)	30.48		31.75		MLM-0110-030-079C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
5/16-18 UNC (7.94 mm)	30.48		38.10		MLM-0110-038-079C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
5/16-18 UNC (7.94 mm)	30.48		38.10		MLM-0110-079C-C-NA Mounts - Leveling - Studded - Industrial - Nylon Padded
5/16-18 UNC (7.94 mm)	30.48		31.75		MLM-0110-079C-C-RA Mounts - Leveling - Studded -Industrial - Rubber Padded
5/16-18 UNC (7.94 mm)	51.56		50.80		MLM-0110-052-079C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
5/16-18 UNC (7.94 mm)	51.56		50.80		MLM-0110-052-079C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
5/16-18 UNC (7.94 mm)	51.56		50.80		MLM-0110-079C-C-NB Mounts - Leveling - Studded - Industrial - Nylon Padded
5/16-18 UNC (7.94 mm)	51.56		50.80		MLM-0110-079C-C-RB Mounts - Leveling - Studded -Industrial - Rubber Padded
3/8-16 UNC (9.53 mm)	51.56		50.80		MLM-0110-052-095C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
3/8-16 UNC (9.53 mm)	51.56		50.80		MLM-0110-052-095C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
3/8-16 UNC (9.53 mm)	51.56		50.80		MLM-0110-095C-C-NA Mounts - Leveling - Studded - Industrial - Nylon Padded
3/8-16 UNC (9.53 mm)	51.56		50.80		MLM-0110-095C-C-RA Mounts - Leveling - Studded -Industrial - Rubber Padded
3/8-16 UNC (9.53 mm)	60.96		101.60		MLM-0110-102-095C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
3/8-16 UNC (9.53 mm)	60.96		50.80		MLM-0110-051-095C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
3/8-16 UNC (9.53 mm)	60.96		101.60		MLM-0110-102-095C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
3/8-16 UNC (9.53 mm)	60.96		50.80		MLM-0110-051-095C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
3/8-16 UNC (9.53 mm)	60.96		50.80		MLM-0110-095C-C-NB Mounts - Leveling - Studded - Industrial - Nylon Padded
3/8-16 UNC (9.53 mm)	60.96		101.60		MLM-0110-095C-C-RB Mounts - Leveling - Studded -Industrial - Rubber Padded
3/8-16 UNC (9.53 mm)	60.96		50.80		MLM-0110-095C-C-RC Mounts - Leveling - Studded -Industrial - Rubber Padded
1/2-13 UNC (12.7 mm)	60.96		50.80		MLM-0110-051-127C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	60.96		101.60		MLM-0110-102-127C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
1/2-13 UNC (12.7 mm)	60.96		101.60		MLM-0110-127C-C-NB Mounts - Leveling - Studded - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	60.96		101.60		MLM-0110-127C-C-NC Mounts - Leveling - Studded - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	60.96		50.80		MLM-0110-127C-C-NA Mounts - Leveling - Studded - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	60.96		101.60		MLM-0110-127C-C-RB Mounts - Leveling - Studded -Industrial - Rubber Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 110 Kg					
1/2-13 UNC (12.7 mm)	60.96		50.80		MLM-0110-127C-C-RA Mounts - Leveling - Studded - Industrial - Rubber Padded
Load Rating 136 Kg					
M10.0x1.50 (10 mm)	32.00	25.00	51.00	8.00	MSM-0136-M10-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
Load Rating 140 Kg					
1/4-20 UNC (6.35 mm)	35.10	12.70	38.10		MLM-0140-064C-N Mounts - Leveling - Studded - Light Duty - Nylon Padded
1/4-20 UNC (6.35 mm)	38.10	12.70	38.10		MLM-0140-064C-R Mounts - Leveling - Studded - Light Duty - Rubber Padded
5/16-18 UNC (7.94 mm)	35.10	12.70	38.10		MLM-0140-079C-N Mounts - Leveling - Studded - Light Duty - Nylon Padded
5/16-18 UNC (7.94 mm)	38.10	12.70	38.10		MLM-0140-079C-R Mounts - Leveling - Studded - Light Duty - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.75	MSM-0140-095C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
3/8-16 UNC (9.53 mm)	31.75	25.40	101.60	7.94	MSM-0140-095C-L-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
3/8-16 UNC (9.53 mm)	31.75	25.40	50.80	7.94	MSM-0140-095C-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
3/8-16 UNC (9.53 mm)	50.80	12.70	50.80		MLM-0140-095C-N Mounts - Leveling - Studded - Light Duty - Nylon Padded
3/8-16 UNC (9.53 mm)	50.80	12.70	50.80		MLM-0140-095C-R Mounts - Leveling - Studded - Light Duty - Rubber Padded
1/2-13 UNC (12.7 mm)	127.00	120.65			MLM-0140-127-127C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
1/2-13 UNC (12.7 mm)	203.20	120.65			MLM-0140-203-127C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
1/2-13 UNC (12.7 mm)	50.80	12.70	50.80		MLM-0140-127C-N Mounts - Leveling - Studded - Light Duty - Nylon Padded
1/2-13 UNC (12.7 mm)	50.80	12.70	50.80		MLM-0140-127C-R Mounts - Leveling - Studded - Light Duty - Rubber Padded
Load Rating 188 Kg					
M12.0x1.75 (12 mm)	76.20	41.28	51.00		MLM-0188-M12-051-AV Mounts - Leveling - Studded - Anti-Vibration
1/2-13 UNC (12.7 mm)	76.20	41.28	50.80		MLM-0188-051-127C-AV Mounts - Leveling - Studded - Anti-Vibration
1/2-13 UNC (12.7 mm)	76.20	41.28	101.60		MLM-0188-102-127C-AV Mounts - Leveling - Studded - Anti-Vibration
Load Rating 230 Kg					
M6.0x1.00 (6 mm)	19.00	17.00	25.00	6.00	* MSM-0235-M06-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
M6.0x1.00 (6 mm)	19.00	17.00	25.00	6.00	* MSM-0235-M06-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
M6.0x1.00 (6 mm)	19.00	17.00	25.00	6.00	MSM-0235-M06-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	71.12		50.80		MLM-0230-051-127C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	71.12		101.60		MLM-0230-102-127C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	71.12		101.60		MLM-0230-102-127C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
1/2-13 UNC (12.7 mm)	71.12		50.80		MLM-0230-051-127C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
1/2-13 UNC (12.7 mm)	71.12		50.80		MLM-0230-127C-C-NA Mounts - Leveling - Studded - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	71.12		101.60		MLM-0230-127C-C-NB Mounts - Leveling - Studded - Industrial - Nylon Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 14 of 37

E&OE

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 230 Kg					
1/2-13 UNC (12.7 mm)	71.12		50.80		MLM-0230-127C-C-RA Mounts - Leveling - Studded -Industrial - Rubber Padded
1/2-13 UNC (12.7 mm)	71.12		101.60		MLM-0230-127C-C-RB Mounts - Leveling - Studded -Industrial - Rubber Padded
1/2-13 UNC (12.7 mm)	80.95		101.60		MLM-0230-102-127C-081-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	80.95		152.40		MLM-0230-152-127C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
1/2-13 UNC (12.7 mm)	80.95		152.40		MLM-0230-127C-C-NC Mounts - Leveling - Studded - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	80.95		101.60		MLM-0230-127C-C-ND Mounts - Leveling - Studded - Industrial - Nylon Padded
1/2-13 UNC (12.7 mm)	80.95		101.60		MLM-0230-127C-C-RC Mounts - Leveling - Studded -Industrial - Rubber Padded
1/2-13 UNC (12.7 mm)	80.95		152.40		MLM-0230-127C-C-RD Mounts - Leveling - Studded -Industrial - Rubber Padded
5/8-11 UNC (15.88 mm)	71.12		50.80		MLM-0230-051-159C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
5/8-11 UNC (15.88 mm)	71.12		101.60		MLM-0230-102-159C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
5/8-11 UNC (15.88 mm)	71.12		101.60		MLM-0230-159C-C-NB Mounts - Leveling - Studded - Industrial - Nylon Padded
5/8-11 UNC (15.88 mm)	71.12		50.80		MLM-0230-159C-C-NA Mounts - Leveling - Studded - Industrial - Nylon Padded
5/8-11 UNC (15.88 mm)	71.12		101.60		MLM-0230-159C-C-RA Mounts - Leveling - Studded -Industrial - Rubber Padded
5/8-11 UNC (15.88 mm)	80.95		152.40		MLM-0230-152-159C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
5/8-11 UNC (15.88 mm)	80.95		101.60		MLM-0230-102-159C-S3-N Mounts - Leveling - Studded - 303 Stainless - Industrial - Nylon Padded
5/8-11 UNC (15.88 mm)	80.95		152.40		MLM-0230-152-159C-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
5/8-11 UNC (15.88 mm)	80.95		101.60		MLM-0230-102-159C-081-S3-R Mounts - Leveling - Studded - 303 Stainless - Industrial - Rubber Padded
5/8-11 UNC (15.88 mm)	80.95		101.60		* MLM-0230-159C-C-NC Mounts - Leveling - Studded - Industrial - Nylon Padded
5/8-11 UNC (15.88 mm)	80.95		152.40		MLM-0230-159C-C-ND Mounts - Leveling - Studded - Industrial - Nylon Padded
5/8-11 UNC (15.88 mm)	80.95		152.40		MLM-0230-159C-C-RB Mounts - Leveling - Studded -Industrial - Rubber Padded
5/8-11 UNC (15.88 mm)	80.95		101.60		MLM-0230-159C-C-RC Mounts - Leveling - Studded -Industrial - Rubber Padded
Load Rating 240 Kg					
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.77	MSM-0240-048F-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
10-32 UNF (4.76 mm)	19.05	16.67	25.40	5.95	* MSM-0240-048F-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
10-32 UNF (4.76 mm)	19.05	16.67	50.80	5.95	* MSM-0240-048F-L-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
10-32 UNF (4.76 mm)	19.05	16.67	50.80	5.95	MSM-0240-048F-L-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
10-32 UNF (4.76 mm)	19.05	16.67	25.40	5.95	MSM-0240-048F-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
10-32 UNF (4.76 mm)	19.05	16.66	25.40	27.38	* MSM-0245-048F-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
10-32 UNF (4.76 mm)	19.05	16.66	50.80	27.38	* MSM-0245-048F-L-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 15 of 37

E&OE

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 290 Kg					
10-32 UNF (4.76 mm)	19.05	16.67	25.40	5.95	MSM-0290-048F-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
Load Rating 315 Kg					
10-32 UNF (4.76 mm)	19.05	13.49	50.80	2.78	MLM-0315-048F-S3 Mounts - Leveling - Studded - 303 Stainless
10-32 UNF (4.76 mm)	19.05	13.49	50.80	2.78	MSM-0320-048F-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.78	* MSM-0320-048F-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	50.80	2.78	* MSM-0320-048F-L-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
10-32 UNF (4.76 mm)	19.05	30.94	25.40	2.77	MLM-0315-048F-B Mounts - Leveling - Studded - Black Chromate
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.78	MSM-0320-048F-B Mounts - Leveling - Studded - Black Chromate - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	50.80	2.78	MSM-0320-048F-L-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.78	MSM-0320-048F-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	50.80	2.78	MLM-0315-048F-L-G Mounts - Leveling - Studded - Gold Chromate
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.78	MLM-0315-048F-G Mounts - Leveling - Studded - Gold Chromate
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.78	MSM-0320-048F-G Mounts - Leveling - Studded - Gold Chromate - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	50.80	2.78	MSM-0320-048F-L-G Mounts - Leveling - Studded - Gold Chromate - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.78	MLM-0315-048F-NP Mounts - Leveling - Studded - Nickel Plated
10-32 UNF (4.76 mm)	19.05	13.49	50.80	2.78	MLM-0315-048F-L-NP Mounts - Leveling - Studded - Nickel Plated
10-32 UNF (4.76 mm)	19.05	13.49	50.80	2.78	* MSM-0320-048F-L-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.78	* MSM-0320-048F-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
M6.0x1.00 (6 mm)	19.10	13.50	25.40	2.80	MLM-0315-M06-S3 Mounts - Leveling - Studded - 303 Stainless
M6.0x1.00 (6 mm)	19.00	13.00	25.00	3.00	MSM-0315-M06-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
M6.0x1.00 (6 mm)	19.00	13.00	25.00	3.00	* MSM-0315-M06-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
M6.0x1.00 (6 mm)	19.10	13.50	25.40	2.80	MLM-0315-M06-G Mounts - Leveling - Studded - Gold Chromate
M6.0x1.00 (6 mm)	19.10	13.50	25.40	2.80	MLM-0315-M06-NP Mounts - Leveling - Studded - Nickel Plated
M6.0x1.00 (6 mm)	19.00	13.00	25.00	3.00	* MSM-0315-M06-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
5/16-18 UNC (7.94 mm)	39.12	18.29	73.15		MLM-0315-079C-L-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
5/16-18 UNC (7.94 mm)	39.12	18.29	47.75		MLM-0315-079C-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
5/16-18 UNC (7.94 mm)	39.12	18.29	47.75		MLM-0315-079C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M8.0x1.25 (8 mm)	39.12	18.29	64.03		MLM-0315-M08-L-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M8.0x1.25 (8 mm)	39.12	18.29	38.03		MLM-0315-M08-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M8.0x1.25 (8 mm)	39.12	18.29	38.03		MLM-0315-M08-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 315 Kg					
M8.0x1.25 (8 mm)	48.77	18.29	38.03		* MLM-0315-M08-L2-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M8.0x1.25 (8 mm)	48.77	18.29	38.03		MLM-0315-M08-L-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
3/8-16 UNC (9.53 mm)	39.12	18.29	73.15		MLM-0315-095C-L-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
3/8-16 UNC (9.53 mm)	39.12	18.29	47.75		MLM-0315-095C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
3/8-16 UNC (9.53 mm)	39.12	18.29	47.75		MLM-0315-095C-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
3/8-16 UNC (9.53 mm)	39.12	18.29	73.15		MLM-0315-095C-L-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M10.0x1.50 (10 mm)	39.12	18.29	64.03		MLM-0315-M10-L2-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M10.0x1.50 (10 mm)	48.77	18.29	64.03		MLM-0315-M10-L-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M10.0x1.50 (10 mm)	48.77	18.29	38.03		MLM-0315-M10-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M10.0x1.50 (10 mm)	48.77	18.29	38.03		MLM-0315-M10-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M10.0x1.50 (10 mm)	48.77	18.29	64.03		MLM-0315-M10-L-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M12.0x1.75 (12 mm)	48.00	33.00	51.00	9.00	MSM-0318-M12-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
M12.0x1.75 (12 mm)	39.12	18.29	64.03		MLM-0315-M12-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M12.0x1.75 (12 mm)	48.77	18.29	123.03		MLM-0315-M12-L2-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M12.0x1.75 (12 mm)	48.77	18.29	64.03		MLM-0315-M12-L-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M12.0x1.75 (12 mm)	48.77	18.29	123.03		MLM-0315-M12-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
1/2-13 UNC (12.7 mm)	47.63	31.75	101.60	9.53	MSM-0320-127C-L-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
1/2-13 UNC (12.7 mm)	47.63	31.75	50.80	9.53	MSM-0320-127C-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
1/2-13 UNC (12.7 mm)	39.12	18.29	47.75		* MLM-0315-127C-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
1/2-13 UNC (12.7 mm)	39.12	18.29	47.75		MLM-0315-127C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
1/2-13 UNC (12.7 mm)	39.12	18.29	73.15		MLM-0315-127C-L-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
5/8-11 UNC (15.88 mm)	39.12	18.29	47.75		MLM-0315-159C-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
5/8-11 UNC (15.88 mm)	39.12	18.29	73.15		MLM-0315-159C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M16.0x2.00 (16 mm)	48.77	18.29	123.03		MLM-0315-M16-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
Load Rating 340 Kg					
1/4-20 UNC (6.35 mm)	25.40	21.03	31.75	7.14	* MSM-0340-064C-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	21.03	63.50	7.14	MSM-0340-064C-L-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	128.17	31.75	7.14	* MSM-0350-064C-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	128.17	63.50	7.14	MSM-0350-064C-L-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
M8.0x1.25 (8 mm)	25.00	21.00	32.00	7.00	MSM-0340-M08-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 340 Kg					
M8.0x1.25 (8 mm)	25.00	21.00	32.00	7.00	MSM-0340-M08-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
M8.0x1.25 (8 mm)	25.00	21.00	32.00	7.00	* MSM-0340-M08-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
Load Rating 360 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.85	31.75	3.96	MSM-0360-064C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
1/4-20 UNC (6.35 mm)	25.40	21.03	63.50	7.14	MSM-0360-064C-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	21.03	31.75	7.14	MSM-0360-064C-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	128.17	31.75	7.14	MSM-0370-064C-CC-R Mounts - Leveling - Studded - Clear Chromate - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	128.17	63.50	7.14	MSM-0370-064C-L-CC-R Mounts - Leveling - Studded - Clear Chromate - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	21.03	31.75	7.14	MSM-0360-064C-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	21.03	63.50	7.14	MSM-0360-064C-L-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
Load Rating 410 Kg					
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.78	MLM-0410-048F-S3 Mounts - Leveling - Studded - 303 Stainless
10-32 UNF (4.76 mm)	19.05	13.49	25.40	2.78	MSM-0410-048F-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
Load Rating 450 Kg					
1/4-20 UNC (6.35 mm)	25.40	21.03	31.75	7.14	MSM-0450-064C-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
1/4-20 UNC (6.35 mm)	25.40	17.86	63.50	3.97	MSM-0450-064C-L-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86	31.75	3.97	MSM-0450-064C-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86	31.75	3.97	MSM-0450-064C-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86	63.50	3.97	* MSM-0450-064C-L-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
M8.0x1.25 (8 mm)	25.00	18.00	32.00	4.00	* MSM-0450-M08-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
M8.0x1.25 (8 mm)	25.00	18.00	32.00	4.00	* MSM-0450-M08-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
M8.0x1.25 (8 mm)	25.00	18.00	32.00	4.00	MSM-0450-M08-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
3/8-16 UNC (9.53 mm)	127.00	160.33			* MLM-0450-127-095C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
1/2-13 UNC (12.7 mm)	127.00	160.33			MLM-0450-127-127C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
3/4-10 UNC (19.1 mm)	127.00	160.33			MLM-0450-127-191C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
3/4-10 UNC (19.1 mm)	203.20	160.33			MLM-0450-203-191C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
3/4-10 UNC (19.1 mm)	254.00	160.33			MLM-0450-254-191C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
Load Rating 500 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.86	38.10	3.97	MLM-0500-064C-S3 Mounts - Leveling - Studded - 303 Stainless
1/4-20 UNC (6.35 mm)	25.40	17.86	63.50	3.97	MSM-0500-064C-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
1/4-20 UNC (6.35 mm)	25.40	103.58	31.75	3.96	MLM-0500-064C-B Mounts - Leveling - Studded - Black Chromate



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 500 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.86	63.50	3.97	MSM-0500-064C-L-B Mounts - Leveling - Studded - Black Chromate - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86	31.75	3.97	MSM-0500-064C-B Mounts - Leveling - Studded - Black Chromate - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86	31.75	3.97	MSM-0500-064C-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86	63.50	3.97	MSM-0500-064C-L-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86	38.10	3.97	MLM-0500-064C-L-G Mounts - Leveling - Studded - Gold Chromate
1/4-20 UNC (6.35 mm)	25.40	17.86	31.75	3.97	MLM-0500-064C-G Mounts - Leveling - Studded - Gold Chromate
1/4-20 UNC (6.35 mm)	25.40	17.86	63.50	3.97	MSM-0500-064C-L-G Mounts - Leveling - Studded - Gold Chromate - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86	31.75	3.97	MSM-0500-064C-G Mounts - Leveling - Studded - Gold Chromate - Swivel
1/4-20 UNC (6.35 mm)	25.40	17.86	31.75	3.97	MLM-0500-064C-NP Mounts - Leveling - Studded - Nickel Plated
1/4-20 UNC (6.35 mm)	25.40	17.86	38.10	3.97	MLM-0500-064C-L-NP Mounts - Leveling - Studded - Nickel Plated
M8.0x1.25 (8 mm)	25.40	17.80	31.80	3.80	MLM-0500-M08-S3 Mounts - Leveling - Studded - 303 Stainless
M8.0x1.25 (8 mm)	25.40	17.80	31.80	3.80	MLM-0500-M08-G Mounts - Leveling - Studded - Gold Chromate
M8.0x1.25 (8 mm)	25.40	17.80	31.80	3.80	MLM-0500-M08-NP Mounts - Leveling - Studded - Nickel Plated
1/2-13 UNC (12.7 mm)	59.94	33.02	101.60		MLM-0500-102-127C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
1/2-13 UNC (12.7 mm)	59.94	33.02	152.40		MLM-0500-152-127C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
5/8-11 UNC (15.88 mm)	59.94	33.02	152.40		MLM-0500-152-159C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
5/8-11 UNC (15.88 mm)	59.94	33.02	203.20		MLM-0500-203-159C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
3/4-10 UNC (19.1 mm)	59.94	33.02	203.20		MLM-0500-203-191C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
3/4-10 UNC (19.1 mm)	59.94	33.02	152.40		MLM-0500-152-191C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
7/8-9 UNC (22.23 mm)	59.94	33.02	152.40		MLM-0500-152-222C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
7/8-9 UNC (22.23 mm)	59.94	33.02	203.20		MLM-0500-203-222C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
Load Rating 540 Kg					
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.93	MSM-0540-159C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
5/8-11 UNC (15.88 mm)	63.50	34.93	50.80	11.11	MSM-0540-159C-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
Load Rating 670 Kg					
1/4-20 UNC (6.35 mm)	25.40	17.86	31.75	3.97	MLM-0670-064C-S3 Mounts - Leveling - Studded - 303 Stainless
1/4-20 UNC (6.35 mm)	25.40	17.86	31.75	3.97	MSM-0670-064C-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
1/4-16 (6.35 mm)	25.40	17.46	31.75		MLM-0670-032-064A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
1/4-16 (6.35 mm)	25.40	17.46	63.50		MLM-0670-064-064A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
1/4-16 (6.35 mm)	25.40	17.46	31.75		MLM-0670-032-064A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 670 Kg					
1/4-16 (6.35 mm)	25.40	17.46	63.50		MLM-0670-064-064A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
Load Rating 800 Kg					
1/2-13 UNC (12.7 mm)	74.93	22.10	152.40		MLM-0800-152-127C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
1/2-13 UNC (12.7 mm)	74.93	22.10	101.60		MLM-0800-102-127C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
1/2-13 UNC (12.7 mm)	74.93	22.10	152.40		MLM-0800-152-127C-S4-M2 Mounts - Leveling - Studded - Hygienic - Anchoring - Two Mounting Hole
1/2-13 UNC (12.7 mm)	74.93	22.10	101.60		MLM-0800-102-127C-S4-M2 Mounts - Leveling - Studded - Hygienic - Anchoring - Two Mounting Hole
5/8-11 UNC (15.88 mm)	74.93	22.10	203.20		MLM-0800-203-159C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
5/8-11 UNC (15.88 mm)	74.93	22.10	152.40		MLM-0800-152-159C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
5/8-11 UNC (15.88 mm)	74.93	22.10	203.20		MLM-0800-203-159C-S4-M2 Mounts - Leveling - Studded - Hygienic - Anchoring - Two Mounting Hole
5/8-11 UNC (15.88 mm)	74.93	22.10	152.40		MLM-0800-152-159C-S4-M2 Mounts - Leveling - Studded - Hygienic - Anchoring - Two Mounting Hole
3/4-10 UNC (19.1 mm)	74.93	22.10	152.40		MLM-0800-152-191C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
3/4-10 UNC (19.1 mm)	74.93	22.10	203.20		MLM-0800-203-191C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
3/4-10 UNC (19.1 mm)	74.93	22.10	152.40		MLM-0800-152-191C-S4-M2 Mounts - Leveling - Studded - Hygienic - Anchoring - Two Mounting Hole
3/4-10 UNC (19.1 mm)	74.93	22.10	203.20		MLM-0800-203-191C-S4-M2 Mounts - Leveling - Studded - Hygienic - Anchoring - Two Mounting Hole
7/8-9 UNC (22.23 mm)	74.93	22.10	203.20		MLM-0800-203-222C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
7/8-9 UNC (22.23 mm)	74.93	22.10	152.40		MLM-0800-152-222C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
7/8-9 UNC (22.23 mm)	74.93	22.10	203.20		MLM-0800-203-222C-S4-M2 Mounts - Leveling - Studded - Hygienic - Anchoring - Two Mounting Hole
7/8-9 UNC (22.23 mm)	74.93	22.10	152.40		MLM-0800-152-222C-S4-M2 Mounts - Leveling - Studded - Hygienic - Anchoring - Two Mounting Hole
Load Rating 820 Kg					
3/4-10 UNC (19.1 mm)	63.50	34.93	101.60	11.11	MSM-0820-191C-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MSM-0820-191C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
3/4-10 UNC (19.1 mm)	76.20	41.28	101.60	15.88	MSM-0820-191C-L-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
Load Rating 900 Kg					
3/8-16 UNC (9.53 mm)	78.74	18.29	61.47		MLM-0900-095C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
3/8-16 UNC (9.53 mm)	78.74	18.29	61.47		MLM-0900-095C-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
3/8-16 UNC (9.53 mm)	78.74	18.29	61.50	29.97	MLM-0900-095C-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
3/8-16 UNC (9.53 mm)	78.74	18.29	61.50	29.97	MLM-0900-095C-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1/2-13 UNC (12.7 mm)	78.74	18.29	124.97		MLM-0900-127C-L-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
1/2-13 UNC (12.7 mm)	78.74	18.29	124.97		MLM-0900-127C-L-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
1/2-13 UNC (12.7 mm)	78.74	18.29	61.47		MLM-0900-127C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 20 of 37

E&OE

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 900 Kg					
1/2-13 UNC (12.7 mm)	78.74	18.29	61.47		MLM-0900-127C-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
1/2-13 UNC (12.7 mm)	78.74	18.29	124.97	29.97	MLM-0900-127C-L-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1/2-13 UNC (12.7 mm)	78.74	18.29	124.97	29.97	MLM-0900-127C-L-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1/2-13 UNC (12.7 mm)	78.74	18.29	61.50	29.97	MLM-0900-127C-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1/2-13 UNC (12.7 mm)	78.74	18.29	61.50	29.97	MLM-0900-127C-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
5/8-11 UNC (15.88 mm)	58.42	22.61	150.37		MLM-0900-159C-NS3 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - No Lag Holes
5/8-11 UNC (15.88 mm)	78.74	18.29	124.97		MLM-0900-159C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
5/8-11 UNC (15.88 mm)	78.74	18.29	124.97		MLM-0900-159C-NS3A Mounts - Leveling - Studded - Nylon - No Lag Holes
5/8-11 UNC (15.88 mm)	78.74	18.29	124.90	29.97	MLM-0900-159C-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
5/8-11 UNC (15.88 mm)	78.74	18.29	124.90	29.97	MLM-0900-159C-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
M16.0x2.00 (16 mm)	58.42	18.29	88.03		MLM-0900-M16-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M16.0x2.00 (16 mm)	58.42	18.29	88.03		MLM-0900-M16-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M16.0x2.00 (16 mm)	58.42	18.29	168.03		* MLM-0900-M16-L-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M16.0x2.00 (16 mm)	58.42	18.29	168.03		MLM-0900-M16-L-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M16.0x2.00 (16 mm)	78.74	18.29	64.00	29.97	MLM-0900-M16-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
M16.0x2.00 (16 mm)	78.74	18.29	123.00	29.97	MLM-0900-M16-L-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
M16.0x2.00 (16 mm)	78.74	18.29	123.00	29.97	MLM-0900-M16-L-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
M16.0x2.00 (16 mm)	78.74	18.29	64.00	29.97	MLM-0900-M16-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
3/4-10 UNC (19.1 mm)	58.42	22.61	226.57		* MLM-0900-191C-L-NC Mounts - Leveling - Studded - Nylon - Loc-A-Lign - No Lag Holes
3/4-10 UNC (19.1 mm)	58.42	22.61	150.37		MLM-0900-191C-NC Mounts - Leveling - Studded - Nylon - Loc-A-Lign - No Lag Holes
M20.0x2.50 (20 mm)	58.42	18.29	168.03		MLM-0900-M20-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
Load Rating 1000 Kg					
1/2-13 UNC (12.7 mm)	80.01	30.99	101.60		MLM-1000-102-127C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
1/2-13 UNC (12.7 mm)	80.01	30.99	152.40		MLM-1000-152-127C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
1/2-13 UNC (12.7 mm)	100.08	32.00	152.40		MLM-1000-152-127C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
1/2-13 UNC (12.7 mm)	74.93	32.00	101.60		MLM-1000-102-127C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
5/8-11 UNC (15.88 mm)	80.01	30.99	152.40		MLM-1000-152-159C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
5/8-11 UNC (15.88 mm)	80.01	30.99	203.20		MLM-1000-203-159C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
5/8-11 UNC (15.88 mm)	100.08	32.00	203.20		MLM-1000-203-159C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
5/8-11 UNC (15.88 mm)	100.08	32.00	152.40		MLM-1000-152-159C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 1000 Kg					
3/4-10 UNC (19.1 mm)	80.01	30.99	203.20		MLM-1000-203-191C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
3/4-10 UNC (19.1 mm)	80.01	30.99	152.40		MLM-1000-152-191C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
3/4-10 UNC (19.1 mm)	100.08	32.00	203.20		MLM-1000-203-191C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
3/4-10 UNC (19.1 mm)	100.08	32.00	152.40		MLM-1000-152-191C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
7/8-9 UNC (22.23 mm)	80.01	30.99	152.40		MLM-1000-152-222C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
7/8-9 UNC (22.23 mm)	80.01	30.99	203.20		MLM-1000-203-222C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
7/8-9 UNC (22.23 mm)	100.08	32.00	152.40		MLM-1000-152-222C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
7/8-9 UNC (22.23 mm)	100.08	32.00	203.20		MLM-1000-203-222C-S4-M1 Mounts - Leveling - Studded - Hygienic - Anchoring - One Mounting Hole
Load Rating 1090 Kg					
1-8 UNC (25.4 mm)	76.20	41.28	50.80	15.88	MSM-1090-254C-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
1-8 UNC (25.4 mm)	101.60	50.80	203.20	13.49	MSM-1090-254C-L-G-A Mounts - Leveling - Studded - Gold Chromate - Swivel - Acetal Base
Load Rating 1170 Kg					
M16.0x2.00 (16 mm)	97.79	18.29	88.03		MLM-1170-M16-L-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M16.0x2.00 (16 mm)	97.79	18.29	88.03		MLM-1170-M16-L-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
M20.0x2.50 (20 mm)	97.79	18.29	88.03		MLM-1170-M20-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
M20.0x2.50 (20 mm)	97.79	18.29	88.03		* MLM-1170-M20-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
Load Rating 1180 Kg					
5/8-11 UNC (15.88 mm)	101.60	18.54	150.37		MLM-1180-159C-L-NS3 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - No Lag Holes
5/8-11 UNC (15.88 mm)	101.60	18.54	150.37		MLM-1180-159C-NC Mounts - Leveling - Studded - Nylon - Loc-A-Lign - No Lag Holes
5/8-11 UNC (15.88 mm)	101.60	18.54	150.37		MLM-1180-159C-NS3-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
5/8-11 UNC (15.88 mm)	101.60	18.54	150.37		* MLM-1180-159C-L-NC-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
M16.0x2.00 (16 mm)	97.79	18.29	168.00	29.97	MLM-1180-M16-L-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
M16.0x2.00 (16 mm)	97.79	18.29	168.00	29.97	MLM-1180-M16-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
M16.0x2.00 (16 mm)	97.79	18.29	88.00	29.97	MLM-1180-M16-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
3/4-10 UNC (19.1 mm)	101.60	18.54	150.37		MLM-1180-191C-L-NC Mounts - Leveling - Studded - Nylon - Loc-A-Lign - No Lag Holes
3/4-10 UNC (19.1 mm)	101.60	18.54	150.37		MLM-1180-191C-NS3 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - No Lag Holes
3/4-10 UNC (19.1 mm)	101.60	18.54	226.57		MLM-1180-191C-L-NC-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
3/4-10 UNC (19.1 mm)	101.60	18.54	150.37		MLM-1180-191C-NS3-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
3/4-10 UNC (19.1 mm)	101.60	18.54	150.37		MLM-1180-191C-NC-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
3/4-10 UNC (19.1 mm)	101.60	18.54	226.57		MLM-1180-191C-L-NS3-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 1180 Kg					
M20.0x2.50 (20 mm)	97.79	18.29	168.00	29.97	* MLM-1180-M20-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
M20.0x2.50 (20 mm)	97.79	18.29	168.00	29.97	* MLM-1180-M20-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
Load Rating 1270 Kg					
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.75	MSM-1270-095C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
3/8-16 UNC (9.53 mm)	31.75	25.40	50.80	7.94	MSM-1270-095C-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	101.60	7.94	MSM-1270-095C-L-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	101.60	7.94	* MSM-1270-095C-L-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	50.80	7.94	MSM-1270-095C-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	50.80	7.94	MSM-1270-095C-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	101.60	7.94	MSM-1270-095C-L-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	50.80	7.94	MSM-1270-095C-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	101.60	7.94	MSM-1270-095C-L-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
M10.0x1.50 (10 mm)	32.00	25.00	51.00	8.00	* MSM-1270-M10-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
M10.0x1.50 (10 mm)	32.00	25.00	51.00	8.00	* MSM-1270-M10-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
M10.0x1.50 (10 mm)	32.00	25.00	51.00	8.00	MSM-1270-M10-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
M10.0x1.50 (10 mm)	32.00	25.00	51.00	8.00	MSM-1270-M10-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
M10.0x1.50 (10 mm)	32.00	25.00	51.00	8.00	MSM-1270-M10-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
Load Rating 1300 Kg					
3/8-16 UNC (9.53 mm)	31.75	25.40	101.60	7.93	MSM-1300-095C-CC-R Mounts - Leveling - Studded - Clear Chromate - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	101.60	7.93	* MSM-1300-095C-L-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
3/8-16 UNC (9.53 mm)	31.75	25.40	50.80	7.93	MSM-1300-095C-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
Load Rating 1500 Kg					
1/2-13 UNC (12.7 mm)	100.08	34.04	101.60		MLM-1500-102-127C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
1/2-13 UNC (12.7 mm)	100.08	34.04	152.40		MLM-1500-152-127C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
5/8-11 UNC (15.88 mm)	100.08	34.04	152.40		MLM-1500-152-159C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
5/8-11 UNC (15.88 mm)	100.08	34.04	203.20		MLM-1500-203-159C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
3/4-10 UNC (19.1 mm)	100.08	34.04	152.40		MLM-1500-152-191C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
3/4-10 UNC (19.1 mm)	100.08	34.04	203.20		MLM-1500-203-191C-S4 Mounts - Leveling - Studded - Hygienic - 304 Stainless
Load Rating 1560 Kg					
1/2-13 UNC (12.7 mm)	47.63	31.75	101.60	9.53	MSM-1560-127C-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
5/16-14 (7.94 mm)	31.75	22.22	50.80		* MLM-1700-051-079A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
5/16-14 (7.94 mm)	31.75	22.22	101.60		MLM-1700-102-079A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
5/16-14 (7.94 mm)	31.75	22.22	50.80		MLM-1700-051-079A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
5/16-14 (7.94 mm)	31.75	22.22	101.60		MLM-1700-102-079A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.76	MLM-1700-095C-L-S3 Mounts - Leveling - Studded - 303 Stainless
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.76	MLM-1700-095C-S3 Mounts - Leveling - Studded - 303 Stainless
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.76	MSM-1700-095C-L-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.76	MSM-1700-095C-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.76	MSM-1700-095C-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.76	* MSM-1700-095C-L-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.75	MLM-1700-095C-B Mounts - Leveling - Studded - Black Chromate
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.76	MSM-1700-095C-L-B Mounts - Leveling - Studded - Black Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.76	MSM-1700-095C-B Mounts - Leveling - Studded - Black Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.76	MSM-1700-095C-L-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.76	MSM-1700-095C-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.76	MLM-1700-095C-G Mounts - Leveling - Studded - Gold Chromate
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.76	MLM-1700-095C-L-G Mounts - Leveling - Studded - Gold Chromate
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.76	MSM-1700-095C-G Mounts - Leveling - Studded - Gold Chromate - Swivel
3/8-24 UNF (9.53 mm)	31.75	22.23	50.80	4.76	MSM-1700-095F-G Mounts - Leveling - Studded - Gold Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.76	MSM-1700-095C-L-G Mounts - Leveling - Studded - Gold Chromate - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.76	MLM-1700-095C-L-NP Mounts - Leveling - Studded - Nickel Plated
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.76	MLM-1700-095C-NP Mounts - Leveling - Studded - Nickel Plated
3/8-16 UNC (9.53 mm)	31.75	22.23	50.80	4.76	MSM-1700-095C-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
3/8-16 UNC (9.53 mm)	31.75	22.23	101.60	4.76	MSM-1700-095C-L-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	51.00	5.00	MSM-1700-M10-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	51.00	5.00	* MSM-1700-M10-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	51.00	5.00	* MSM-1700-M10-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	51.00	5.00	MLM-1700-M10-S3 Mounts - Leveling - Studded - 303 Stainless
M10.0x1.50 (10 mm)	32.00	22.00	51.00	5.00	MSM-1700-M10-B Mounts - Leveling - Studded - Black Chromate - Swivel

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities


** Available only while stock lasts

Page 24 of 37


E&OE

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 1700 Kg					
M10.0x1.50 (10 mm)	32.00	22.00	51.00	5.00	MSM-1700-M10-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	51.00	5.00	MLM-1700-M10-G Mounts - Leveling - Studded - Gold Chromate
M10.0x1.50 (10 mm)	32.00	22.00	51.00	5.00	MSM-1700-M10-G Mounts - Leveling - Studded - Gold Chromate - Swivel
M10.0x1.50 (10 mm)	32.00	22.00	51.00	5.00	MLM-1700-M10-NP Mounts - Leveling - Studded - Nickel Plated
M12.0x1.75 (12 mm)	48.00	33.00	51.00	9.00	MSM-1700-M12-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
M12.0x1.75 (12 mm)	48.00	32.00	51.00	10.00	* MSM-1700-M12-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
M12.0x1.75 (12 mm)	48.00	32.00	51.00	10.00	* MSM-1700-M12-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
M12.0x1.75 (12 mm)	48.00	32.00	51.00	10.00	MSM-1700-M12-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	28.58	101.60	6.35	MSM-1700-127C-L-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MSM-1700-127C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
1/2-13 UNC (12.7 mm)	47.63	31.75	50.80	9.53	MSM-1700-127C-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	31.75	101.60	9.53	MSM-1700-127C-L-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	31.75	50.80	9.53	* MSM-1700-127C-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	31.75	101.60	9.53	MSM-1700-127C-L-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	31.75	50.80	9.53	MSM-1700-127C-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	31.75	101.60	9.53	MSM-1700-127C-L-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	31.75	50.80	9.53	MSM-1700-127C-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
Load Rating 1730 Kg					
1/2-13 UNC (12.7 mm)	47.63	31.75	101.60	9.53	MSM-1730-127C-CC-R Mounts - Leveling - Studded - Clear Chromate - Swivel - Rubber Padded
Load Rating 1750 Kg					
1/2-13 UNC (12.7 mm)	47.63	31.75	101.60	9.53	MSM-1750-127C-L-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
1/2-13 UNC (12.7 mm)	47.63	31.75	50.80	9.53	MSM-1750-127C-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
Load Rating 1840 Kg					
1/2-13 UNC (12.7 mm)	127.00	184.15			MLM-1840-127-127C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
3/4-10 UNC (19.1 mm)	203.20	184.15			MLM-1840-203-191C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
3/4-10 UNC (19.1 mm)	127.00	184.15			MLM-1840-127-191C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
Load Rating 1996 Kg					
3/4-10 UNC (19.1 mm)	113.79	44.96	74.93		MLM-1996-191C-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
3/4-10 UNC (19.1 mm)	113.79	44.96	209.55		MLM-1996-191C-L-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
3/4-10 UNC (19.1 mm)	113.79	44.96	143.00		MLM-1996-191C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 25 of 37

E&OE

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 2040 Kg					
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.93	MSM-2040-159C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
5/8-11 UNC (15.88 mm)	63.50	34.93	50.80	11.11	MSM-2040-159C-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	101.60	11.11	* MSM-2040-159C-L-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	50.80	11.11	* MSM-2040-159C-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	101.60	11.11	MSM-2040-159C-L-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	50.80	11.11	MSM-2040-159C-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	101.60	11.11	MSM-2040-159C-L-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	50.80	11.11	MSM-2040-159C-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
M16.0x2.00 (16 mm)	64.00	35.00	51.00	11.00	* MSM-2045-M16-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
M16.0x2.00 (16 mm)	64.00	35.00	51.00	11.00	* MSM-2045-M16-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
M16.0x2.00 (16 mm)	64.00	35.00	51.00	11.00	MSM-2045-M16-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
M16.0x2.00 (16 mm)	64.00	35.00	51.00	11.00	MSM-2040-M16-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
M16.0x2.00 (16 mm)	64.00	35.00	51.00	11.00	MSM-2040-M16-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
Load Rating 2100 Kg					
5/8-11 UNC (15.88 mm)	63.50	34.93	50.80	11.10	MSM-2100-159C-CC-R Mounts - Leveling - Studded - Clear Chromate - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	101.60	11.10	MSM-2100-159C-L-CC-R Mounts - Leveling - Studded - Clear Chromate - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	101.60	11.10	MSM-2100-159C-L-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
5/8-11 UNC (15.88 mm)	63.50	34.93	50.80	11.10	MSM-2100-159C-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
Load Rating 2200 Kg					
M12.0x1.75 (12 mm)	48.00	29.00	51.00	6.00	MSM-2200-M12-B Mounts - Leveling - Studded - Black Chromate - Swivel
Load Rating 2250 Kg					
M12.0x1.75 (12 mm)	48.00	29.00	51.00	6.00	* MSM-2250-M12-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
M12.0x1.75 (12 mm)	48.00	29.00	51.00	6.00	* MSM-2250-M12-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
M12.0x1.75 (12 mm)	48.00	29.00	51.00	6.00	MSM-2250-M12-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
Load Rating 2270 Kg					
M12.0x1.75 (12 mm)	48.00	29.00	51.00	6.00	MLM-2270-M12-S3 Mounts - Leveling - Studded - 303 Stainless
M12.0x1.75 (12 mm)	48.00	29.00	51.00	6.00	MSM-2270-M12-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
M12.0x1.75 (12 mm)	48.00	29.00	51.00	6.00	MLM-2270-M12-G Mounts - Leveling - Studded - Gold Chromate
M12.0x1.75 (12 mm)	48.00	29.00	51.00	6.00	MSM-2270-M12-G Mounts - Leveling - Studded - Gold Chromate - Swivel
M12.0x1.75 (12 mm)	48.00	29.00	51.00	6.00	MLM-2270-M12-NP Mounts - Leveling - Studded - Nickel Plated
1/2-13 UNC (12.7 mm)	47.63	28.58	101.60	6.35	MLM-2270-127C-L-S3 Mounts - Leveling - Studded - 303 Stainless

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 26 of 37

E&OE

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 2270 Kg					
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MLM-2270-127C-S3 Mounts - Leveling - Studded - 303 Stainless
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MSM-2270-127C-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	101.60	6.35	MSM-2270-127C-L-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MSM-2270-127C-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	101.60	6.35	MSM-2270-127C-L-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MLM-2270-127C-B Mounts - Leveling - Studded - Black Chromate
1/2-13 UNC (12.7 mm)	47.63	28.58	101.60	6.35	MSM-2270-127C-L-B Mounts - Leveling - Studded - Black Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MSM-2270-127C-B Mounts - Leveling - Studded - Black Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	101.60	6.35	MSM-2270-127C-L-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MSM-2270-127C-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.60	50.80	6.35	MLM-2270-127C-G Mounts - Leveling - Studded - Gold Chromate
1/2-13 UNC (12.7 mm)	47.63	28.60	101.60	6.35	MLM-2270-127C-L-G Mounts - Leveling - Studded - Gold Chromate
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MSM-2270-127C-G Mounts - Leveling - Studded - Gold Chromate - Swivel
1/2-20 UNF (12.7 mm)	47.63	28.58	50.80	6.35	MSM-2270-127F-G Mounts - Leveling - Studded - Gold Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	101.60	6.35	MSM-2270-127C-L-G Mounts - Leveling - Studded - Gold Chromate - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	101.60	6.35	MLM-2270-127C-L-NP Mounts - Leveling - Studded - Nickel Plated
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MLM-2270-127C-NP Mounts - Leveling - Studded - Nickel Plated
1/2-13 UNC (12.7 mm)	47.63	28.58	50.80	6.35	MSM-2270-127C-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
1/2-13 UNC (12.7 mm)	47.63	28.58	101.60	6.35	MSM-2270-127C-L-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
Load Rating 2400 Kg					
5/8-11 UNC (15.88 mm)	228.60	-	127.00	63.50	* MLM-2400-127-159C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
3/4-10 UNC (19.1 mm)	228.60	-	127.00	63.50	* MLM-2400-127-191C-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
1-14 UNF (25.4 mm)	228.60	-	203.20	57.15	* MLM-2400-203B-254F-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
1-14 UNF (25.4 mm)	228.60	-	127.00	57.15	* MLM-2400-127B-254F-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
1-14 UNF (25.4 mm)	228.60	-	127.00	63.50	* MLM-2400-127A-254F-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
1-14 UNF (25.4 mm)	228.60	-	203.20	63.50	* MLM-2400-203A-254F-Y Mounts - Leveling - Studded - Elastomer Base - OSHA Yellow
Load Rating 2450 Kg					
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MSM-2450-191C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
3/4-10 UNC (19.1 mm)	76.20	41.28	50.80	15.88	MSM-2450-191C-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
3/4-10 UNC (19.1 mm)	76.20	41.28	101.60	15.88	MSM-2450-191C-L-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 2450 Kg					
3/4-10 UNC (19.1 mm)	76.20	41.28	50.80	15.88	MSM-2450-191C-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
3/4-10 UNC (19.1 mm)	76.20	41.28	101.60	15.88	MSM-2450-191C-L-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
3/4-10 UNC (19.1 mm)	76.20	41.28	50.80	15.88	MSM-2450-191C-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
3/4-10 UNC (19.1 mm)	76.20	41.28	101.60	15.88	MSM-2450-191C-L-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
M20.0x2.50 (20 mm)	76.00	41.00	51.00	16.00	MSM-2450-M20-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
Load Rating 2520 Kg					
3/4-10 UNC (19.1 mm)	76.20	41.28	101.60	15.88	MSM-2520-191C-CC-R Mounts - Leveling - Studded - Clear Chromate - Swivel - Rubber Padded
3/4-10 UNC (19.1 mm)	76.20	41.28	101.60	15.88	* MSM-2520-191C-L-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
3/4-10 UNC (19.1 mm)	76.20	41.28	50.80	15.88	* MSM-2520-191C-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
M20.0x2.50 (20 mm)	76.00	41.00	51.00	16.00	* MSM-2520-M20-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
M20.0x2.50 (20 mm)	76.00	41.00	51.00	16.00	* MSM-2520-M20-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
M20.0x2.50 (20 mm)	76.00	41.00	51.00	16.00	MSM-2520-M20-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
Load Rating 2550 Kg					
3/8-12 (9.53 mm)	31.75	22.22	101.60		MLM-2550-102-095A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
3/8-12 (9.53 mm)	31.75	22.22	50.80		MLM-2550-051-095A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
3/8-12 (9.53 mm)	31.75	22.22	101.60		MLM-2550-102-095A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
3/8-12 (9.53 mm)	31.75	22.22	50.80		MLM-2550-051-095A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
3/4-10 UNC (19.1 mm)	76.20	41.28	50.80	15.88	* MSM-2570-191C-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
Load Rating 2700 Kg					
M16.0x2.00 (16 mm)	64.00	32.00	51.00	8.00	* MSM-2700-M16-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
M16.0x2.00 (16 mm)	64.00	32.00	51.00	8.00	* MSM-2700-M16-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
M16.0x2.00 (16 mm)	64.00	32.00	51.00	8.00	MSM-2700-M16-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
M16.0x2.00 (16 mm)	64.00	32.00	51.00	8.00	MSM-2700-M16-B Mounts - Leveling - Studded - Black Chromate - Swivel
Load Rating 2720 Kg					
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.94	MLM-2720-159C-L-S3 Mounts - Leveling - Studded - 303 Stainless
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.94	MLM-2720-159C-S3 Mounts - Leveling - Studded - 303 Stainless
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.94	MSM-2720-159C-L-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.94	MSM-2720-159C-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.94	MSM-2720-159C-L-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.94	* MSM-2720-159C-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.93	MLM-2720-159C-B Mounts - Leveling - Studded - Black Chromate



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 2720 Kg					
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.94	MSM-2720-159C-B Mounts - Leveling - Studded - Black Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.94	MSM-2720-159C-L-B Mounts - Leveling - Studded - Black Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.94	MSM-2720-159C-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.94	MSM-2720-159C-L-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.93	MLM-2720-159C-L-G Mounts - Leveling - Studded - Gold Chromate
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.93	MLM-2720-159C-G Mounts - Leveling - Studded - Gold Chromate
5/8-18 UNF (15.88 mm)	63.50	31.75	50.80	7.94	MSM-2720-159F-G Mounts - Leveling - Studded - Gold Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.94	MSM-2720-159C-L-G Mounts - Leveling - Studded - Gold Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.94	MSM-2720-159C-G Mounts - Leveling - Studded - Gold Chromate - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.94	MLM-2720-159C-L-NP Mounts - Leveling - Studded - Nickel Plated
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.94	MLM-2720-159C-NP Mounts - Leveling - Studded - Nickel Plated
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.94	MSM-2720-159C-L-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.94	MSM-2720-159C-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
5/8-11 UNC (15.88 mm)	63.50	31.75	50.80	7.93	* MSM-2720-159C-LH-B Mounts - Leveling - Studded - Swivel - With Lag Holes
5/8-11 UNC (15.88 mm)	63.50	31.75	101.60	7.93	* MSM-2720-159C-LH-A Mounts - Leveling - Studded - Swivel - With Lag Holes
M16.0x2.00 (16 mm)	64.00	32.00	51.00	8.00	MLM-2720-M16-S3 Mounts - Leveling - Studded - 303 Stainless
M16.0x2.00 (16 mm)	64.00	32.00	51.00	8.00	MSM-2720-M16-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
M16.0x2.00 (16 mm)	64.00	32.00	51.00	8.00	MLM-2720-M16-G Mounts - Leveling - Studded - Gold Chromate
M16.0x2.00 (16 mm)	64.00	32.00	51.00	8.00	MSM-2730-M16-G Mounts - Leveling - Studded - Gold Chromate - Swivel
M16.0x2.00 (16 mm)	64.00	32.00	51.00	8.00	MLM-2720-M16-NP Mounts - Leveling - Studded - Nickel Plated
Load Rating 3150 Kg					
3-410 UNC (19.1 mm)	101.60	34.93	141.22		MLM-3150-191C-N-1 Mounts - Leveling - Studded - Nylathane - Single Lag Hole
1-8 UNC (25.4 mm)	101.60	34.93	141.22		MLM-3150-254C-N-1 Mounts - Leveling - Studded - Nylathane - Single Lag Hole
Load Rating 3270 Kg					
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MLM-3270-191C-B Mounts - Leveling - Studded - Black Chromate
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MLM-3270-191C-G Mounts - Leveling - Studded - Gold Chromate
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MSM-3270-191C-LH-A Mounts - Leveling - Studded - Swivel - With Lag Holes
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MSM-3270-191C-LH-B Mounts - Leveling - Studded - Swivel - With Lag Holes
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MLM-3270-191C-L-S3 Mounts - Leveling - Studded - 303 Stainless
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MLM-3270-191C-S3 Mounts - Leveling - Studded - 303 Stainless



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 29 of 37

E&OE

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 3270 Kg					
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MSM-3270-191C-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MSM-3270-191C-L-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MSM-3270-191C-L-B Mounts - Leveling - Studded - Black Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MSM-3270-191C-B Mounts - Leveling - Studded - Black Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MSM-3270-191C-L-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MSM-3270-191C-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MLM-3270-191C-L-G Mounts - Leveling - Studded - Gold Chromate
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MSM-3270-191C-G Mounts - Leveling - Studded - Gold Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MSM-3270-191C-L-G Mounts - Leveling - Studded - Gold Chromate - Swivel
3/4-16 UNF (19.1 mm)	76.20	38.10	50.80	12.70	MSM-3270-191F-G Mounts - Leveling - Studded - Gold Chromate - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MLM-3270-191C-NP Mounts - Leveling - Studded - Nickel Plated
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MLM-3270-191C-L-NP Mounts - Leveling - Studded - Nickel Plated
M20.0x2.50 (20 mm)	76.00	38.00	51.00	13.00	MLM-3270-M20-S3 Mounts - Leveling - Studded - 303 Stainless
M20.0x2.50 (20 mm)	76.00	38.00	51.00	13.00	MSM-3270-M20-B Mounts - Leveling - Studded - Black Chromate - Swivel
M20.0x2.50 (20 mm)	76.00	38.00	51.00	13.00	MSM-3270-M20-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
M20.0x2.50 (20 mm)	76.00	38.00	51.00	13.00	MLM-3270-M20-G Mounts - Leveling - Studded - Gold Chromate
M20.0x2.50 (20 mm)	76.00	38.00	51.00	13.00	MSM-3270-M20-G Mounts - Leveling - Studded - Gold Chromate - Swivel
M20.0x2.50 (20 mm)	76.00	38.00	51.00	13.00	MLM-3270-M20-NP Mounts - Leveling - Studded - Nickel Plated
Load Rating 3350 Kg					
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	* MSM-3360-191C-L-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MSM-3360-191C-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	50.80	12.70	MSM-3360-191C-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
3/4-10 UNC (19.1 mm)	76.20	38.10	101.60	12.70	MSM-3360-191C-L-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
M20.0x2.50 (20 mm)	76.00	38.00	51.00	13.00	MSM-3350-M20-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
M20.0x2.50 (20 mm)	76.00	38.00	51.00	13.00	MSM-3350-M20-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
M20.0x2.50 (20 mm)	76.00	38.00	51.00	13.00	MSM-3350-M20-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
Load Rating 3400 Kg					
1/2-10 (12.7 mm)	47.63	28.58	50.80		MLM-3400-051-127A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
1/2-10 (12.7 mm)	47.63	28.58	101.60		MLM-3400-102-127A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
1/2-10 (12.7 mm)	47.63	28.58	50.80		MLM-3400-051-127A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 3400 Kg					
1/2-10 (12.7 mm)	47.63	28.58	101.60		MLM-3400-102-127A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
Load Rating 3629 Kg					
3/4-10 UNC (19.1 mm)	122.94	35.05	151.13		MLM-3629-191C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
3/4-10 UNC (19.1 mm)	122.94	35.05	151.13		MLM-3629-191C-NS3 Mounts - Leveling - Studded - Nylon - No Lag Holes
1-8 UNC (25.4 mm)	122.94	35.05	150.62		MLM-3629-254C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
1.1/4-7 UNC (31.75 mm)	122.94	35.05	150.62		* MLM-3629-318C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
Load Rating 4080 Kg					
5/8-8 (15.88 mm)	63.50	31.75	50.80		MLM-4080-051-159A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
5/8-8 (15.88 mm)	63.50	31.75	101.60		MLM-4080-102-159A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
5/8-8 (15.88 mm)	63.50	31.75	101.60		MLM-4080-102-159A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
5/8-8 (15.88 mm)	63.50	31.75	50.80		MLM-4080-051-159A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
Load Rating 4490 Kg					
3/4-10 UNC (19.1 mm)	122.94	17.02	129.00	60.96	MLM-4490-191C-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
3/4-10 UNC (19.1 mm)	122.94	17.02	90.68	60.96	MLM-4490-191C-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
3/4-10 UNC (19.1 mm)	122.94	17.02	125.20	65.28	MLM-4490-191C-L-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
3/4-10 UNC (19.1 mm)	122.94	17.02	129.00	60.96	MLM-4490-191C-L-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
3/4-10 UNC (19.1 mm)	122.94	17.02	125.20	65.28	MLM-4490-191C-L2-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1-8 UNC (25.4 mm)	122.94	14.48	180.34		MLM-4490-254C-L2-NS3-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
1-8 UNC (25.4 mm)	122.94	14.48	116.84		MLM-4490-254C-NC-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
1-8 UNC (25.4 mm)	122.94	14.48	231.14		MLM-4490-254C-L6-NC-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
1-8 UNC (25.4 mm)	122.94	14.48	180.34		MLM-4490-254C-L4-NC-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
1-8 UNC (25.4 mm)	122.94	17.02	194.00		MLM-4490-254C-NC Mounts - Leveling - Studded - Nylon - No Lag Holes
1-8 UNC (25.4 mm)	122.94	17.02	129.00	60.96	MLM-4490-254C-L2-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1-8 UNC (25.4 mm)	122.94	17.02	191.00	65.28	MLM-4490-254C-L5-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1-8 UNC (25.4 mm)	122.94	17.02	125.20	65.28	MLM-4490-254C-L-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1-8 UNC (25.4 mm)	122.94	17.02	129.00	60.96	MLM-4490-254C-L-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1-8 UNC (25.4 mm)	122.94	17.02	125.20	65.28	MLM-4490-254C-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
1.1/4-7 UNC (31.75 mm)	122.94	14.48	180.34		* MLM-4490-318-NC-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
1.1/4-7 UNC (31.75 mm)	122.94	14.48	231.14		MLM-4490-318C-L-NC-2 Mounts - Leveling - Studded - Nylon - Loc-A-Lign - With Lag Holes
1.1/4-7 UNC (31.75 mm)	122.94	17.02	125.20	65.28	* MLM-4490-318C-NC-2 Mounts - Leveling - Studded - Nylon - With Lag Holes



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 4490 Kg					
1.1/4-7 UNC (31.75 mm)	122.94	17.02	125.20	65.28	MLM-4490-318C-NS3-2 Mounts - Leveling - Studded - Nylon - With Lag Holes
Load Rating 5030 Kg					
3/4-6 (19.1 mm)	76.20	38.10	50.80		MLM-5030-052-191A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
3/4-6 (19.1 mm)	76.20	38.10	101.60		MLM-5030-102-191A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
3/4-6 (19.1 mm)	76.20	38.10	50.80		MLM-5030-052-191A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
3/4-6 (19.1 mm)	76.20	38.10	101.60		MLM-5030-102-191A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
Load Rating 6030 Kg					
1/2-13 UNC (12.7 mm)	109.98	11.94	101.60		MLM-6030-102B-127C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
1/2-13 UNC (12.7 mm)	89.92	11.94	101.60		MLM-6030-102-127C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
1/2-13 UNC (12.7 mm)	109.98	11.94	152.40		MLM-6030-152A-127C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
1/2-13 UNC (12.7 mm)	89.92	11.94	152.40		MLM-6030-152B-127C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
1/2-13 UNC (12.7 mm)	89.92	11.94	152.40		* MLM-6030-152B-127C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
1/2-13 UNC (12.7 mm)	109.98	11.94	152.40		MLM-6030-152A-127C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
1/2-13 UNC (12.7 mm)	109.98	11.94	101.60		MLM-6030-102A-127C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
1/2-13 UNC (12.7 mm)	89.92	11.94	101.60		MLM-6030-102-127C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
5/8-11 UNC (15.9 mm)	109.98	11.94	152.40		MLM-6030-152A-159C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
5/8-11 UNC (15.9 mm)	89.92	11.94	152.40		MLM-6030-152B-159C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
5/8-11 UNC (15.9 mm)	109.98	11.94	203.20		MLM-6030-203A-159C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
5/8-11 UNC (15.9 mm)	89.92	11.94	203.20		MLM-6030-203B-159C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
5/8-11 UNC (15.9 mm)	89.92	11.94	152.40		MLM-6030-152B-159C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
5/8-11 UNC (15.9 mm)	109.98	11.94	152.40		MLM-6030-152A-159C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
5/8-11 UNC (15.9 mm)	89.92	11.94	203.20		* MLM-6030-203-159C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
5/8-11 UNC (15.9 mm)	109.98	11.94	203.20		MLM-6030-203-159C-S4-L2 Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
3/4-10 UNC (19.1 mm)	109.98	11.94	203.20		MLM-6030-203A-191C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
3/4-10 UNC (19.1 mm)	109.98	11.94	152.40		MLM-6030-152A-191C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
3/4-10 UNC (19.1 mm)	89.92	11.94	203.20		MLM-6030-203B-191C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
3/4-10 UNC (19.1 mm)	89.92	11.94	152.40		MLM-6030-152B-191C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
3/4-10 UNC (19.1 mm)	89.92	11.94	152.40		MLM-6030-152B-191C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
3/4-10 UNC (19.1 mm)	89.92	11.94	203.20		MLM-6030-203B-191C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
3/4-10 UNC (19.1 mm)	109.98	11.94	203.20		MLM-6030-203A-191C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 6030 Kg					
3/4-10 UNC (19.1 mm)	109.98	11.94	152.40		MLM-6030-152A-191C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
7/8-9 UNC (22.2 mm)	109.98	11.94	203.20		MLM-6030-203A-222C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
7/8-9 UNC (22.2 mm)	109.98	11.94	152.40		MLM-6030-152A-222C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
7/8-9 UNC (22.2 mm)	89.92	11.94	152.40		MLM-6030-152B-222C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
7/8-9 UNC (22.2 mm)	89.92	11.94	203.20		MLM-6030-203B-222C-S4-H Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - High Swivel
7/8-9 UNC (22.2 mm)	109.98	11.94	152.40		MLM-6030-152A-222C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
7/8-9 UNC (22.2 mm)	89.92	11.94	152.40		MLM-6030-152B-222C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
7/8-9 UNC (22.2 mm)	109.98	11.94	203.20		* MLM-6030-203A-222C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
7/8-9 UNC (22.2 mm)	89.92	11.94	203.20		MLM-6030-203B-222C-S4-L Mounts - Leveling - Studded - Hygienic - Anchoring - Low Profile - Low Swivel
Load Rating 6800 Kg					
M24.0x3.00 (24 mm)	102.00	51.00	108.00	14.00	MSM-6800-M24-L-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
M24.0x3.00 (24 mm)	102.00	51.00	89.00	14.00	* MSM-6800-M24-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
M24.0x3.00 (24 mm)	102.00	51.00	108.00	14.00	* MSM-S6800-M24-L-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
M24.0x3.00 (24 mm)	102.00	51.00	89.00	14.00	MSM-S6800-M24-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
M24.0x3.00 (24 mm)	102.00	51.00	108.00	14.00	MSM-6800-M24-L-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
M24.0x3.00 (24 mm)	102.00	51.00	89.00	14.00	MSM-6800-M24-NP-R Mounts - Leveling - Studded - Nickel Plated - Swivel - Rubber Padded
1-8 UNC (25.4 mm)	101.60	50.80	203.20	13.49	MSM-S6800-254C-L-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
1-8 UNC (25.4 mm)	101.60	50.80	107.95	13.49	* MSM-S6800-254C-S6-R Mounts - Leveling - Studded - 316 Stainless - Swivel - Rubber Padded
Load Rating 7440 Kg					
1-8 UNC (25.4 mm)	101.60	47.63	107.95	27.76	MSM-7440-254C-S3-A Mounts - Leveling - Studded - 303 Stainless - Swivel - Acetal Base
1-8 UNC (25.4 mm)	101.60	50.80	107.95	13.49	MSM-7440-254C-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
1-8 UNC (25.4 mm)	101.60	50.80	203.20	13.49	MSM-7440-254C-L-S3-R Mounts - Leveling - Studded - 303 Stainless - Swivel - Rubber Padded
1-8 UNC (25.4 mm)	101.60	50.80	107.95	13.49	MSM-7440-254C-L-B-R Mounts - Leveling - Studded - Black Chromate - Swivel - Rubber Padded
1-8 UNC (25.4 mm)	101.60	50.80	107.95	13.49	MSM-7440-254C-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
1-8 UNC (25.4 mm)	101.60	50.80	203.20	13.49	MSM-7440-254C-L-G-R Mounts - Leveling - Studded - Gold Chromate - Swivel - Rubber Padded
Load Rating 7660 Kg					
1-8 UNC (25.4 mm)	101.60	50.80	203.20	30.94	MSM-7660-254C-CC-R Mounts - Leveling - Studded - Clear Chromate - Swivel - Rubber Padded
Load Rating 9000 Kg					
M24.0x3.00 (24 mm)	102.00	48.00	108.00	10.00	* MSM-9000-M24-L-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
M24.0x3.00 (24 mm)	102.00	48.00	89.00	10.00	* MSM-9000-M24-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
M24.0x3.00 (24 mm)	102.00	48.00	108.00	10.00	MSM-9000-M24-L-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 9000 Kg					
M24.0x3.00 (24 mm)	102.00	48.00	89.00	10.00	* MSM-9000-M24-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
M24.0x3.00 (24 mm)	102.00	48.00	108.00	10.00	MSM-9000-M24-L-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
M24.0x3.00 (24 mm)	102.00	48.00	89.00	10.00	MSM-9000-M24-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
Load Rating 9070 Kg					
1-8 UNC (25.4 mm)	101.60	47.63	203.20	10.32	* MSM-9070-254C-L-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	107.95	10.32	MSM-9070-254C-S6 Mounts - Leveling - Studded - 316 Stainless - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	107.95	10.32	MSM-9070-254C-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	203.20	10.32	MSM-9070-254C-L-NP Mounts - Leveling - Studded - Nickel Plated - Swivel
Load Rating 9980 Kg					
M24.0x3.00 (24 mm)	102.00	48.00	108.00	10.00	MLM-9980-M24-S3 Mounts - Leveling - Studded - 303 Stainless
M24.0x3.00 (24 mm)	102.00	48.00	108.00	10.00	MLM-9980-M24-G Mounts - Leveling - Studded - Gold Chromate
M24.0x3.00 (24 mm)	102.00	48.00	108.00	10.00	MLM-9980-M24-NP Mounts - Leveling - Studded - Nickel Plated
1-8 UNC (25.4 mm)	101.60	47.63	203.20	10.32	MLM-9980-254C-L-S3 Mounts - Leveling - Studded - 303 Stainless
1-8 UNC (25.4 mm)	101.60	47.63	107.95	10.32	MLM-9980-254C-S3 Mounts - Leveling - Studded - 303 Stainless
1-8 UNC (25.4 mm)	101.60	47.63	107.95	10.32	MSM-9980-254C-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	203.20	10.32	MSM-9980-254C-L-S3 Mounts - Leveling - Studded - 303 Stainless - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	107.95	27.76	MLM-9980-254C-B Mounts - Leveling - Studded - Black Chromate
1-8 UNC (25.4 mm)	101.60	47.63	107.95	10.32	MSM-9980-254C-B Mounts - Leveling - Studded - Black Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	203.20	10.32	MSM-9980-254C-L-B Mounts - Leveling - Studded - Black Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	203.20	10.32	MSM-9980-254C-L-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	107.95	10.32	MSM-9980-254C-CC Mounts - Leveling - Studded - Clear Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	107.95	10.32	MLM-9980-254C-G Mounts - Leveling - Studded - Gold Chromate
1-8 UNC (25.4 mm)	101.60	47.63	203.20	10.32	MLM-9980-254C-L-G Mounts - Leveling - Studded - Gold Chromate
1-8 UNC (25.4 mm)	101.60	47.63	107.95	10.32	MSM-9980-254C-G Mounts - Leveling - Studded - Gold Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	203.20	10.32	MSM-9980-254C-L-G Mounts - Leveling - Studded - Gold Chromate - Swivel
1-12 UNF (25.4 mm)	101.60	47.63	107.95	10.32	MSM-9980-254F-G Mounts - Leveling - Studded - Gold Chromate - Swivel
1-8 UNC (25.4 mm)	101.60	47.63	107.95	10.32	MLM-9980-254C-NP Mounts - Leveling - Studded - Nickel Plated
1-8 UNC (25.4 mm)	101.60	47.63	203.20	10.32	MLM-9980-254C-L-NP Mounts - Leveling - Studded - Nickel Plated
1-8 UNC (25.4 mm)	101.60	47.63	114.30	27.76	* MSM-9980-254C-LH-A Mounts - Leveling - Studded - Swivel - With Lag Holes

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 34 of 37

E&OE

Studded Type

Thread Size (A)	Base Diameter (D) mm (in.)	Foot Height (C) mm (in.)	Thread Length (F) mm	Base Height (E) mm	Part Number
Load Rating 13610 Kg					
1-5 (25.4 mm)	101.60	47.62	203.20		* MLM-13610-203-254A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
1-5 (25.4 mm)	101.60	47.62	152.40		MLM-13610-152-254A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
1-5 (25.4 mm)	101.60	47.62	88.90		MLM-13610-089-254A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
1-5 (25.4 mm)	101.60	47.62	107.95		MLM-13610-108-254A-G Mounts - Leveling - Studded - Acme Thread - Gold Chromate
1-5 (25.4 mm)	101.60	47.62	107.95		MLM-13610-108-254A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
1-5 (25.4 mm)	101.60	47.62	203.20		* MLM-13610-203-254A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
1-5 (25.4 mm)	101.60	47.62	152.40		MLM-13610-152-254A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless
1-5 (25.4 mm)	101.60	47.62	88.90		MLM-13610-089-254A-S3 Mounts - Leveling - Studded - Acme Thread - Stainless



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

NOTES

- Use the brief category description shown below each part number for a summary of the type, but more details will be shown online by typing the part number into the search box on any web page.
- The diagram online will be applicable to the part number selected. The diagrams at the front of this catalogue are for basic reference only.



Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

Leveling Mounts