



# MBA

# 2022.1

## Poly Vee Belts and Pulleys

Longitudinally ribbed belts and pulleys



### INDEX

Poly Vee Belts	3-8
Poly Vee Pulleys	
- QD Bushing Type	9
- Through Bore	10
QD Bushings	11-21

Poly Vee belts have multiple longitudinal ribs. The grooves run along the length of the belt, as distinct from timing belts where the grooves run from edge to edge. They transmit high torque from a compact design.

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

Poly Vee Belt Cross  
Section



QD  
Bushes

**Note! QD bushes are not interchangeable  
with Taperlock bushes**



10 Groove  
Poly Vee Pulley



Poly Vee Pulleys  
Selection



# Poly Vee Belts

Pitch Length mm (in.)	Ribs	Section	Part Number
<b>203.2 mm Pitch Length</b>			
203.20 (8.00")	6	J	BPV-J-06-0203
203.20 (8.00")	10	J	BPV-J-10-0203
203.20 (8.00")	16	J	BPV-J-16-0203
<b>215.9 mm Pitch Length</b>			
215.90 (8.50")	6	J	BPV-J-06-0216
215.90 (8.50")	10	J	BPV-J-10-0216
215.90 (8.50")	16	J	BPV-J-16-0216
<b>228.6 mm Pitch Length</b>			
228.60 (9.00")	6	J	BPV-J-06-0229
228.60 (9.00")	10	J	BPV-J-10-0229
228.60 (9.00")	16	J	BPV-J-16-0229
<b>241.3 mm Pitch Length</b>			
241.30 (9.50")	6	J	BPV-J-06-0241
241.30 (9.50")	10	J	BPV-J-10-0241
241.30 (9.50")	16	J	BPV-J-16-0241
<b>254.0 mm Pitch Length</b>			
254.00 (10.00")	6	J	BPV-J-06-0254
254.00 (10.00")	10	J	BPV-J-10-0254
254.00 (10.00")	16	J	BPV-J-16-0254
<b>266.7 mm Pitch Length</b>			
266.70 (10.50")	6	J	BPV-J-06-0267
266.70 (10.50")	10	J	BPV-J-10-0267
266.70 (10.50")	16	J	BPV-J-16-0267
<b>279.4 mm Pitch Length</b>			
279.40 (11.00")	6	J	BPV-J-06-0279
279.40 (11.00")	10	J	BPV-J-10-0279
279.40 (11.00")	16	J	BPV-J-16-0279
<b>304.8 mm Pitch Length</b>			
304.80 (12.00")	6	J	BPV-J-06-0305
304.80 (12.00")	10	J	BPV-J-10-0305
304.80 (12.00")	16	J	BPV-J-16-0305
<b>330.2 mm Pitch Length</b>			
330.20 (13.00")	6	J	BPV-J-06-0330
330.20 (13.00")	10	J	BPV-J-10-0330
330.20 (13.00")	16	J	BPV-J-16-0330
<b>355.6 mm Pitch Length</b>			
355.60 (14.00")	6	J	BPV-J-06-0356
355.60 (14.00")	10	J	BPV-J-10-0356
355.60 (14.00")	16	J	BPV-J-16-0356
<b>381.0 mm Pitch Length</b>			
381.00 (15.00")	6	J	BPV-J-06-0381
381.00 (15.00")	10	J	BPV-J-10-0381
381.00 (15.00")	16	J	BPV-J-16-0381
<b>406.4 mm Pitch Length</b>			
406.40 (16.00")	6	J	BPV-J-06-0406
406.40 (16.00")	10	J	BPV-J-10-0406
406.40 (16.00")	16	J	BPV-J-16-0406
<b>431.8 mm Pitch Length</b>			
431.80 (17.00")	6	J	BPV-J-06-0432
431.80 (17.00")	10	J	BPV-J-10-0432
431.80 (17.00")	16	J	BPV-J-16-0432
<b>457.2 mm Pitch Length</b>			
457.20 (18.00")	6	J	BPV-J-06-0457
457.20 (18.00")	10	J	BPV-J-10-0457
457.20 (18.00")	16	J	BPV-J-16-0457

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 3 of 24

E&OE

# Poly Vee Belts

Pitch Length mm (in.)	Ribs	Section	Part Number
<b>482.6 mm Pitch Length</b>			
482.60 (19.00")	6	J	BPV-J-06-0483
482.60 (19.00")	10	J	BPV-J-10-0483
482.60 (19.00")	16	J	BPV-J-16-0483
<b>508.0 mm Pitch Length</b>			
508.00 (20.00")	6	J	BPV-J-06-0508
508.00 (20.00")	10	J	BPV-J-10-0508
508.00 (20.00")	16	J	BPV-J-16-0508
<b>533.4 mm Pitch Length</b>			
533.40 (21.00")	6	J	BPV-J-06-0533
533.40 (21.00")	10	J	BPV-J-10-0533
533.40 (21.00")	16	J	BPV-J-16-0533
<b>558.8 mm Pitch Length</b>			
558.80 (22.00")	6	J	BPV-J-06-0559
558.80 (22.00")	10	J	BPV-J-10-0559
558.80 (22.00")	16	J	BPV-J-16-0559
<b>584.2 mm Pitch Length</b>			
584.20 (23.00")	6	J	BPV-J-06-0584
584.20 (23.00")	10	J	BPV-J-10-0584
584.20 (23.00")	16	J	BPV-J-16-0584
<b>609.6 mm Pitch Length</b>			
609.60 (24.00")	6	J	BPV-J-06-0610
609.60 (24.00")	10	J	BPV-J-10-0610
609.60 (24.00")	16	J	BPV-J-16-0610
<b>660.4 mm Pitch Length</b>			
660.40 (26.00")	6	J	BPV-J-06-0660
660.40 (26.00")	10	J	BPV-J-10-0660
660.40 (26.00")	16	J	BPV-J-16-0660
<b>685.8 mm Pitch Length</b>			
685.80 (27.00")	6	J	BPV-J-06-0686
685.80 (27.00")	10	J	BPV-J-10-0686
685.80 (27.00")	16	J	BPV-J-16-0686
<b>711.2 mm Pitch Length</b>			
711.20 (28.00")	6	J	BPV-J-06-0711
711.20 (28.00")	10	J	BPV-J-10-0711
711.20 (28.00")	16	J	BPV-J-16-0711
<b>723.9 mm Pitch Length</b>			
723.90 (28.50")	6	J	BPV-J-06-0724
723.90 (28.50")	10	J	BPV-J-10-0724
723.90 (28.50")	16	J	BPV-J-16-0724
<b>736.6 mm Pitch Length</b>			
736.60 (29.00")	6	J	BPV-J-06-0737
736.60 (29.00")	10	J	BPV-J-10-0737
736.60 (29.00")	16	J	BPV-J-16-0737
<b>762.0 mm Pitch Length</b>			
762.00 (30.00")	6	J	BPV-J-06-0762
762.00 (30.00")	10	J	BPV-J-10-0762
762.00 (30.00")	16	J	BPV-J-16-0762
<b>787.4 mm Pitch Length</b>			
787.40 (31.00")	6	J	BPV-J-06-0787
787.40 (31.00")	10	J	BPV-J-10-0787
787.40 (31.00")	16	J	BPV-J-16-0787
<b>812.8 mm Pitch Length</b>			
812.80 (32.00")	6	J	BPV-J-06-0813
812.80 (32.00")	10	J	BPV-J-10-0813
812.80 (32.00")	16	J	BPV-J-16-0813

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 4 of 24

E&OE

# Poly Vee Belts

Pitch Length mm (in.)	Ribs	Section	Part Number
<b>838.2 mm Pitch Length</b>			
838.20 (33.00")	6	J	BPV-J-06-0838
838.20 (33.00")	10	J	BPV-J-10-0838
838.20 (33.00")	16	J	BPV-J-16-0838
<b>863.6 mm Pitch Length</b>			
863.60 (34.00")	6	J	BPV-J-06-0864
863.60 (34.00")	10	J	BPV-J-10-0864
863.60 (34.00")	16	J	BPV-J-16-0864
<b>889.0 mm Pitch Length</b>			
889.00 (35.00")	6	J	BPV-J-06-0889
889.00 (35.00")	10	J	BPV-J-10-0889
889.00 (35.00")	16	J	BPV-J-16-0889
<b>914.4 mm Pitch Length</b>			
914.40 (36.00")	6	J	BPV-J-06-0914
914.40 (36.00")	10	J	BPV-J-10-0914
914.40 (36.00")	16	J	BPV-J-16-0914
<b>939.8 mm Pitch Length</b>			
939.80 (37.00")	6	J	BPV-J-06-0940
939.80 (37.00")	10	J	BPV-J-10-0940
939.80 (37.00")	16	J	BPV-J-16-0940
<b>952.5 mm Pitch Length</b>			
952.50 (37.50")	6	J	BPV-J-06-0953
952.50 (37.50")	10	J	BPV-J-10-0953
952.50 (37.50")	16	J	BPV-J-16-0953
<b>965.2 mm Pitch Length</b>			
965.20 (38.00")	6	J	BPV-J-06-0965
965.20 (38.00")	10	J	BPV-J-10-0965
965.20 (38.00")	16	J	BPV-J-16-0965
<b>990.6 mm Pitch Length</b>			
990.60 (39.00")	6	J	BPV-J-06-0991
990.60 (39.00")	10	J	BPV-J-10-0991
990.60 (39.00")	16	J	BPV-J-16-0991
<b>1016.0 mm Pitch Length</b>			
1016.00 (40.00")	6	J	BPV-J-06-1016
1016.00 (40.00")	10	J	BPV-J-10-1016
1016.00 (40.00")	16	J	BPV-J-16-1016
<b>1041.4 mm Pitch Length</b>			
1041.40 (41.00")	6	J	BPV-J-06-1041
1041.40 (41.00")	10	J	BPV-J-10-1041
1041.40 (41.00")	16	J	BPV-J-16-1041
<b>1054.1 mm Pitch Length</b>			
1054.10 (41.50")	6	J	BPV-J-06-1054
1054.10 (41.50")	10	J	BPV-J-10-1054
1054.10 (41.50")	16	J	BPV-J-16-1054
<b>1066.8 mm Pitch Length</b>			
1066.80 (42.00")	6	J	BPV-J-06-1067
1066.80 (42.00")	10	J	BPV-J-10-1067
1066.80 (42.00")	16	J	BPV-J-16-1067
<b>1092.2 mm Pitch Length</b>			
1092.20 (43.00")	6	J	BPV-J-06-1092
1092.20 (43.00")	10	J	BPV-J-10-1092
1092.20 (43.00")	16	J	BPV-J-16-1092
<b>1104.9 mm Pitch Length</b>			
1104.90 (43.50")	6	J	BPV-J-06-1105
1104.90 (43.50")	10	J	BPV-J-10-1105
1104.90 (43.50")	16	J	BPV-J-16-1105

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 5 of 24

E&OE

# Poly Vee Belts

Pitch Length mm (in.)	Ribs	Section	Part Number
<b>1117.6 mm Pitch Length</b>			
1117.60 (44.00")	6	J	BPV-J-06-1118
1117.60 (44.00")	10	J	BPV-J-10-1118
1117.60 (44.00")	16	J	BPV-J-16-1118
<b>1130.3 mm Pitch Length</b>			
1130.30 (44.50")	6	J	BPV-J-06-1130
1130.30 (44.50")	10	J	BPV-J-10-1130
1130.30 (44.50")	16	J	BPV-J-16-1130
<b>1143.0 mm Pitch Length</b>			
1143.00 (45.00")	6	J	BPV-J-06-1143
1143.00 (45.00")	10	J	BPV-J-10-1143
1143.00 (45.00")	16	J	BPV-J-16-1143
<b>1168.4 mm Pitch Length</b>			
1168.40 (46.00")	6	J	BPV-J-06-1168
1168.40 (46.00")	10	J	BPV-J-10-1168
1168.40 (46.00")	16	J	BPV-J-16-1168
<b>1193.8 mm Pitch Length</b>			
1193.80 (47.00")	6	J	BPV-J-06-1194
1193.80 (47.00")	10	J	BPV-J-10-1194
1193.80 (47.00")	16	J	BPV-J-16-1194
<b>1219.2 mm Pitch Length</b>			
1219.20 (48.00")	6	J	BPV-J-06-1219
1219.20 (48.00")	10	J	BPV-J-10-1219
1219.20 (48.00")	16	J	BPV-J-16-1219
<b>1244.6 mm Pitch Length</b>			
1244.60 (49.00")	6	J	BPV-J-06-1245
1244.60 (49.00")	10	J	BPV-J-10-1245
1244.60 (49.00")	16	J	BPV-J-16-1245
<b>1270.0 mm Pitch Length</b>			
1270.00 (50.00")	6	J	BPV-J-06-1270
1270.00 (50.00")	10	J	BPV-J-10-1270
1270.00 (50.00")	16	J	BPV-J-16-1270
<b>1282.7 mm Pitch Length</b>			
1282.70 (50.50")	6	J	BPV-J-06-1283
1282.70 (50.50")	10	J	BPV-J-10-1283
1282.70 (50.50")	16	J	BPV-J-16-1283
<b>1295.4 mm Pitch Length</b>			
1295.40 (51.00")	6	J	BPV-J-06-1295
1295.40 (51.00")	10	J	BPV-J-10-1295
1295.40 (51.00")	16	J	BPV-J-16-1295
<b>1320.8 mm Pitch Length</b>			
1320.80 (52.00")	6	J	BPV-J-06-1321
1320.80 (52.00")	10	J	BPV-J-10-1321
1320.80 (52.00")	16	J	BPV-J-16-1321
<b>1346.2 mm Pitch Length</b>			
1346.20 (53.00")	6	J	BPV-J-06-1346
1346.20 (53.00")	10	J	BPV-J-10-1346
1346.20 (53.00")	16	J	BPV-J-16-1346
<b>1371.6 mm Pitch Length</b>			
1371.60 (54.00")	6	J	BPV-J-06-1372
1371.60 (54.00")	10	J	BPV-J-10-1372
1371.60 (54.00")	16	J	BPV-J-16-1372
<b>1397.0 mm Pitch Length</b>			
1397.00 (55.00")	6	J	BPV-J-06-1397
1397.00 (55.00")	10	J	BPV-J-10-1397
1397.00 (55.00")	16	J	BPV-J-16-1397

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 6 of 24

E&OE

# Poly Vee Belts

Pitch Length mm (in.)	Ribs	Section	Part Number
<b>1422.4 mm Pitch Length</b>			
1422.40 (56.00")	6	J	BPV-J-06-1422
1422.40 (56.00")	10	J	BPV-J-10-1422
1422.40 (56.00")	16	J	BPV-J-16-1422
<b>1460.5 mm Pitch Length</b>			
1460.50 (57.50")	6	J	BPV-J-06-1461
1460.50 (57.50")	10	J	BPV-J-10-1461
1460.50 (57.50")	16	J	BPV-J-16-1461
<b>1473.2 mm Pitch Length</b>			
1473.20 (58.00")	6	J	BPV-J-06-1473
1473.20 (58.00")	10	J	BPV-J-10-1473
1473.20 (58.00")	16	J	BPV-J-16-1473
<b>1549.4 mm Pitch Length</b>			
1549.40 (61.00")	6	J	BPV-J-06-1549
1549.40 (61.00")	10	J	BPV-J-10-1549
1549.40 (61.00")	16	J	BPV-J-16-1549
<b>1587.5 mm Pitch Length</b>			
1587.50 (62.50")	6	J	BPV-J-06-1588
1587.50 (62.50")	10	J	BPV-J-10-1588
1587.50 (62.50")	16	J	BPV-J-16-1588
<b>1600.2 mm Pitch Length</b>			
1600.20 (63.00")	6	J	BPV-J-06-1600
1600.20 (63.00")	10	J	BPV-J-10-1600
1600.20 (63.00")	16	J	BPV-J-16-1600
<b>1625.6 mm Pitch Length</b>			
1625.60 (64.00")	6	J	BPV-J-06-1626
1625.60 (64.00")	10	J	BPV-J-10-1626
1625.60 (64.00")	16	J	BPV-J-16-1626
<b>1651.0 mm Pitch Length</b>			
1651.00 (65.00")	6	J	BPV-J-06-1651
1651.00 (65.00")	10	J	BPV-J-10-1651
1651.00 (65.00")	16	J	BPV-J-16-1651
<b>1663.7 mm Pitch Length</b>			
1663.70 (65.50")	6	J	BPV-J-06-1664
1663.70 (65.50")	10	J	BPV-J-10-1664
1663.70 (65.50")	16	J	BPV-J-16-1664
<b>1701.8 mm Pitch Length</b>			
1701.80 (67.00")	6	J	BPV-J-06-1702
1701.80 (67.00")	10	J	BPV-J-10-1702
1701.80 (67.00")	16	J	BPV-J-16-1702
<b>1752.6 mm Pitch Length</b>			
1752.60 (69.00")	6	J	BPV-J-06-1753
1752.60 (69.00")	10	J	BPV-J-10-1753
1752.60 (69.00")	16	J	BPV-J-16-1753
<b>1778.0 mm Pitch Length</b>			
1778.00 (70.00")	6	J	BPV-J-06-1778
1778.00 (70.00")	10	J	BPV-J-10-1778
1778.00 (70.00")	16	J	BPV-J-16-1778
<b>1854.2 mm Pitch Length</b>			
1854.20 (73.00")	6	J	BPV-J-06-1854
1854.20 (73.00")	10	J	BPV-J-10-1854
1854.20 (73.00")	16	J	BPV-J-16-1854
<b>1905.0 mm Pitch Length</b>			
1905.00 (75.00")	6	J	BPV-J-06-1905
1905.00 (75.00")	10	J	BPV-J-10-1905
1905.00 (75.00")	16	J	BPV-J-16-1905

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 7 of 24

E&OE

# Poly Vee Belts

Pitch Length mm (in.)	Ribs	Section	Part Number
<b>1930.4 mm Pitch Length</b>			
1930.40 (76.00")	6	J	BPV-J-06-1930
1930.40 (76.00")	10	J	BPV-J-10-1930
1930.40 (76.00")	16	J	BPV-J-16-1930
<b>1955.8 mm Pitch Length</b>			
1955.80 (77.00")	6	J	BPV-J-06-1956
1955.80 (77.00")	10	J	BPV-J-10-1956
1955.80 (77.00")	16	J	BPV-J-16-1956
<b>1968.5 mm Pitch Length</b>			
1968.50 (77.50")	6	J	BPV-J-06-1969
1968.50 (77.50")	10	J	BPV-J-10-1969
1968.50 (77.50")	16	J	BPV-J-16-1969
<b>1981.2 mm Pitch Length</b>			
1981.20 (78.00")	6	J	BPV-J-06-1981
1981.20 (78.00")	10	J	BPV-J-10-1981
1981.20 (78.00")	16	J	BPV-J-16-1981
<b>1993.9 mm Pitch Length</b>			
1993.90 (78.50")	6	J	BPV-J-06-1994
1993.90 (78.50")	10	J	BPV-J-10-1994
1993.90 (78.50")	16	J	BPV-J-16-1994
<b>2019.3 mm Pitch Length</b>			
2019.30 (79.50")	6	J	BPV-J-06-2019
2019.30 (79.50")	10	J	BPV-J-10-2019
2019.30 (79.50")	16	J	BPV-J-16-2019
<b>2082.8 mm Pitch Length</b>			
2082.80 (82.00")	6	J	BPV-J-06-2083
2082.80 (82.00")	10	J	BPV-J-10-2083
2082.80 (82.00")	16	J	BPV-J-16-2083
<b>2209.8 mm Pitch Length</b>			
2209.80 (87.00")	6	J	BPV-J-06-2210
2209.80 (87.00")	10	J	BPV-J-10-2210
2209.80 (87.00")	16	J	BPV-J-16-2210
<b>2286.0 mm Pitch Length</b>			
2286.00 (90.00")	6	J	BPV-J-06-2286
2286.00 (90.00")	10	J	BPV-J-10-2286
2286.00 (90.00")	16	J	BPV-J-16-2286
<b>2336.8 mm Pitch Length</b>			
2336.80 (92.00")	6	J	BPV-J-06-2337
2336.80 (92.00")	10	J	BPV-J-10-2337
2336.80 (92.00")	16	J	BPV-J-16-2337
<b>2489.2 mm Pitch Length</b>			
2489.20 (98.00")	6	J	BPV-J-06-2489
2489.20 (98.00")	10	J	BPV-J-10-2489
2489.20 (98.00")	16	J	BPV-J-16-2489

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts



# Poly Vee Pulleys - Suit QD Bushes

Outside Diameter (OD) mm (in.)	QD Bush	Grooves	Pitch Diameter (PD) mm (in.)	Part Number
<b>50.8 mm Outside Diameter (OD)</b>				
50.80 (2.00")	JA	6	51.56 (2.03")	PPV-J-051-QJA
<b>53.8 mm Outside Diameter (OD)</b>				
53.85 (2.12")	JA	6	54.61 (2.15")	PPV-J-054-QJA
<b>56.9 mm Outside Diameter (OD)</b>				
56.90 (2.24")	JA	6	57.66 (2.27")	PPV-J-057-QJA
<b>59.9 mm Outside Diameter (OD)</b>				
59.94 (2.36")	JA	6	60.71 (2.39")	PPV-J-100-QJA
<b>63.5 mm Outside Diameter (OD)</b>				
63.50 (2.50")	JA	6	64.26 (2.53")	PPV-J-104-QJA
<b>67.3 mm Outside Diameter (OD)</b>				
67.31 (2.65")	JA	6	68.07 (2.68")	PPV-J-107-QJA
<b>71.1 mm Outside Diameter (OD)</b>				
71.12 (2.80")	JA	6	71.88 (2.83")	PPV-J-071-QJA
<b>76.2 mm Outside Diameter (OD)</b>				
76.20 (3.00")	JA	6	76.96 (3.03")	PPV-J-076-QJA
76.20 (3.00")	SH	16	76.96 (3.03")	PPV-J-076-QSH
<b>80.0 mm Outside Diameter (OD)</b>				
80.01 (3.15")	JA	6	80.77 (3.18")	PPV-J-080-QJA
80.01 (3.15")	SH	16	80.77 (3.18")	PPV-J-080-QSH
<b>85.1 mm Outside Diameter (OD)</b>				
85.09 (3.35")	JA	6	85.85 (3.38")	PPV-J-085-QJA
85.09 (3.35")	SH	10	85.85 (3.38")	PPV-J-085-QSH
<b>114.3 mm Outside Diameter (OD)</b>				
114.30 (4.50")	SH	6	115.06 (4.53")	PPV-J-114-QSH
<b>152.4 mm Outside Diameter (OD)</b>				
152.40 (6.00")	SH	6	153.16 (6.03")	PPV-J-152-QSH

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 9 of 24

E&OE

# Poly Vee Pulleys - Through Bore

Outside Diameter (OD) mm (in.)	Bore mm (in.)	Grooves	Pitch Diameter (PD) mm (in.)	Part Number
<b>38.1 mm Outside Diameter (OD)</b>				
38.10 (1.50")	12.700 (0.50")	6	38.86 (1.53")	<b>PPV-J-038-06-0127</b>
38.10 (1.50")	12.700 (0.50")	10	38.86 (1.53")	PPV-J-038-10-0127
38.10 (1.50")	12.700 (0.50")	16	38.86 (1.53")	PPV-J-038-16-0127
38.10 (1.50")	15.875 (0.63")	6	38.86 (1.53")	<b>PPV-J-038-06-0159</b>
38.10 (1.50")	15.875 (0.63")	10	38.86 (1.53")	PPV-J-038-10-0159
38.10 (1.50")	15.875 (0.63")	16	38.86 (1.53")	PPV-J-038-16-0159
38.10 (1.50")	19.050 (0.75")	6	38.86 (1.53")	<b>PPV-J-038-06-0191</b>
38.10 (1.50")	19.050 (0.75")	10	38.86 (1.53")	PPV-J-038-10-0191
38.10 (1.50")	19.050 (0.75")	16	38.86 (1.53")	PPV-J-038-16-0191
<b>40.6 mm Outside Diameter (OD)</b>				
40.64 (1.60")	12.700 (0.50")	6	41.40 (1.63")	<b>PPV-J-041-06-0127</b>
40.64 (1.60")	12.700 (0.50")	10	41.40 (1.63")	PPV-J-041-10-0127
40.64 (1.60")	12.700 (0.50")	16	41.40 (1.63")	PPV-J-041-16-0127
40.64 (1.60")	15.875 (0.63")	6	41.40 (1.63")	<b>PPV-J-041-06-0159</b>
40.64 (1.60")	15.875 (0.63")	10	41.40 (1.63")	PPV-J-041-10-0159
40.64 (1.60")	15.875 (0.63")	16	41.40 (1.63")	PPV-J-041-16-0159
40.64 (1.60")	19.050 (0.75")	6	41.40 (1.63")	<b>PPV-J-041-06-0191</b>
40.64 (1.60")	19.050 (0.75")	10	41.40 (1.63")	PPV-J-041-10-0191
40.64 (1.60")	19.050 (0.75")	16	41.40 (1.63")	PPV-J-041-16-0191
<b>43.2 mm Outside Diameter (OD)</b>				
43.18 (1.70")	12.700 (0.50")	6	43.94 (1.73")	<b>PPV-J-043-06-0127</b>
43.18 (1.70")	12.700 (0.50")	10	43.94 (1.73")	PPV-J-043-10-0127
43.18 (1.70")	12.700 (0.50")	16	43.94 (1.73")	PPV-J-043-16-0127
<b>45.7 mm Outside Diameter (OD)</b>				
45.72 (1.80")	12.700 (0.50")	6	46.48 (1.83")	<b>PPV-J-046-06-0127</b>
45.72 (1.80")	12.700 (0.50")	10	46.48 (1.83")	PPV-J-046-10-0127
45.72 (1.80")	12.700 (0.50")	16	46.48 (1.83")	PPV-J-046-16-0127
45.72 (1.80")	15.875 (0.63")	6	46.48 (1.83")	<b>PPV-J-046-06-0159</b>
45.72 (1.80")	15.875 (0.63")	10	46.48 (1.83")	PPV-J-046-10-0159
45.72 (1.80")	15.875 (0.63")	16	46.48 (1.83")	PPV-J-046-16-0159
45.72 (1.80")	19.050 (0.75")	6	46.48 (1.83")	<b>PPV-J-046-06-0191</b>
45.72 (1.80")	19.050 (0.75")	10	46.48 (1.83")	PPV-J-046-10-0191
45.72 (1.80")	19.050 (0.75")	16	46.48 (1.83")	PPV-J-046-16-0191
<b>48.3 mm Outside Diameter (OD)</b>				
48.26 (1.90")	12.700 (0.50")	6	49.02 (1.93")	<b>PPV-J-048-06-0127</b>
48.26 (1.90")	12.700 (0.50")	10	49.02 (1.93")	PPV-J-048-10-0127
48.26 (1.90")	12.700 (0.50")	16	49.02 (1.93")	PPV-J-048-16-0127
48.26 (1.90")	15.875 (0.63")	6	49.02 (1.93")	<b>PPV-J-048-06-0159</b>
48.26 (1.90")	15.875 (0.63")	10	49.02 (1.93")	PPV-J-048-10-0159
48.26 (1.90")	15.875 (0.63")	16	49.02 (1.93")	PPV-J-048-16-0159
48.26 (1.90")	22.225 (0.88")	6	49.02 (1.93")	<b>PPV-J-048-06-0222</b>
48.26 (1.90")	22.225 (0.88")	10	49.02 (1.93")	PPV-J-048-10-0222
48.26 (1.90")	22.225 (0.88")	16	49.02 (1.93")	PPV-J-048-16-0222

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>12.0 mm Bore</b>				
12.000 (0.47")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0120
<b>12.7 mm Bore</b>				
12.700 (0.50")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0127
12.700 (0.50")	L	63.50 (2.50")	50.80 (2.00")	** QD-L-0127
12.700 (0.50")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0127
12.700 (0.50")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0127
12.700 (0.50")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0127
12.700 (0.50")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0127
12.700 (0.50")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0127
<b>14.3 mm Bore</b>				
14.288 (0.56")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0143
14.288 (0.56")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0143
14.288 (0.56")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0143
14.288 (0.56")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0143
14.288 (0.56")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0143
14.288 (0.56")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0143
<b>15.0 mm Bore</b>				
15.000 (0.59")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0150
<b>15.9 mm Bore</b>				
15.875 (0.63")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0159
15.875 (0.63")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0159
15.875 (0.63")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0159
15.875 (0.63")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0159
15.875 (0.63")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0159
15.875 (0.63")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0159
<b>16.0 mm Bore</b>				
16.000 (0.63")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0160
<b>17.5 mm Bore</b>				
17.463 (0.69")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0175
17.463 (0.69")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0175
17.463 (0.69")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0175
17.463 (0.69")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0175
17.463 (0.69")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0175
17.463 (0.69")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0175
<b>19.0 mm Bore</b>				
19.000 (0.75")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0190
<b>19.1 mm Bore</b>				
19.050 (0.75")	L	41.28 (1.63")	63.50 (2.50")	** QD-L-0191
19.050 (0.75")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0191
19.050 (0.75")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0191
19.050 (0.75")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0191
19.050 (0.75")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0191
19.050 (0.75")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0191
19.050 (0.75")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0191
<b>20.0 mm Bore</b>				
20.000 (0.79")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0200
<b>20.6 mm Bore</b>				
20.638 (0.81")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0206
20.638 (0.81")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0206
20.638 (0.81")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0206
20.638 (0.81")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0206
20.638 (0.81")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0206
20.638 (0.81")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0206
<b>22.0 mm Bore</b>				
22.000 (0.87")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0220
22.000 (0.87")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0220

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>22.2 mm Bore</b>				
22.225 (0.88")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0222
22.225 (0.88")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0222
22.225 (0.88")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0222
22.225 (0.88")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0222
22.225 (0.88")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0222
22.225 (0.88")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0222
22.225 (0.88")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0222
<b>23.8 mm Bore</b>				
23.813 (0.94")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0238
23.813 (0.94")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0238
23.813 (0.94")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0238
23.813 (0.94")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0238
23.813 (0.94")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0238
23.813 (0.94")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0238
23.813 (0.94")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0238
<b>24.0 mm Bore</b>				
24.000 (0.94")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0240
24.000 (0.94")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0240
<b>25.0 mm Bore</b>				
25.000 (0.98")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0250
<b>25.4 mm Bore</b>				
25.400 (1.00")	L	41.28 (1.63")	63.50 (2.50")	** QD-L-0254
25.400 (1.00")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0254
25.400 (1.00")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0254
25.400 (1.00")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0254
25.400 (1.00")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0254
25.400 (1.00")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0254
25.400 (1.00")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0254
25.400 (1.00")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0254
<b>27.0 mm Bore</b>				
26.988 (1.06")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0269
26.988 (1.06")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0269
26.988 (1.06")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0269
26.988 (1.06")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0269
26.988 (1.06")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0269
26.988 (1.06")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0269
26.988 (1.06")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0269
<b>28.0 mm Bore</b>				
28.000 (1.10")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0280
28.000 (1.10")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0280
28.000 (1.10")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0280
28.000 (1.10")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0280
<b>28.6 mm Bore</b>				
28.575 (1.13")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0286
28.575 (1.13")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0286
28.575 (1.13")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0286
28.575 (1.13")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0286
28.575 (1.13")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0286
28.575 (1.13")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0286
28.575 (1.13")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0286



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>30.2 mm Bore</b>				
30.163 (1.19")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0302
30.163 (1.19")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0302
30.163 (1.19")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0302
30.163 (1.19")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0302
30.163 (1.19")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0302
30.163 (1.19")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0302
30.163 (1.19")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0302
<b>31.8 mm Bore</b>				
31.750 (1.25")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0318
31.750 (1.25")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0318
31.750 (1.25")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0318
31.750 (1.25")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0318
31.750 (1.25")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0318
31.750 (1.25")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0318
31.750 (1.25")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0318
<b>32.0 mm Bore</b>				
32.000 (1.26")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0320
32.000 (1.26")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0320
<b>33.3 mm Bore</b>				
33.338 (1.31")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0333
33.338 (1.31")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0333
33.338 (1.31")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0333
33.338 (1.31")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0333
33.338 (1.31")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0333
33.338 (1.31")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0333
<b>34.9 mm Bore</b>				
34.925 (1.38")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0349
34.925 (1.38")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0349
34.925 (1.38")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0349
34.925 (1.38")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0349
34.925 (1.38")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0349
34.925 (1.38")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0349
<b>35.0 mm Bore</b>				
35.000 (1.38")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0350
35.000 (1.38")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0350
35.000 (1.38")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0350
35.000 (1.38")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0350
<b>36.0 mm Bore</b>				
36.000 (1.42")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0360
<b>36.5 mm Bore</b>				
36.513 (1.44")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0365
36.513 (1.44")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0365
36.513 (1.44")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0365
36.513 (1.44")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0365
36.513 (1.44")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0365
36.513 (1.44")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0365
<b>38.0 mm Bore</b>				
38.000 (1.50")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0380
38.000 (1.50")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0380

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>38.1 mm Bore</b>				
38.100 (1.50")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0381
38.100 (1.50")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0381
38.100 (1.50")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0381
38.100 (1.50")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0381
38.100 (1.50")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0381
38.100 (1.50")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0381
38.100 (1.50")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0381
<b>39.7 mm Bore</b>				
39.688 (1.56")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0397
39.688 (1.56")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0397
39.688 (1.56")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0397
39.688 (1.56")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0397
39.688 (1.56")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0397
39.688 (1.56")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0397
39.688 (1.56")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0397
<b>40.0 mm Bore</b>				
40.000 (1.57")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0400
40.000 (1.57")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0400
<b>41.3 mm Bore</b>				
41.275 (1.63")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0413
41.275 (1.63")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0413
41.275 (1.63")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0413
41.275 (1.63")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0413
41.275 (1.63")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0413
41.275 (1.63")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0413
41.275 (1.63")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0413
<b>42.0 mm Bore</b>				
42.000 (1.65")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0420
42.000 (1.65")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0420
42.000 (1.65")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0420
<b>42.9 mm Bore</b>				
42.863 (1.69")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0429
42.863 (1.69")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0429
42.863 (1.69")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0429
42.863 (1.69")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0429
42.863 (1.69")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0429
42.863 (1.69")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0429
42.863 (1.69")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0429
<b>44.5 mm Bore</b>				
44.450 (1.75")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0445
44.450 (1.75")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0445
44.450 (1.75")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0445
44.450 (1.75")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0445
44.450 (1.75")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0445
44.450 (1.75")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0445
<b>46.0 mm Bore</b>				
46.038 (1.81")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0461
46.038 (1.81")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0461
46.038 (1.81")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0461
46.038 (1.81")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0461
46.038 (1.81")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0461
46.038 (1.81")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0461



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>47.6 mm Bore</b>				
47.625 (1.88")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0476
47.625 (1.88")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0476
47.625 (1.88")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0476
47.625 (1.88")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0476
47.625 (1.88")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0476
47.625 (1.88")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0476
<b>48.0 mm Bore</b>				
48.000 (1.89")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0480
<b>49.2 mm Bore</b>				
49.213 (1.94")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0492
49.213 (1.94")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0492
49.213 (1.94")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0492
49.213 (1.94")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0492
49.213 (1.94")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0492
49.213 (1.94")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0492
<b>50.0 mm Bore</b>				
50.000 (1.97")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0500
<b>50.8 mm Bore</b>				
50.800 (2.00")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0508
50.800 (2.00")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0508
50.800 (2.00")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0508
50.800 (2.00")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0508
50.800 (2.00")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0508
50.800 (2.00")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0508
50.800 (2.00")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0508
<b>52.4 mm Bore</b>				
52.388 (2.06")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0524
52.388 (2.06")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0524
52.388 (2.06")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0524
52.388 (2.06")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0524
52.388 (2.06")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0524
<b>54.0 mm Bore</b>				
53.975 (2.13")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0539
53.975 (2.13")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0539
53.975 (2.13")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0539
53.975 (2.13")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0539
53.975 (2.13")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0539
<b>55.0 mm Bore</b>				
55.000 (2.17")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0550
55.000 (2.17")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0550
<b>55.6 mm Bore</b>				
55.563 (2.19")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0556
55.563 (2.19")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0556
55.563 (2.19")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0556
55.563 (2.19")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0556
55.563 (2.19")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0556
<b>57.2 mm Bore</b>				
57.150 (2.25")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0572
57.150 (2.25")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0572
57.150 (2.25")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0572
57.150 (2.25")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0572
57.150 (2.25")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0572

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>58.7 mm Bore</b>				
58.738 (2.31")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0587
58.738 (2.31")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0587
58.738 (2.31")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0587
58.738 (2.31")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0587
58.738 (2.31")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0587
<b>60.0 mm Bore</b>				
60.000 (2.36")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0600
60.000 (2.36")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0600
60.000 (2.36")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0600
<b>60.3 mm Bore</b>				
60.325 (2.38")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0603
60.325 (2.38")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0603
60.325 (2.38")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0603
60.325 (2.38")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0603
60.325 (2.38")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0603
<b>61.9 mm Bore</b>				
61.913 (2.44")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0619
61.913 (2.44")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0619
61.913 (2.44")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0619
61.913 (2.44")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0619
61.913 (2.44")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0619
61.913 (2.44")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0619
<b>63.5 mm Bore</b>				
63.500 (2.50")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0635
63.500 (2.50")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0635
63.500 (2.50")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0635
63.500 (2.50")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0635
63.500 (2.50")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0635
63.500 (2.50")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0635
<b>65.1 mm Bore</b>				
65.088 (2.56")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0651
65.088 (2.56")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0651
65.088 (2.56")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0651
65.088 (2.56")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0651
65.088 (2.56")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0651
65.088 (2.56")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0651
<b>66.7 mm Bore</b>				
66.675 (2.63")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0667
66.675 (2.63")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0667
66.675 (2.63")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0667
66.675 (2.63")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0667
66.675 (2.63")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0667
66.675 (2.63")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0667
<b>68.3 mm Bore</b>				
68.263 (2.69")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0683
68.263 (2.69")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0683
68.263 (2.69")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0683
68.263 (2.69")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0683
68.263 (2.69")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0683
<b>69.9 mm Bore</b>				
69.850 (2.75")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0699
69.850 (2.75")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0699
69.850 (2.75")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0699
69.850 (2.75")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0699
69.850 (2.75")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0699



# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>71.4 mm Bore</b>				
71.438 (2.81")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0714
71.438 (2.81")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0714
71.438 (2.81")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0714
71.438 (2.81")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0714
71.438 (2.81")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0714
<b>73.0 mm Bore</b>				
73.025 (2.88")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0731
73.025 (2.88")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0731
73.025 (2.88")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0731
73.025 (2.88")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0731
73.025 (2.88")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0731
<b>74.6 mm Bore</b>				
74.613 (2.94")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0746
74.613 (2.94")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0746
74.613 (2.94")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0746
74.613 (2.94")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0746
74.613 (2.94")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0746
74.613 (2.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0746
<b>75.0 mm Bore</b>				
75.000 (2.95")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0750
75.000 (2.95")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0750
<b>76.2 mm Bore</b>				
76.200 (3.00")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0762
76.200 (3.00")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0762
76.200 (3.00")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0762
76.200 (3.00")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0762
76.200 (3.00")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0762
<b>77.8 mm Bore</b>				
77.788 (3.06")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0778
77.788 (3.06")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0778
77.788 (3.06")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0778
77.788 (3.06")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0778
77.788 (3.06")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0778
<b>79.4 mm Bore</b>				
79.375 (3.13")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0794
79.375 (3.13")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0794
79.375 (3.13")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0794
79.375 (3.13")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0794
79.375 (3.13")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0794
<b>80.0 mm Bore</b>				
80.000 (3.15")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0800
80.000 (3.15")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0800
<b>81.0 mm Bore</b>				
80.963 (3.19")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0809
80.963 (3.19")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0809
80.963 (3.19")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0809
80.963 (3.19")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0809
80.963 (3.19")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0809
<b>82.6 mm Bore</b>				
82.550 (3.25")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0826
82.550 (3.25")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0826
82.550 (3.25")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0826
82.550 (3.25")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0826
82.550 (3.25")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0826

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>84.1 mm Bore</b>				
84.138 (3.31")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0841
84.138 (3.31")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0841
84.138 (3.31")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0841
84.138 (3.31")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0841
84.138 (3.31")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0841
<b>85.7 mm Bore</b>				
85.725 (3.38")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0857
85.725 (3.38")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0857
85.725 (3.38")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0857
85.725 (3.38")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0857
85.725 (3.38")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0857
<b>87.3 mm Bore</b>				
87.313 (3.44")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0873
87.313 (3.44")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0873
87.313 (3.44")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0873
87.313 (3.44")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0873
87.313 (3.44")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0873
<b>88.9 mm Bore</b>				
88.900 (3.50")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0889
88.900 (3.50")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0889
88.900 (3.50")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0889
88.900 (3.50")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0889
88.900 (3.50")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0889
<b>90.5 mm Bore</b>				
90.488 (3.56")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0905
90.488 (3.56")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0905
90.488 (3.56")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0905
90.488 (3.56")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0905
<b>92.1 mm Bore</b>				
92.075 (3.63")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0921
92.075 (3.63")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0921
92.075 (3.63")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0921
92.075 (3.63")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0921
<b>93.7 mm Bore</b>				
93.663 (3.69")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0937
93.663 (3.69")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0937
93.663 (3.69")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0937
93.663 (3.69")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0937
<b>95.3 mm Bore</b>				
95.250 (3.75")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0953
95.250 (3.75")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0953
95.250 (3.75")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0953
95.250 (3.75")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0953
<b>96.8 mm Bore</b>				
96.838 (3.81")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0968
96.838 (3.81")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0968
96.838 (3.81")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0968
96.838 (3.81")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0968
<b>98.4 mm Bore</b>				
98.425 (3.88")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0984
98.425 (3.88")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0984
98.425 (3.88")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0984
98.425 (3.88")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0984
<b>100.0 mm Bore</b>				
100.000 (3.94")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1000

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>100.0 mm Bore</b>				
100.013 (3.94")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1001
100.013 (3.94")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1001
100.013 (3.94")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1001
100.013 (3.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1001
<b>101.6 mm Bore</b>				
101.600 (4.00")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1016
101.600 (4.00")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1016
101.600 (4.00")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1016
101.600 (4.00")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1016
<b>103.2 mm Bore</b>				
103.188 (4.06")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1032
103.188 (4.06")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1032
103.188 (4.06")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1032
103.188 (4.06")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1032
<b>104.8 mm Bore</b>				
104.775 (4.13")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1048
104.775 (4.13")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1048
104.775 (4.13")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1048
104.775 (4.13")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1048
<b>106.4 mm Bore</b>				
106.363 (4.19")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1064
106.363 (4.19")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1064
106.363 (4.19")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1064
106.363 (4.19")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1064
<b>108.0 mm Bore</b>				
107.950 (4.25")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1080
107.950 (4.25")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1080
107.950 (4.25")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1080
107.950 (4.25")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1080
<b>109.5 mm Bore</b>				
109.538 (4.31")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1095
109.538 (4.31")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1095
109.538 (4.31")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1095
109.538 (4.31")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1095
<b>111.1 mm Bore</b>				
111.125 (4.38")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1111
111.125 (4.38")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1111
111.125 (4.38")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1111
111.125 (4.38")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1111
<b>112.7 mm Bore</b>				
112.713 (4.44")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1127
112.713 (4.44")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1127
112.713 (4.44")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1127
112.713 (4.44")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1127
<b>114.3 mm Bore</b>				
114.300 (4.50")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1143
114.300 (4.50")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1143
114.300 (4.50")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1143
114.300 (4.50")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1143
<b>115.9 mm Bore</b>				
115.888 (4.56")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1159
115.888 (4.56")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1159
115.888 (4.56")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1159
115.888 (4.56")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1159

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>117.5 mm Bore</b>				
117.475 (4.63")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1175
117.475 (4.63")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1175
117.475 (4.63")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1175
117.475 (4.63")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1175
<b>119.1 mm Bore</b>				
119.063 (4.69")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1191
119.063 (4.69")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1191
119.063 (4.69")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1191
<b>120.7 mm Bore</b>				
120.650 (4.75")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1207
120.650 (4.75")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1207
120.650 (4.75")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1207
<b>122.2 mm Bore</b>				
122.238 (4.81")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1222
122.238 (4.81")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1222
122.238 (4.81")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1222
<b>123.8 mm Bore</b>				
123.825 (4.88")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1238
123.825 (4.88")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1238
123.825 (4.88")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1238
<b>125.4 mm Bore</b>				
125.413 (4.94")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1254
125.413 (4.94")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1254
125.413 (4.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1254
<b>127.0 mm Bore</b>				
127.000 (5.00")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1270
127.000 (5.00")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1270
127.000 (5.00")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1270
<b>128.6 mm Bore</b>				
128.588 (5.06")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1286
128.588 (5.06")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1286
128.588 (5.06")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1286
<b>130.2 mm Bore</b>				
130.175 (5.13")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1302
130.175 (5.13")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1302
130.175 (5.13")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1302
<b>131.8 mm Bore</b>				
131.763 (5.19")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1318
131.763 (5.19")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1318
131.763 (5.19")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1318
<b>133.4 mm Bore</b>				
133.350 (5.25")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1334
133.350 (5.25")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1334
133.350 (5.25")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1334
<b>134.9 mm Bore</b>				
134.938 (5.31")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1349
134.938 (5.31")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1349
134.938 (5.31")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1349
<b>136.5 mm Bore</b>				
136.525 (5.38")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1365
136.525 (5.38")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1365
136.525 (5.38")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1365
<b>138.1 mm Bore</b>				
138.113 (5.44")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1381
138.113 (5.44")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1381
138.113 (5.44")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1381

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>139.7 mm Bore</b>				
139.700 (5.50")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1397
139.700 (5.50")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1397
139.700 (5.50")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1397
<b>141.3 mm Bore</b>				
141.288 (5.56")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1413
141.288 (5.56")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1413
<b>142.9 mm Bore</b>				
142.875 (5.63")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1429
142.875 (5.63")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1429
<b>144.5 mm Bore</b>				
144.463 (5.69")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1445
144.463 (5.69")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1445
<b>146.1 mm Bore</b>				
146.050 (5.75")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1461
146.050 (5.75")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1461
<b>147.6 mm Bore</b>				
147.638 (5.81")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1476
147.638 (5.81")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1476
<b>149.2 mm Bore</b>				
149.225 (5.88")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1492
149.225 (5.88")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1492
<b>150.8 mm Bore</b>				
150.810 (5.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1508
<b>152.4 mm Bore</b>				
152.400 (6.00")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1524
<b>154.0 mm Bore</b>				
153.988 (6.06")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1540
<b>155.6 mm Bore</b>				
155.575 (6.13")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1556
<b>157.2 mm Bore</b>				
157.163 (6.19")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1572
<b>158.8 mm Bore</b>				
158.750 (6.25")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1588
<b>160.3 mm Bore</b>				
160.338 (6.31")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1603
<b>161.9 mm Bore</b>				
161.925 (6.38")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1619
<b>163.5 mm Bore</b>				
163.513 (6.44")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1635
<b>165.1 mm Bore</b>				
165.100 (6.50")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1651
<b>166.7 mm Bore</b>				
166.688 (6.56")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1667
<b>168.3 mm Bore</b>				
168.275 (6.63")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1683
<b>169.9 mm Bore</b>				
169.863 (6.69")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1699
<b>171.5 mm Bore</b>				
171.450 (6.75")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1715
<b>173.0 mm Bore</b>				
173.038 (6.81")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1730
<b>174.6 mm Bore</b>				
174.625 (6.88")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1746
<b>176.2 mm Bore</b>				
176.213 (6.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1762

Stocked or Short Delivery    
  Usually Available Short Delivery    
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
<b>177.8 mm Bore</b>				
177.800 (7.00")	P	298.45 (11.75")	254.00 (10.00")	<b>QD-P-1778</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# NOTES



## Distributed By

Miniature Bearings Australia  
<http://www.minibearings.com.au>  
[sales@minibearings.com.au](mailto:sales@minibearings.com.au)

Resellers: Please place your contact sticker over our details

## Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

# Poly Vee Belts & Pulleys