



# MBA

# 2020.1

## Shaft Collars - All types

Includes standard, split and miscellaneous types in size order



All shaft collars listed in order of size showing the various styles available for each.

This listing is designed as a quick guide to help you to find the most readily available parts. Please contact us if the size you require is not listed.

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

1 Piece Split  
(Clamp Type)



2 Piece Split  
(Clamp Type)



Solid Carbon Steel  
(Standard)



Solid Stainless Steel  
(Standard)



# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>1.984mm (0.078 in.) Inside Diameter</b>				
5.60 (0.22")	3.1 (0.12")	Stainless Steel	Standard	<b>COL-00198-006-03-S3</b>
5.60 (0.22")	3.1 (0.12")	303 Stainless Steel	With Integral Shim	* COL-00198-006-03-IS-S3
<b>2.000mm (0.079 in.) Inside Diameter</b>				
9.00 (0.35")	3.5 (0.14")	303 Stainless Steel	Standard	<b>COL-00200-009-04-S3</b>
9.00 (0.35")	3.5 (0.14")	Steel, Cadmium Plated	Standard	<b>COL-00200-009-03-CC</b>
9.00 (0.35")	4.0 (0.16")	Steel, Cadmium Plated	Standard	<b>COL-00200-009-04-CC</b>
<b>2.381mm (0.094 in.) Inside Diameter</b>				
6.40 (0.25")	3.1 (0.12")	Stainless Steel	Standard	<b>COL-00238-006-03-S3</b>
6.40 (0.25")	3.1 (0.12")	303 Stainless Steel	With Integral Shim	* COL-00237-006-03-IS-S3
<b>2.500mm (0.098 in.) Inside Diameter</b>				
9.00 (0.35")	4.0 (0.16")	303 Stainless Steel	Standard	<b>COL-00250-009-04-S3</b>
<b>3.000mm (0.118 in.) Inside Diameter</b>				
7.00 (0.28")	5.0 (0.20")	Steel, Cadmium Plated	Standard	<b>COL-00300-007-05-CC</b>
8.00 (0.31")	4.0 (0.16")	303 Stainless Steel	With Integral Shim	* COL-00300-008-04-IS-S3
9.00 (0.35")	5.0 (0.20")	303 Stainless Steel	Standard	<b>COL-00300-009-05-S3</b>
9.00 (0.35")	5.0 (0.20")	Steel, Cadmium Plated	Standard	<b>COL-00300-009-05-CC</b>
10.00 (0.39")	6.0 (0.24")	303 Stainless Steel	Standard	* COL-00300-010-06-S3
10.00 (0.39")	20.0 (0.79")	Mild Steel	Long Series - Mild Steel	* COL-00300-010-20-LS-MS
11.00 (0.43")	7.0 (0.28")	Brass-Black Oxide Finish	Fairloc	* COL-00300-011-07-FC-BRB
11.00 (0.43")	7.0 (0.28")	303 Stainless Steel	Fairloc	* COL-00300-011-07-FC-S3
15.00 (0.59")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-00300-015-08-1C-S4</b>
15.00 (0.59")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00300-015-08-2C-S4</b>
15.00 (0.59")	10.0 (0.39")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-00300-015-10-1C-S4P
15.00 (0.59")	10.0 (0.39")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-00300-015-10-1C-CBP
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	* COL-00300-016-09-1C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - One Piece	* COL-00300-016-09-1C-CS
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - Two Piece	* COL-00300-016-09-2C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - Two Piece	* COL-00300-016-09-2C-CS
<b>3.048mm (0.120 in.) Inside Diameter</b>				
7.90 (0.31")	4.6 (0.18")	Stainless Steel	Standard	<b>COL-00305-008-05-S3</b>
11.00 (0.43")	7.0 (0.28")	Brass With Black Ox	Fairloc	* COL-00305-011-07-FC-BRB
11.00 (0.43")	7.0 (0.28")	Stainless Steel	Fairloc	* COL-00305-011-07-FC-S3
<b>3.175mm (0.125 in.) Inside Diameter</b>				
7.90 (0.31")	4.6 (0.18")	Stainless Steel	Standard	<b>COL-00317-008-05-S3</b>
7.90 (0.31")	4.6 (0.18")	303 Stainless Steel	With Integral Shim	* COL-00317-008-05-IS-S3
9.50 (0.37")	6.4 (0.25")	Stainless Steel	Standard	* COL-00318-010-06-S3
9.50 (0.37")	6.4 (0.25")	Carbon Steel	Standard	* COL-00318-010-06-CS-B
9.50 (0.37")	6.4 (0.25")	Carbon Steel	Standard	<b>COL-00318-010-06-CS-A</b>
9.53 (0.38")	6.4 (0.25")	304 Stainless Steel	Standard	<b>COL-00318-010-06-S4</b>
9.53 (0.38")	6.4 (0.25")	Steel, Zinc Plated	Standard	<b>COL-00318-009-06-CC</b>
9.53 (0.38")	6.4 (0.25")	Steel, Black Oxide Coated	Standard	<b>COL-00318-010-06-CBO</b>
11.00 (0.43")	7.0 (0.28")	Stainless Steel	Fairloc	* COL-00318-011-07-FC-S3
11.00 (0.43")	7.0 (0.28")	Brass With Black Ox	Fairloc	* COL-00318-011-07-FC-BRB
12.70 (0.50")	6.4 (0.25")	Stainless Steel	Clamp Type - One Piece	<b>COL-00318-013-06-1C-S3</b>
12.70 (0.50")	6.4 (0.25")	Steel	Clamp Type - One Piece	<b>COL-00318-013-06-1C-CS</b>
14.20 (0.56")	23.9 (0.94")	ABS Plastic	Gripfast	* COL-00318-014-24-GF-AB
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-00318-016-08-1C-CBO</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>3.175mm (0.125 in.) Inside Diameter</b>				
15.88 (0.63")	7.9 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00318-016-08-2C-S4</b>
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-00318-016-08-2C-CBO</b>
<b>3.969mm (0.156 in.) Inside Diameter</b>				
7.90 (0.31")	4.6 (0.18")	Stainless Steel	Standard	<b>COL-00396-008-05-S3</b>
7.90 (0.31")	4.6 (0.18")	303 Stainless Steel	With Integral Shim	* COL-00396-008-05-IS-S3
<b>4.000mm (0.157 in.) Inside Diameter</b>				
8.00 (0.31")	5.0 (0.20")	Steel, Cadmium Plated	Standard	<b>COL-00400-008-05-CC</b>
10.00 (0.39")	5.0 (0.20")	303 Stainless Steel	With Integral Shim	* COL-00400-010-05-IS-S3
11.00 (0.43")	5.0 (0.20")	303 Stainless Steel	Standard	<b>COL-00400-011-05-S3</b>
11.00 (0.43")	5.0 (0.20")	Steel, Cadmium Plated	Standard	<b>COL-00400-011-05-CC</b>
12.50 (0.49")	7.0 (0.28")	303 Stainless Steel	Fairloc	* COL-00400-013-07-FC-S3
12.50 (0.49")	7.0 (0.28")	Brass-Black Oxide Finish	Fairloc	* COL-00400-013-07-FC-BRB
14.00 (0.55")	6.0 (0.24")	303 Stainless Steel	Standard	* COL-00400-014-06-S3
14.00 (0.55")	20.0 (0.79")	Mild Steel	Long Series - Mild Steel	* COL-00400-014-20-LS-MS
14.20 (0.56")	23.9 (0.94")	ABS Plastic	Gripfast	* COL-00400-014-24-GF-AB
15.00 (0.59")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-00400-015-08-1C-S4</b>
15.00 (0.59")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00400-015-08-2C-S4</b>
15.00 (0.59")	10.0 (0.39")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-00400-015-10-1C-S4P
15.00 (0.59")	10.0 (0.39")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-00400-015-10-1C-CBP
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	* COL-00400-016-09-1C-S3
16.00 (0.63")	9.0 (0.35")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	* COL-00400-016-09-1C-CS
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - Two Piece	* COL-00400-016-09-2C-S3
16.00 (0.63")	9.0 (0.35")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	* COL-00400-016-09-2C-CS
<b>4.763mm (0.188 in.) Inside Diameter</b>				
9.50 (0.37")	5.6 (0.22")	Stainless Steel	Standard	<b>COL-00476-010-06-S3</b>
9.50 (0.37")	5.6 (0.22")	303 Stainless Steel	With Integral Shim	* COL-00475-010-06-IS-S3
11.10 (0.44")	6.4 (0.25")	Stainless Steel	Standard	<b>COL-00476-011-06-S3</b>
11.10 (0.44")	6.4 (0.25")	Steel, Zinc Plated	Standard	<b>COL-00476-011-06-CZ</b>
11.10 (0.44")	6.4 (0.25")	Carbon Steel	Standard	<b>COL-00476-011-06-CS</b>
11.11 (0.44")	6.4 (0.25")	304 Stainless Steel	Standard	<b>COL-00476-011-06-S4</b>
11.11 (0.44")	6.4 (0.25")	Steel, Black Oxide Coated	Standard	<b>COL-00476-011-06-CBO</b>
12.60 (0.50")	7.0 (0.28")	Stainless Steel	Fairloc	* COL-00476-013-07-FC-S3
12.60 (0.50")	7.0 (0.28")	Brass With Black Ox	Fairloc	* COL-00476-013-07-FC-BRB
14.20 (0.56")	23.9 (0.94")	ABS Plastic	Gripfast	<b>COL-00476-014-24-GF-AB</b>
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-00476-016-08-1C-CBO</b>
15.88 (0.63")	7.9 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00476-016-08-2C-S4</b>
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-00476-016-08-2C-CBO</b>
15.90 (0.63")	7.9 (0.31")	Stainless Steel	Clamp Type - One Piece	<b>COL-00475-016-08-1C-S3</b>
15.90 (0.63")	7.9 (0.31")	Steel	Clamp Type - One Piece	<b>COL-00475-016-08-1C-CS</b>
15.90 (0.63")	7.9 (0.31")	Steel	Clamp Type - Two Piece	<b>COL-00476-016-08-2C-CS</b>
<b>5.000mm (0.197 in.) Inside Diameter</b>				
10.00 (0.39")	6.0 (0.24")	Steel, Cadmium Plated	Standard	<b>COL-00500-010-06-CC</b>
11.00 (0.43")	6.0 (0.24")	303 Stainless Steel	Standard	<b>COL-00500-011-06-S3</b>
11.00 (0.43")	6.0 (0.24")	Steel, Cadmium Plated	Standard	<b>COL-00500-011-06-CC</b>
12.00 (0.47")	5.0 (0.20")	303 Stainless Steel	With Integral Shim	* COL-00500-012-05-IS-S3
14.20 (0.56")	23.9 (0.94")	ABS Plastic	Gripfast	* COL-00500-014-24-GF-AB
15.00 (0.59")	24.0 (0.94")	Mild Steel	Long Series - Mild Steel	* COL-00500-015-24-LS-MS

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>5.000mm (0.197 in.) Inside Diameter</b>				
16.00 (0.63")	6.0 (0.24")	303 Stainless Steel	Standard	* COL-00500-016-06-S3
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	* COL-00500-016-09-1C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - One Piece	<b>COL-00500-016-09-1C-CS</b>
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - Two Piece	* COL-00500-016-09-2C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - Two Piece	<b>COL-00500-016-09-2C-CS</b>
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Fairloc	* COL-00500-016-09-FC-S3
16.00 (0.63")	9.0 (0.35")	Brass-Black Oxide Finish	Fairloc	* COL-00500-016-09-FC-BRB
20.00 (0.79")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-00500-020-08-1C-S4</b>
20.00 (0.79")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00500-020-08-2C-S4</b>
20.00 (0.79")	12.0 (0.47")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-00500-020-12-1C-S4P
20.00 (0.79")	12.0 (0.47")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-00500-020-12-1C-CBP
<b>6.000mm (0.236 in.) Inside Diameter</b>				
10.00 (0.39")	19.1 (0.75")	Carbon Steel	Clamp Type - Long	* COL-00600-010-19-LC-S3
12.00 (0.47")	6.0 (0.24")	303 Stainless Steel	With Integral Shim	** <b>COL-00600-012-06-IS-S3</b>
12.00 (0.47")	8.0 (0.31")	Steel, Cadmium Plated	Standard	<b>COL-00600-012-08-CC</b>
15.90 (0.63")	12.0 (0.47")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	* COL-00600-016-12-ADJ-S3
15.90 (0.63")	12.0 (0.47")	Carbon Steel, Black Oxide	Stroke Adjustment	* COL-00600-016-12-ADJ-CB
16.00 (0.63")	6.0 (0.24")	303 Stainless Steel	Standard	* COL-00600-016-06-S3
16.00 (0.63")	8.0 (0.31")	303 Stainless Steel	Standard	<b>COL-00600-016-08-S3</b>
16.00 (0.63")	8.0 (0.31")	Steel, Cadmium Plated	Standard	<b>COL-00600-016-08-CC</b>
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	* COL-00600-016-09-1C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - One Piece	<b>COL-00600-016-09-1C-CS</b>
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - Two Piece	* COL-00600-016-09-2C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - Two Piece	<b>COL-00600-016-09-2C-CS</b>
16.00 (0.63")	9.0 (0.35")	Brass-Black Oxide Finish	Fairloc	* COL-00600-016-09-FC-BRB
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Fairloc	* COL-00600-016-09-FC-S3
16.00 (0.63")	9.0 (0.35")	Stainless Steel	Hinged	* COL-00600-016-09-HG-S3
16.00 (0.63")	9.0 (0.35")	Carbon Steel	Hinged	* COL-00600-016-09-HG-CS
16.00 (0.63")	24.0 (0.94")	Mild Steel	Long Series - Mild Steel	* COL-00600-016-24-LS-MS
18.10 (0.71")	25.4 (1.00")	ABS Plastic	Gripfast	* COL-00600-018-25-GF-AB
20.00 (0.79")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-00600-020-08-1C-S4</b>
20.00 (0.79")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00600-020-08-2C-S4</b>
20.00 (0.79")	12.0 (0.47")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-00600-020-12-1C-S4P
20.00 (0.79")	12.0 (0.47")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-00600-020-12-1C-CBP
<b>6.110mm (0.241 in.) Inside Diameter</b>				
12.70 (0.50")	6.4 (0.25")	Stainless Steel	Standard	<b>COL-00611-013-06-S3</b>
12.70 (0.50")	6.4 (0.25")	303 Stainless Steel	With Integral Shim	* COL-00611-013-06-IS-S3
<b>6.350mm (0.250 in.) Inside Diameter</b>				
12.70 (0.50")	6.4 (0.25")	Stainless Steel	Standard	<b>COL-00635-013-06-S3</b>
12.70 (0.50")	6.4 (0.25")	303 Stainless Steel	With Integral Shim	* COL-00635-013-06-IS-S3
12.70 (0.50")	7.1 (0.28")	Stainless Steel	Standard	<b>COL-00635-013-07-S3</b>
12.70 (0.50")	7.1 (0.28")	304 Stainless Steel	Standard	<b>COL-00635-013-07-S4</b>
12.70 (0.50")	7.1 (0.28")	Steel, Black Oxide Coated	Standard	<b>COL-00635-013-07-CBO</b>
12.70 (0.50")	7.1 (0.28")	Steel, Zinc Plated	Standard	<b>COL-00635-013-07-CZ</b>
12.70 (0.50")	7.9 (0.31")	Stainless Steel	Standard	<b>COL-00635-013-08-S3</b>
12.70 (0.50")	7.9 (0.31")	Zinc Plated Steel	Standard	<b>COL-00635-013-08-CZ</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>6.350mm (0.250 in.) Inside Diameter</b>				
15.88 (0.63")	7.9 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00635-016-08-2C-S4</b>
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-00635-016-08-2C-CBO</b>
16.00 (0.63")	9.0 (0.35")	Brass With Black Ox	Fairloc	* COL-00635-016-09-FC-BRB
16.00 (0.63")	9.0 (0.35")	Stainless Steel	Fairloc	* COL-00635-016-09-FC-S3
17.46 (0.69")	7.9 (0.31")	Aluminium	Clamp Type - One Piece	<b>COL-00635-017-08-1C-AL</b>
17.46 (0.69")	7.9 (0.31")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-00635-017-08-1C-S4</b>
17.46 (0.69")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-00635-017-08-1C-CBO</b>
17.50 (0.69")	7.9 (0.31")	Steel	Clamp Type - One Piece	<b>COL-00635-017-08-1C-CS</b>
17.50 (0.69")	7.9 (0.31")	303 Stainless	Clamp Type - Two Piece	<b>COL-00635-017-08-2C-S3</b>
17.50 (0.69")	7.9 (0.31")	Steel	Clamp Type - Two Piece	<b>COL-00635-017-08-2C-CS</b>
18.50 (0.73")	25.4 (1.00")		Fastlock	* COL-00635-019-25-FL-S3
18.80 (0.74")	25.4 (1.00")	304 Stainless Steel	Gripfast	<b>COL-00635-019-25-GF-S4</b>
18.90 (0.74")	25.7 (1.01")	ABS Plastic	Gripfast	<b>COL-00635-019-26-GF-AB</b>
20.70 (0.81")	6.4 (0.25")	303 Stainless Steel	Hex Bore - Two Piece	<b>COH-00635-021-06-2P-S3</b>
20.70 (0.81")	6.4 (0.25")	Mild Steel	Hex Bore - Two Piece	<b>COH-00635-021-06-2P-CS</b>
27.00 (1.06")	7.9 (0.31")	Aluminium	Clamp Type - One Piece	<b>COL-00635-027-08-1C-AL</b>
27.00 (1.06")	7.9 (0.31")	Stainless Steel	Clamp Type - One Piece	<b>COL-00635-027-08-1C-S3</b>
<b>7.000mm (0.276 in.) Inside Diameter</b>				
12.00 (0.47")	8.0 (0.31")	Steel, Cadmium Plated	Standard	<b>COL-00700-012-08-CC</b>
16.00 (0.63")	6.0 (0.24")	303 Stainless Steel	With Integral Shim	* COL-00700-016-06-IS-S3
16.00 (0.63")	8.0 (0.31")	303 Stainless Steel	Standard	<b>COL-00700-016-08-S3</b>
16.00 (0.63")	8.0 (0.31")	Steel, Cadmium Plated	Standard	<b>COL-00700-016-08-CC</b>
<b>7.938mm (0.313 in.) Inside Diameter</b>				
12.70 (0.50")	6.4 (0.25")	303 Stainless Steel	With Integral Shim	* COL-00793-013-06-IS-S3
14.30 (0.56")	7.1 (0.28")	Stainless Steel	Standard	<b>COL-00793-014-07-S3</b>
15.88 (0.63")	7.9 (0.31")	304 Stainless Steel	Standard	<b>COL-00794-016-08-S4</b>
15.88 (0.63")	7.9 (0.31")	Steel, Zinc Plated	Standard	<b>COL-00794-016-08-CZ</b>
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Standard	<b>COL-00794-016-08-CBO</b>
15.90 (0.63")	7.9 (0.31")	Stainless Steel	Standard	<b>COL-00794-016-08-S3</b>
15.90 (0.63")	7.9 (0.31")	Stainless Steel	Standard	<b>COL-00796-016-08-S3</b>
15.90 (0.63")	7.9 (0.31")	Steel, Zinc Plated	Standard	<b>COL-00796-016-08-CZ</b>
15.90 (0.63")	8.7 (0.34")	Carbon Steel	Standard	<b>COL-00794-016-09-CS</b>
17.46 (0.69")	7.9 (0.31")	Aluminium	Clamp Type - One Piece	<b>COL-00794-017-08-1C-AL</b>
17.46 (0.69")	7.9 (0.31")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-00794-017-08-1C-S4</b>
17.46 (0.69")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-00794-017-08-1C-CBO</b>
17.46 (0.69")	7.9 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00794-017-08-2C-S4</b>
17.46 (0.69")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-00794-017-08-2C-CBO</b>
17.50 (0.69")	7.9 (0.31")	Steel	Clamp Type - One Piece	<b>COL-00793-017-08-1C-CS</b>
17.50 (0.69")	7.9 (0.31")	Steel	Clamp Type - Two Piece	<b>COL-00794-017-08-2C-CS</b>
18.50 (0.73")	25.4 (1.00")		Fastlock	* COL-00794-019-25-FL-S3
18.80 (0.74")	25.4 (1.00")	304 Stainless Steel	Gripfast	<b>COL-00794-019-25-GF-S4</b>
18.90 (0.74")	25.7 (1.01")	ABS Plastic	Gripfast	<b>COL-00794-019-26-GF-AB</b>
20.70 (0.81")	6.4 (0.25")	303 Stainless Steel	Hex Bore - One Piece	<b>COH-00794-021-06-1P-S3</b>
20.70 (0.81")	6.4 (0.25")	Mild Steel	Hex Bore - Two Piece	<b>COH-00794-021-06-2P-CS</b>
22.10 (0.87")	11.0 (0.43")	Brass With Black Ox	Fairloc	* COL-00794-022-11-FC-BRB
22.10 (0.87")	11.0 (0.43")	Stainless Steel	Fairloc	* COL-00794-022-11-FC-S3
27.00 (1.06")	7.9 (0.31")	Stainless Steel	Clamp Type - One Piece	<b>COL-00793-027-08-1C-S3</b>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 6 of 27

EOE

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>7.938mm (0.313 in.) Inside Diameter</b>				
44.50 (1.75")	12.7 (0.50")	Steel	Clamp Type - One Piece	<b>COL-00793-044-13-1C-CS</b>
<b>8.000mm (0.315 in.) Inside Diameter</b>				
16.00 (0.63")	6.0 (0.24")	303 Stainless Steel	With Integral Shim	* COL-00800-016-06-IS-S3
16.00 (0.63")	8.0 (0.31")	303 Stainless Steel	Standard	<b>COL-00800-016-08-S3</b>
16.00 (0.63")	8.0 (0.31")	Steel, Cadmium Plated	Standard	<b>COL-00800-016-08-CC</b>
18.00 (0.71")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	* COL-00800-018-09-1C-S3
18.00 (0.71")	9.0 (0.35")	Steel	Clamp Type - One Piece	<b>COL-00800-018-09-1C-CS</b>
18.00 (0.71")	9.0 (0.35")	303 Stainless Steel	Clamp Type - Two Piece	* COL-00800-018-09-2C-S3
18.00 (0.71")	9.0 (0.35")	Steel	Clamp Type - Two Piece	<b>COL-00800-018-09-2C-CS</b>
18.00 (0.71")	9.0 (0.35")	Stainless Steel	Hinged	* COL-00800-018-09-HG-S3
18.00 (0.71")	9.0 (0.35")	Carbon Steel	Hinged	* COL-00800-018-09-HG-CS
19.00 (0.75")	12.0 (0.47")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	* COL-00800-019-12-ADJ-S3
19.00 (0.75")	12.0 (0.47")	Carbon Steel, Black Oxide	Stroke Adjustment	* COL-00800-019-12-ADJ-CB
20.00 (0.79")	8.0 (0.31")	303 Stainless Steel	Standard	* COL-00800-020-08-S3
20.00 (0.79")	30.0 (1.18")	Mild Steel	Long Series - Mild Steel	* COL-00800-020-30-LS-MS
22.00 (0.87")	11.0 (0.43")	303 Stainless Steel	Fairloc	* COL-00800-022-11-FC-S3
22.00 (0.87")	11.0 (0.43")	Brass-Black Oxide Finish	Fairloc	* COL-00800-022-11-FC-BRB
25.00 (0.98")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-00800-025-08-1C-S4</b>
25.00 (0.98")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00800-025-08-2C-S4</b>
28.10 (1.11")	26.8 (1.06")	ABS Plastic	Gripfast	* COL-00800-028-27-GF-AB
30.00 (1.18")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-00800-030-18-1C-S4P
30.00 (1.18")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-00800-030-18-2C-CBP
30.00 (1.18")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-00800-030-18-1C-CBP
<b>9.000mm (0.354 in.) Inside Diameter</b>				
18.00 (0.71")	10.0 (0.39")	Steel, Cadmium Plated	Standard	<b>COL-00900-018-10-CC</b>
20.00 (0.79")	10.0 (0.39")	303 Stainless Steel	Standard	<b>COL-00900-020-10-S3</b>
20.00 (0.79")	10.0 (0.39")	Steel, Cadmium Plated	Standard	<b>COL-00900-020-10-CC</b>
24.00 (0.94")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	* COL-00900-024-09-1C-S3
24.00 (0.94")	9.0 (0.35")	Steel	Clamp Type - One Piece	<b>COL-00900-024-09-1C-CS</b>
24.00 (0.94")	9.0 (0.35")	303 Stainless Steel	Clamp Type - Two Piece	* COL-00900-024-09-2C-S3
24.00 (0.94")	9.0 (0.35")	Steel	Clamp Type - Two Piece	<b>COL-00900-024-09-2C-CS</b>
24.00 (0.94")	9.0 (0.35")	Stainless Steel	Hinged	* COL-00900-024-09-HG-S3
24.00 (0.94")	9.0 (0.35")	Carbon Steel	Hinged	* COL-00900-024-09-HG-CS
<b>9.525mm (0.375 in.) Inside Diameter</b>				
19.05 (0.75")	9.5 (0.37")	304 Stainless Steel	Standard	<b>COL-00953-019-10-S4</b>
19.05 (0.75")	9.5 (0.37")	Steel, Black Oxide Coated	Standard	<b>COL-00953-019-10-CBO</b>
19.10 (0.75")	9.4 (0.37")	Stainless Steel	Standard	<b>COL-00952-019-09-S3</b>
19.10 (0.75")	9.5 (0.37")	Stainless Steel	Standard	<b>COL-00953-019-10-S3</b>
19.10 (0.75")	9.5 (0.37")	Stainless Steel	Standard	<b>COL-00955-019-10-S3</b>
19.10 (0.75")	9.5 (0.37")	Carbon Steel	Standard	<b>COL-00953-019-10-CS</b>
19.10 (0.75")	9.5 (0.37")	Steel, Zinc Plated	Standard	<b>COL-00955-019-10-CZ</b>
19.10 (0.75")	9.5 (0.37")	303 Stainless Steel	With Integral Shim	* COL-00952-019-10-IS-S3
21.60 (0.85")	45.2 (1.78")		Fastlock	* COL-00953-022-45-FL-S3
22.10 (0.87")	11.0 (0.43")	Brass With Black Ox	Fairloc	* COL-00953-022-11-FC-BRB
22.10 (0.87")	11.0 (0.43")	Stainless Steel	Fairloc	* COL-00953-022-11-FC-S3
22.20 (0.87")	8.7 (0.34")	Stainless Steel	Clamp Type - One Piece	<b>COL-00953-022-09-1C-S3</b>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>9.525mm (0.375 in.) Inside Diameter</b>				
22.20 (0.87")	8.7 (0.34")	Steel	Clamp Type - One Piece	<b>COL-00953-022-09-1C-CS</b>
22.20 (0.87")	8.7 (0.34")	303 Stainless	Clamp Type - Two Piece	<b>COL-00953-022-09-2C-S3</b>
22.20 (0.87")	8.7 (0.34")	Aluminium	Clamp Type - Two Piece	<b>COL-00953-022-17-2C-AL</b>
22.20 (0.87")	8.7 (0.34")	Steel	Clamp Type - Two Piece	<b>COL-00953-022-09-2C-CS</b>
22.23 (0.88")	8.7 (0.34")	Aluminium	Clamp Type - One Piece	<b>COL-00953-022-09-1C-AL</b>
22.23 (0.88")	8.7 (0.34")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-00953-022-09-1C-CBO</b>
22.23 (0.88")	9.5 (0.37")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-00953-022-10-1C-S4</b>
22.23 (0.88")	9.5 (0.37")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-00953-022-10-2C-S4</b>
22.23 (0.88")	9.5 (0.37")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-00953-022-10-2C-CBO</b>
27.00 (1.06")	7.9 (0.31")	303 Stainless Steel	Hex Bore - One Piece	<b>COH-00953-027-08-1P-S3</b>
27.00 (1.06")	8.0 (0.31")	Mild Steel	Hex Bore - One Piece	<b>COH-00953-027-08-1P-AB</b>
27.00 (1.06")	8.0 (0.31")	Stainless Steel	Hinged	<b>COL-00953-027-08-HG-S3</b>
28.10 (1.11")	26.5 (1.04")	ABS Plastic	Gripfast	<b>COL-00953-028-27-GF-AB</b>
28.30 (1.11")	27.9 (1.10")	304 Stainless Steel	Gripfast	<b>COL-00953-028-28-GF-S4</b>
<b>10.000mm (0.394 in.) Inside Diameter</b>				
12.70 (0.50")	25.4 (1.00")	Carbon Steel	Clamp Type - Long	* COL-01000-013-25-LC-S3
19.00 (0.75")	10.0 (0.39")	303 Stainless Steel	With Integral Shim	* COL-01000-019-10-IS-S3
20.00 (0.79")	8.0 (0.31")	303 Stainless Steel	Standard	* COL-01000-020-08-S3
20.00 (0.79")	10.0 (0.39")	Carbon Steel	D-Bore	* COD-01000-020-10-CS
20.00 (0.79")	10.0 (0.39")	303 Stainless Steel	Standard	<b>COL-01000-020-10-S3</b>
20.00 (0.79")	10.0 (0.39")	Steel, Zinc Plated	Standard	<b>COL-01000-020-10-CZ</b>
20.00 (0.79")	10.0 (0.39")	Steel, Black Oxide Coated	Standard	<b>COL-01000-020-10-CBO</b>
20.00 (0.79")	30.0 (1.18")	Mild Steel	Long Series - Mild Steel	* COL-01000-020-30-LS-MS
22.00 (0.87")	45.0 (1.77")		Fastlock	* COL-01000-022-45-FL-S3
22.20 (0.87")	12.0 (0.47")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	* COL-01000-022-12-ADJ-S3
22.20 (0.87")	12.0 (0.47")	Carbon Steel, Black Oxide	Stroke Adjustment	* COL-01000-022-12-ADJ-CB
24.00 (0.94")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	* COL-01000-024-09-1C-S3
24.00 (0.94")	9.0 (0.35")	Steel	Clamp Type - One Piece	<b>COL-01000-024-09-1C-CS</b>
24.00 (0.94")	9.0 (0.35")	303 Stainless Steel	Clamp Type - Two Piece	* COL-01000-024-09-2C-S3
24.00 (0.94")	9.0 (0.35")	Steel	Clamp Type - Two Piece	<b>COL-01000-024-09-2C-CS</b>
24.00 (0.94")	9.0 (0.35")	Stainless Steel	Hinged	* COL-01000-024-09-HG-S3
24.00 (0.94")	9.0 (0.35")	Carbon Steel	Hinged	* COL-01000-024-09-HG-CS
25.00 (0.98")	11.0 (0.43")	303 Stainless Steel	Fairloc	* COL-01000-025-11-FC-S3
25.00 (0.98")	11.0 (0.43")	Brass-Black Oxide Finish	Fairloc	* COL-01000-025-11-FC-BRB
28.10 (1.11")	26.8 (1.06")	ABS Plastic	Gripfast	* COL-01000-028-27-GF-AB
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-01000-030-10-1C-S4</b>
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-01000-030-10-2C-S4</b>
35.00 (1.38")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-01000-035-18-1C-S4P
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-01000-035-18-1C-CBP
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - Two Piece	* COL-01000-035-18-2C-CBP
<b>11.000mm (0.433 in.) Inside Diameter</b>				
20.00 (0.79")	10.0 (0.39")	Steel, Zinc Plated	Standard	<b>COL-01100-020-10-CC</b>
28.00 (1.10")	11.0 (0.43")	303 Stainless Steel	Clamp Type - One Piece	* COL-01100-028-11-1C-S3
28.00 (1.10")	11.0 (0.43")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	* COL-01100-028-11-1C-CS
28.00 (1.10")	11.0 (0.43")	303 Stainless Steel	Clamp Type - Two Piece	* COL-01100-028-11-2C-S3
28.00 (1.10")	11.0 (0.43")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	* COL-01100-028-11-2C-CS



# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>11.113mm (0.438 in.) Inside Diameter</b>				
22.20 (0.87")	11.1 (0.44")	Stainless Steel	Standard	COL-01111-022-11-S3
22.20 (0.87")	11.1 (0.44")	Steel, Zinc Plated	Standard	COL-01111-022-11-CZ
22.20 (0.87")	11.1 (0.44")	Carbon Steel	Standard	COL-01111-022-11-CS
22.23 (0.88")	11.1 (0.44")	304 Stainless Steel	Standard	COL-01111-022-11-S4
22.23 (0.88")	11.1 (0.44")	Steel, Black Oxide Coated	Standard	COL-01111-022-11-CBO
23.80 (0.94")	9.5 (0.37")	Steel	Clamp Type - One Piece	COL-01110-024-10-1C-CS
23.80 (0.94")	9.5 (0.37")	303 Stainless	Clamp Type - Two Piece	COL-01111-024-10-2C-S3
23.80 (0.94")	9.5 (0.37")	Steel	Clamp Type - Two Piece	COL-01111-024-10-2C-CS
23.81 (0.94")	9.5 (0.37")	304 Stainless Steel	Clamp Type - One Piece	COL-01111-024-10-1C-S4
23.81 (0.94")	9.5 (0.37")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-01111-024-10-1C-CBO
23.81 (0.94")	9.5 (0.37")	304 Stainless Steel	Clamp Type - Two Piece	COL-01111-024-10-2C-S4
23.81 (0.94")	9.5 (0.37")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01111-024-10-2C-CBO
33.30 (1.31")	9.5 (0.37")	Aluminium	Clamp Type - One Piece	COL-01110-033-10-1C-AL
33.30 (1.31")	9.5 (0.37")	Stainless Steel	Clamp Type - One Piece	COL-01110-033-10-1C-S3
<b>12.000mm (0.472 in.) Inside Diameter</b>				
19.00 (0.75")	10.0 (0.39")	303 Stainless Steel	With Integral Shim	* COL-01200-019-10-IS-S3
19.00 (0.75")	31.8 (1.25")	Carbon Steel	Clamp Type - Long	* COL-01200-019-32-LC-S3
22.00 (0.87")	12.0 (0.47")	Steel, Cadmium Plated	Standard	COL-01200-022-12-CC
22.00 (0.87")	12.0 (0.47")	Steel, Black Oxide Coated	Standard	COL-01200-022-12-CBO
24.00 (0.94")	10.0 (0.39")	Carbon Steel	D-Bore	* COD-01200-024-10-CS
24.00 (0.94")	12.0 (0.47")	303 Stainless Steel	Standard	COL-01200-024-12-S3
24.00 (0.94")	12.0 (0.47")	Steel, Cadmium Plated	Standard	COL-01200-024-12-CC
25.00 (0.98")	11.0 (0.43")	303 Stainless Steel	Fairloc	* COL-01200-025-11-FC-S3
25.00 (0.98")	11.0 (0.43")	Brass-Black Oxide Finish	Fairloc	* COL-01200-025-11-FC-BRB
28.00 (1.10")	10.0 (0.39")	303 Stainless Steel	Standard	* COL-01200-028-10-S3
28.00 (1.10")	11.0 (0.43")	303 Stainless Steel	Clamp Type - One Piece	* COL-01200-028-11-1C-S3
28.00 (1.10")	11.0 (0.43")	Steel	Clamp Type - One Piece	COL-01200-028-11-1C-CS
28.00 (1.10")	11.0 (0.43")	303 Stainless Steel	Clamp Type - Two Piece	* COL-01200-028-11-2C-S3
28.00 (1.10")	11.0 (0.43")	Steel	Clamp Type - Two Piece	COL-01200-028-11-2C-CS
28.00 (1.10")	11.0 (0.43")	Stainless Steel	Hinged	* COL-01200-028-11-HG-S3
28.00 (1.10")	11.0 (0.43")	Carbon Steel	Hinged	* COL-01200-028-11-HG-CS
28.00 (1.10")	36.0 (1.42")	Mild Steel	Long Series - Mild Steel	* COL-01200-028-36-LS-MS
28.10 (1.11")	26.5 (1.04")	ABS Plastic	Gripfast	* COL-01200-028-27-GF-AB
28.60 (1.13")	19.1 (0.75")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	* COL-01200-029-19-ADJ-S3
28.60 (1.13")	19.1 (0.75")	Carbon Steel, Black Oxide	Stroke Adjustment	* COL-01200-029-19-ADJ-CB
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - One Piece	COL-01200-030-10-1C-S4
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - Two Piece	COL-01200-030-10-2C-S4
35.00 (1.38")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-01200-035-18-1C-S4P
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-01200-035-18-1C-CBP
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-01200-035-18-2C-CBP
<b>12.700mm (0.500 in.) Inside Diameter</b>				
25.00 (0.98")	11.0 (0.43")	Brass With Black Ox	Fairloc	* COL-01270-025-11-FC-BRB
25.00 (0.98")	11.0 (0.43")	Stainless Steel	Fairloc	* COL-01270-025-11-FC-S3
25.40 (1.00")	11.1 (0.44")	Stainless Steel	Standard	COL-01270-025-11-S3
25.40 (1.00")	11.1 (0.44")	Stainless Steel	Standard	COL-01273-025-11-S3
25.40 (1.00")	11.1 (0.44")	304 Stainless Steel	Standard	COL-01270-025-11-S4

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 9 of 27

EOE

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>12.700mm (0.500 in.) Inside Diameter</b>				
25.40 (1.00")	11.1 (0.44")	Steel, Zinc Plated	Standard	<b>COL-01273-025-11-CZ</b>
25.40 (1.00")	11.1 (0.44")	Plain Steel	Standard	<b>COL-01270-025-11-C</b>
25.40 (1.00")	11.1 (0.44")	Steel, Black Oxide Coated	Standard	<b>COL-01270-025-11-CBO</b>
25.40 (1.00")	11.1 (0.44")	Carbon Steel	Standard	<b>COL-01270-025-11-CS</b>
25.40 (1.00")	11.1 (0.44")	303 Stainless Steel	With Integral Shim	* COL-01269-025-11-IS-S3
25.40 (1.00")	12.7 (0.50")	Stainless Steel	Standard	<b>COL-01270-025-13-S3</b>
27.90 (1.10")	45.2 (1.78")		Fastlock	* COL-01270-028-45-FL-S3
28.10 (1.11")	26.5 (1.04")	ABS Plastic	Gripfast	* COL-01270-028-27-GF-AB
28.30 (1.11")	27.9 (1.10")	304 Stainless Steel	Gripfast	* COL-01270-028-28-GF-S4
28.58 (1.13")	10.3 (0.41")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-01270-029-10-1C-S4</b>
28.58 (1.13")	10.3 (0.41")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-01270-029-10-1C-CBO</b>
28.58 (1.13")	10.3 (0.41")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-01270-029-10-2C-S4</b>
28.58 (1.13")	10.3 (0.41")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-01270-029-10-2C-CBO</b>
28.60 (1.13")	8.7 (0.34")	Aluminium	Clamp Type - Two Piece	<b>COL-01270-029-09-2C-AL</b>
28.60 (1.13")	10.0 (0.39")	316 Stainless Steel	Clamp Type - One Piece	* COL-01270-029-10-1C-S6
28.60 (1.13")	10.0 (0.39")	316 Stainless Steel	Clamp Type - Two Piece - 316 Stainless Steel	* COL-01270-029-10-2C-S6
28.60 (1.13")	10.0 (0.39")	316 Stainless Steel	Standard	* COL-01270-029-10-S6
28.60 (1.13")	10.3 (0.41")	Aluminium	Clamp Type - One Piece	<b>COL-01270-029-10-1C-AL</b>
28.60 (1.13")	10.3 (0.41")	Steel	Clamp Type - One Piece	<b>COL-01270-029-10-1C-CS</b>
28.60 (1.13")	10.3 (0.41")	303 Stainless	Clamp Type - Two Piece	<b>COL-01270-029-10-2C-S3</b>
28.60 (1.13")	10.3 (0.41")	Steel	Clamp Type - Two Piece	<b>COL-01270-029-10-2C-CS</b>
31.80 (1.25")	9.5 (0.37")	303 Stainless Steel	Hex Bore - One Piece	<b>COH-01270-032-10-1P-S3</b>
31.80 (1.25")	9.5 (0.37")	Mild Steel	Hex Bore - One Piece	<b>COH-01270-032-10-1P-CS</b>
31.80 (1.25")	9.5 (0.37")	303 Stainless Steel	Hex Bore - Two Piece	<b>COH-01270-032-10-2P-S3</b>
31.80 (1.25")	9.5 (0.37")	Mild Steel	Hex Bore - Two Piece	<b>COH-01270-032-10-2P-CS</b>
31.80 (1.25")	9.5 (0.37")	Carbon Steel	Hinged	<b>COL-01270-032-10-HG-CS</b>
<b>13.000mm (0.512 in.) Inside Diameter</b>				
28.10 (1.11")	26.8 (1.06")	ABS Plastic	Gripfast	* COL-01300-028-27-GF-AB
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-01300-030-10-1C-S4</b>
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-01300-030-10-2C-S4</b>
30.00 (1.18")	11.0 (0.43")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-01300-030-11-2C-CBO</b>
35.00 (1.38")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-01300-035-18-1C-S4P
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-01300-035-18-1C-CBP
<b>14.000mm (0.551 in.) Inside Diameter</b>				
25.00 (0.98")	12.0 (0.47")	Steel, Cadmium Plated	Standard	<b>COL-01400-025-12-CC</b>
28.00 (1.10")	12.0 (0.47")	Carbon Steel	D-Bore	* COD-01400-028-12-CS
30.00 (1.18")	11.0 (0.43")	303 Stainless Steel	Clamp Type - One Piece	* COL-01400-030-11-1C-S3
30.00 (1.18")	11.0 (0.43")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	* COL-01400-030-11-1C-CS
30.00 (1.18")	11.0 (0.43")	303 Stainless Steel	Clamp Type - Two Piece	* COL-01400-030-11-2C-S3
30.00 (1.18")	11.0 (0.43")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	* COL-01400-030-11-2C-CS
30.00 (1.18")	11.0 (0.43")	Stainless Steel	Hinged	* COL-01400-030-11-HG-S3
30.00 (1.18")	11.0 (0.43")	Carbon Steel	Hinged	* COL-01400-030-11-HG-CS
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	* COL-01400-036-37-GF-AB
<b>14.288mm (0.563 in.) Inside Diameter</b>				
25.40 (1.00")	11.1 (0.44")	304 Stainless Steel	Standard	<b>COL-01429-025-11-S4</b>
25.40 (1.00")	11.1 (0.44")	Stainless Steel	Standard	<b>COL-01429-025-11-S3</b>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 10 of 27

EOE

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>14.288mm (0.563 in.) Inside Diameter</b>				
25.40 (1.00")	11.1 (0.44")	Steel, Black Oxide Coated	Standard	<b>COL-01429-025-11-CBO</b>
25.40 (1.00")	11.1 (0.44")	Steel, Zinc Plated	Standard	<b>COL-01429-025-11-CZ</b>
25.40 (1.00")	11.1 (0.44")	Zinc Plated Steel	Standard	<b>COL-01431-025-11-CZ</b>
31.80 (1.25")	11.1 (0.44")	Steel	Clamp Type - One Piece	<b>COL-01428-032-11-1C-CS</b>
31.80 (1.25")	11.1 (0.44")	303 Stainless	Clamp Type - Two Piece	<b>COL-01429-032-11-2C-S3</b>
31.80 (1.25")	11.1 (0.44")	Steel	Clamp Type - Two Piece	<b>COL-01429-032-11-2C-CS</b>
33.34 (1.31")	11.1 (0.44")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-01429-033-11-1C-CBO</b>
33.34 (1.31")	11.1 (0.44")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-01429-033-11-2C-S4</b>
33.34 (1.31")	11.1 (0.44")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-01429-033-11-2C-CBO</b>
<b>15.000mm (0.591 in.) Inside Diameter</b>				
25.00 (0.98")	12.0 (0.47")	Steel, Cadmium Plated	Standard	<b>COL-01500-025-12-CC</b>
25.00 (0.98")	12.0 (0.47")	Steel, Zinc Plated	Standard	<b>COL-01500-025-12-CZ</b>
28.00 (1.10")	10.0 (0.39")	303 Stainless Steel	Standard	* COL-01500-028-10-S3
28.00 (1.10")	36.0 (1.42")	Mild Steel	Long Series - Mild Steel	* COL-01500-028-36-LS-MS
28.00 (1.10")	45.0 (1.77")		Fastlock	* COL-01500-028-45-FL-S3
30.00 (1.18")	12.0 (0.47")	Carbon Steel	D-Bore	* COD-01500-030-12-CS
30.00 (1.18")	14.0 (0.55")	303 Stainless Steel	Fairloc	* COL-01500-030-14-FC-S3
30.00 (1.18")	14.0 (0.55")	Brass-Black Oxide Finish	Fairloc	* COL-01500-030-14-FC-BRB
32.00 (1.26")	12.0 (0.47")	303 Stainless Steel	With Integral Shim	* COL-01500-032-12-IS-S3
34.00 (1.34")	13.0 (0.51")	303 Stainless Steel	Clamp Type - One Piece	* COL-01500-034-13-1C-S3
34.00 (1.34")	13.0 (0.51")	Steel	Clamp Type - One Piece	<b>COL-01500-034-13-1C-CS</b>
34.00 (1.34")	13.0 (0.51")	303 Stainless Steel	Clamp Type - Two Piece	* COL-01500-034-13-2C-S3
34.00 (1.34")	13.0 (0.51")	Steel	Clamp Type - Two Piece	<b>COL-01500-034-13-2C-CS</b>
34.00 (1.34")	13.0 (0.51")	Stainless Steel	Hinged	* COL-01500-034-13-HG-S3
34.00 (1.34")	13.0 (0.51")	Carbon Steel	Hinged	* COL-01500-034-13-HG-CS
35.00 (1.38")	12.0 (0.47")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-01500-035-12-1C-S4</b>
35.00 (1.38")	12.0 (0.47")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-01500-035-12-2C-S4</b>
40.00 (1.57")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-01500-040-18-1C-S4P
40.00 (1.57")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-01500-040-18-2C-CBP
40.00 (1.57")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-01500-040-18-1C-CBP
<b>15.875mm (0.625 in.) Inside Diameter</b>				
27.90 (1.10")	45.2 (1.78")		Fastlock	* COL-01588-028-45-FL-S3
28.58 (1.13")	12.7 (0.50")	304 Stainless Steel	Standard	<b>COL-01588-029-13-S4</b>
28.58 (1.13")	12.7 (0.50")	Steel, Black Oxide Coated	Standard	<b>COL-01588-029-13-CBO</b>
28.60 (1.13")	12.7 (0.50")	Stainless Steel	Standard	<b>COL-01590-029-13-S3</b>
28.60 (1.13")	12.7 (0.50")	Stainless Steel	Standard	<b>COL-01588-029-13-S3</b>
28.60 (1.13")	12.7 (0.50")	Steel, Zinc Plated	Standard	<b>COL-01590-029-13-CZ</b>
28.60 (1.13")	12.7 (0.50")	Carbon Steel	Standard	<b>COL-01588-029-13-CS</b>
30.00 (1.18")	14.0 (0.55")	Brass With Black Ox	Fairloc	* COL-01588-030-14-FC-BRB
30.00 (1.18")	14.0 (0.55")	Stainless Steel	Fairloc	* COL-01588-030-14-FC-S3
31.80 (1.25")	12.7 (0.50")	303 Stainless Steel	With Integral Shim	* COL-01587-032-13-IS-S3
33.30 (1.31")	10.3 (0.41")	Aluminium	Clamp Type - Two Piece	<b>COL-01588-033-10-2C-AL</b>
33.30 (1.31")	11.1 (0.44")	Aluminium	Clamp Type - One Piece	<b>COL-01588-033-11-1C-AL</b>
33.30 (1.31")	11.1 (0.44")	316 Stainless Steel	Clamp Type - One Piece	* COL-01588-033-11-1C-S6
33.30 (1.31")	11.1 (0.44")	Steel	Clamp Type - One Piece	<b>COL-01588-033-11-1C-CS</b>
33.30 (1.31")	11.1 (0.44")	303 Stainless	Clamp Type - Two Piece	<b>COL-01588-033-11-2C-S3</b>

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>15.875mm (0.625 in.) Inside Diameter</b>				
33.30 (1.31")	11.1 (0.44")	316 Stainless Steel	Clamp Type - Two Piece - 316 Stainless Steel	* COL-01588-033-11-2C-S6
33.30 (1.31")	11.1 (0.44")	316 Stainless Steel	Standard	* COL-01588-033-11-S6
33.34 (1.31")	11.1 (0.44")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-01588-033-11-1C-S4</b>
33.34 (1.31")	11.1 (0.44")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-01588-033-11-1C-CBO</b>
33.34 (1.31")	11.1 (0.44")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-01588-033-11-2C-S4</b>
33.34 (1.31")	11.1 (0.44")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-01588-033-11-2C-CBO</b>
34.90 (1.37")	11.1 (0.44")	Steel	Clamp Type - Two Piece	<b>COL-01588-035-11-2C-CS</b>
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	<b>COL-01588-036-37-GF-AB</b>
35.60 (1.40")	38.1 (1.50")	304 Stainless Steel	Gripfast	* COL-01588-036-38-GF-S4
38.10 (1.50")	10.3 (0.41")	303 Stainless Steel	Hex Bore - One Piece	<b>COH-01588-038-10-1P-S3</b>
38.10 (1.50")	10.3 (0.41")	303 Stainless Steel	Hex Bore - Two Piece	<b>COH-01588-038-10-2P-S3</b>
38.10 (1.50")	10.3 (0.41")	Mild Steel	Hex Bore - Two Piece	<b>COH-01588-038-10-2P-CS</b>
38.10 (1.50")	11.1 (0.44")	Carbon Steel	Hinged	<b>COL-01588-038-11-HG-CS</b>
<b>16.000mm (0.630 in.) Inside Diameter</b>				
22.00 (0.87")	38.1 (1.50")	Carbon Steel	Clamp Type - Long	* COL-01600-022-38-LC-S3
28.00 (1.10")	12.0 (0.47")	Steel, Black Oxide Coated	Standard	<b>COL-01600-028-12-CBO</b>
28.00 (1.10")	12.0 (0.47")	Steel, Cadmium Plated	Standard	<b>COL-01600-028-12-CC</b>
28.00 (1.10")	45.0 (1.77")		Fastlock	* COL-01600-028-45-FL-S3
32.00 (1.26")	12.0 (0.47")	303 Stainless Steel	With Integral Shim	* COL-01600-032-12-IS-S3
32.00 (1.26")	14.0 (0.55")	Carbon Steel	D-Bore	* COD-01600-032-14-CS
33.30 (1.31")	19.1 (0.75")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	* COL-01600-033-19-ADJ-S3
33.30 (1.31")	19.1 (0.75")	Carbon Steel, Black Oxide	Stroke Adjustment	* COL-01600-033-19-ADJ-CB
34.00 (1.34")	13.0 (0.51")	303 Stainless Steel	Clamp Type - One Piece	* COL-01600-034-13-1C-S3
34.00 (1.34")	13.0 (0.51")	Steel	Clamp Type - One Piece	<b>COL-01600-034-13-1C-CS</b>
34.00 (1.34")	13.0 (0.51")	303 Stainless Steel	Clamp Type - Two Piece	* COL-01600-034-13-2C-S3
34.00 (1.34")	13.0 (0.51")	Steel	Clamp Type - Two Piece	<b>COL-01600-034-13-2C-CS</b>
34.00 (1.34")	13.0 (0.51")	Stainless Steel	Hinged	* COL-01600-034-13-HG-S3
34.00 (1.34")	13.0 (0.51")	Carbon Steel	Hinged	* COL-01600-034-13-HG-CS
35.00 (1.38")	12.0 (0.47")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-01600-035-12-1C-S4</b>
35.00 (1.38")	12.0 (0.47")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-01600-035-12-2C-S4</b>
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	* COL-01600-036-37-GF-AB
38.00 (1.50")	13.0 (0.51")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-01600-038-13-2C-CBO</b>
40.00 (1.57")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-01600-040-18-1C-S4P
40.00 (1.57")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-01600-040-18-1C-CBP
<b>17.000mm (0.669 in.) Inside Diameter</b>				
36.00 (1.42")	13.0 (0.51")	303 Stainless Steel	Clamp Type - One Piece	* COL-01700-036-13-1C-S3
36.00 (1.42")	13.0 (0.51")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	* COL-01700-036-13-1C-CS
36.00 (1.42")	13.0 (0.51")	303 Stainless Steel	Clamp Type - Two Piece	* COL-01700-036-13-2C-S3
36.00 (1.42")	13.0 (0.51")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	* COL-01700-036-13-2C-CS
38.00 (1.50")	13.0 (0.51")	Steel	Clamp Type - One Piece	<b>COL-01700-038-13-1C-CS</b>
38.00 (1.50")	13.0 (0.51")	Steel	Clamp Type - Two Piece	<b>COL-01700-038-13-2C-CS</b>
40.00 (1.57")	15.0 (0.59")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-01700-040-15-1C-S4</b>
40.00 (1.57")	15.0 (0.59")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-01700-040-15-2C-S4</b>
40.00 (1.57")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-01700-040-18-1C-S4P
40.00 (1.57")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-01700-040-18-1C-CBP

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>17.463mm (0.688 in.) Inside Diameter</b>				
31.75 (1.25")	14.3 (0.56")	304 Stainless Steel	Standard	COL-01746-032-14-S4
31.75 (1.25")	14.3 (0.56")	Steel, Black Oxide Coated	Standard	COL-01746-032-14-CBO
31.80 (1.25")	14.3 (0.56")	Stainless Steel	Standard	COL-01746-032-14-S3
31.80 (1.25")	14.3 (0.56")	Steel, Zinc Plated	Standard	COL-01746-032-14-CZ
38.10 (1.50")	11.1 (0.44")	Steel	Clamp Type - Two Piece	COL-01746-038-11-2C-CS
38.10 (1.50")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	COL-01746-038-13-2C-S4
38.10 (1.50")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01746-038-13-2C-CBO
<b>18.000mm (0.709 in.) Inside Diameter</b>				
32.00 (1.26")	12.0 (0.47")	303 Stainless Steel	Standard	* COL-01800-032-12-S3
32.00 (1.26")	40.0 (1.57")	Mild Steel	Long Series - Mild Steel	* COL-01800-032-40-LS-MS
36.00 (1.42")	13.0 (0.51")	303 Stainless Steel	Clamp Type - One Piece	* COL-01800-036-13-1C-S3
36.00 (1.42")	13.0 (0.51")	Steel	Clamp Type - One Piece	COL-01800-036-13-1C-CS
36.00 (1.42")	13.0 (0.51")	303 Stainless Steel	Clamp Type - Two Piece	* COL-01800-036-13-2C-S3
36.00 (1.42")	13.0 (0.51")	Steel	Clamp Type - Two Piece	COL-01800-036-13-2C-CS
36.00 (1.42")	14.0 (0.55")	Carbon Steel	D-Bore	* COD-01800-036-14-CS
36.00 (1.42")	15.0 (0.59")	Stainless Steel	Hinged	* COL-01800-036-15-HG-S3
36.00 (1.42")	15.0 (0.59")	Carbon Steel	Hinged	* COL-01800-036-15-HG-CS
45.00 (1.77")	15.0 (0.59")	304 Stainless Steel	Clamp Type - One Piece	COL-01800-045-15-1C-S4
45.00 (1.77")	15.0 (0.59")	304 Stainless Steel	Clamp Type - Two Piece	COL-01800-045-15-2C-S4
45.00 (1.77")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-01800-045-18-1C-S4P
45.00 (1.77")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-01800-045-18-1C-CBP
<b>19.000mm (0.748 in.) Inside Diameter</b>				
38.00 (1.50")	14.0 (0.55")	303 Stainless Steel	With Integral Shim	* COL-01900-038-14-IS-S3
40.00 (1.57")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-01900-040-15-1C-S3
40.00 (1.57")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	* COL-01900-040-15-1C-CS
40.00 (1.57")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-01900-040-15-2C-S3
40.00 (1.57")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	** COL-01900-040-15-2C-CS
<b>19.050mm (0.750 in.) Inside Diameter</b>				
31.20 (1.23")	45.2 (1.78")		Fastlock	* COL-01905-031-45-FL-S3
31.75 (1.25")	14.3 (0.56")	Nylon	Standard - Nylon	COL-01905-032-14-NY
31.75 (1.25")	14.3 (0.56")	304 Stainless Steel	Standard	COL-01905-032-14-S4
31.75 (1.25")	14.3 (0.56")	Plain Steel	Standard	COL-01905-032-14-C
31.75 (1.25")	14.3 (0.56")	Steel, Black Oxide Coated	Standard	COL-01905-032-14-CBO
31.80 (1.25")	14.3 (0.56")	Stainless Steel	Standard	COL-01905-032-14-S3
31.80 (1.25")	14.3 (0.56")	Stainless Steel	Standard	COL-01908-032-14-S3
31.80 (1.25")	14.3 (0.56")	Carbon Steel	Standard	COL-01905-032-14-CS
31.80 (1.25")	14.3 (0.56")	Steel, Zinc Plated	Standard	COL-01905-032-14-CZ
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	COL-01905-036-37-GF-AB
35.60 (1.40")	38.1 (1.50")	304 Stainless Steel	Gripfast	* COL-01905-036-38-GF-S4
38.00 (1.50")	16.0 (0.63")	Stainless Steel	Fairloc	* COL-01905-038-16-FC-S3
38.00 (1.50")	16.0 (0.63")	Brass With Black Ox	Fairloc	* COL-01905-038-16-FC-BRB
38.10 (1.50")	11.1 (0.44")	Aluminium	Clamp Type - Two Piece	COL-01905-038-11-2C-AL
38.10 (1.50")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	COL-01905-038-13-1C-AL
38.10 (1.50")	12.7 (0.50")	304 Stainless Steel	Clamp Type - One Piece	COL-01905-038-13-1C-S4
38.10 (1.50")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	COL-01905-038-13-1C-S3
38.10 (1.50")	12.7 (0.50")	316 Stainless Steel	Clamp Type - One Piece	* COL-01905-038-13-1C-S6
38.10 (1.50")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-01905-038-13-1C-CS



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>19.050mm (0.750 in.) Inside Diameter</b>				
38.10 (1.50")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-01905-038-13-1C-CBO</b>
38.10 (1.50")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	<b>COL-01905-038-13-2C-S3</b>
38.10 (1.50")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-01905-038-13-2C-S4</b>
38.10 (1.50")	12.7 (0.50")	316 Stainless Steel	Clamp Type - Two Piece - 316 Stainless Steel	* COL-01905-038-13-2C-S6
38.10 (1.50")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-01905-038-13-2C-CBO</b>
38.10 (1.50")	12.7 (0.50")	316 Stainless Steel	Standard	* COL-01905-038-13-S6
38.10 (1.50")	14.3 (0.56")	303 Stainless Steel	With Integral Shim	* COL-01904-038-14-IS-S3
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - Two Piece	<b>COL-01905-041-13-2C-CS</b>
44.50 (1.75")	12.7 (0.50")	Stainless Steel	Hinged	<b>COL-01905-044-13-HG-S3</b>
44.50 (1.75")	12.7 (0.50")	Carbon Steel	Hinged	<b>COL-01905-044-13-HG-CS</b>
47.60 (1.87")	12.7 (0.50")	303 Stainless Steel	Hex Bore - One Piece	<b>COH-01905-048-13-1P-S3</b>
47.60 (1.87")	12.7 (0.50")	Mild Steel	Hex Bore - One Piece	<b>COH-01905-048-13-1P-CS</b>
47.60 (1.87")	12.7 (0.50")	303 Stainless Steel	Hex Bore - Two Piece	<b>COH-01905-048-13-2P-S3</b>
47.60 (1.87")	12.7 (0.50")	Mild Steel	Hex Bore - Two Piece	<b>COH-01905-048-13-2P-CS</b>
<b>20.000mm (0.787 in.) Inside Diameter</b>				
28.00 (1.10")	50.8 (2.00")	Carbon Steel	Clamp Type - Long	* COL-02000-028-51-LC-S3
32.00 (1.26")	12.0 (0.47")	303 Stainless Steel	Standard	* COL-02000-032-12-S3
32.00 (1.26")	14.0 (0.55")	Steel, Zinc Plated	Standard	<b>COL-02000-032-14-CZ</b>
32.00 (1.26")	14.0 (0.55")	Steel, Black Oxide Coated	Standard	<b>COL-02000-032-14-CBO</b>
32.00 (1.26")	40.0 (1.57")	Mild Steel	Long Series - Mild Steel	* COL-02000-032-40-LS-MS
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	* COL-02000-036-37-GF-AB
37.00 (1.46")	45.0 (1.77")		Fastlock	* COL-02000-037-45-FL-S3
38.00 (1.50")	14.0 (0.55")	303 Stainless Steel	With Integral Shim	* COL-02000-038-14-IS-S3
38.00 (1.50")	16.0 (0.63")	303 Stainless Steel	Fairloc	<b>COL-02000-038-16-FC-S3</b>
38.00 (1.50")	16.0 (0.63")	Brass-Black Oxide Finish	Fairloc	* COL-02000-038-16-FC-BRB
38.10 (1.50")	22.2 (0.87")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	* COL-02000-038-22-ADJ-S3
38.10 (1.50")	22.2 (0.87")	Carbon Steel, Black Oxide	Stroke Adjustment	* COL-02000-038-22-ADJ-CB
40.00 (1.57")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-02000-040-15-1C-S3
40.00 (1.57")	15.0 (0.59")	Steel	Clamp Type - One Piece	<b>COL-02000-040-15-1C-CS</b>
40.00 (1.57")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-02000-040-15-2C-S3
40.00 (1.57")	15.0 (0.59")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-02000-040-15-2C-CBO</b>
40.00 (1.57")	15.0 (0.59")	Steel	Clamp Type - Two Piece	<b>COL-02000-040-15-2C-CS</b>
40.00 (1.57")	15.0 (0.59")	Stainless Steel	Hinged	* COL-02000-040-15-HG-S3
40.00 (1.57")	15.0 (0.59")	Carbon Steel	Hinged	* COL-02000-040-15-HG-CS
40.00 (1.57")	16.0 (0.63")	Carbon Steel	D-Bore	* COL-02000-040-16-CS
45.00 (1.77")	15.0 (0.59")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-02000-045-15-1C-S4</b>
45.00 (1.77")	15.0 (0.59")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-02000-045-15-2C-S4</b>
45.00 (1.77")	20.0 (0.79")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-02000-045-20-1C-S4P
45.00 (1.77")	20.0 (0.79")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-02000-045-20-1C-CBP
45.00 (1.77")	20.0 (0.79")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-02000-045-20-2C-CBP
<b>20.638mm (0.813 in.) Inside Diameter</b>				
33.34 (1.31")	14.3 (0.56")	304 Stainless Steel	Standard	<b>COL-02064-033-14-S4</b>
33.34 (1.31")	14.3 (0.56")	Steel, Black Oxide Coated	Standard	<b>COL-02064-033-14-CBO</b>
38.10 (1.50")	14.3 (0.56")	Stainless Steel	Standard	<b>COL-02066-038-14-S3</b>
38.10 (1.50")	14.3 (0.56")	Steel, Zinc Plated	Standard	<b>COL-02064-038-14-CZ</b>
41.28 (1.63")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-02064-041-13-1C-CBO</b>

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

Page 14 of 27

EOE

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>20.638mm (0.813 in.) Inside Diameter</b>				
41.28 (1.63")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-02064-041-13-2C-CBO</b>
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - Two Piece	<b>COL-02064-041-13-2C-CS</b>
<b>22.000mm (0.866 in.) Inside Diameter</b>				
37.00 (1.46")	45.0 (1.77")		Fastlock	* COL-02200-037-45-FL-S3
40.00 (1.57")	15.0 (0.59")	Mild Steel	Standard	* COL-02200-040-15-MS
40.00 (1.57")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	* COL-02200-040-54-LS-MS
42.00 (1.65")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-02200-042-15-1C-S3
42.00 (1.65")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	* COL-02200-042-15-1C-CS
42.00 (1.65")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-02200-042-15-2C-S3
42.00 (1.65")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	* COL-02200-042-15-2C-CS
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	* COL-02200-047-51-GF-AB
<b>22.225mm (0.875 in.) Inside Diameter</b>				
36.80 (1.45")	45.2 (1.78")		Fastlock	* COL-02223-037-45-FL-S3
38.10 (1.50")	14.3 (0.56")	304 Stainless Steel	Standard	<b>COL-02223-038-14-S4</b>
38.10 (1.50")	14.3 (0.56")	Steel, Black Oxide Coated	Standard	<b>COL-02223-038-14-CBO</b>
38.10 (1.50")	14.3 (0.56")	Steel, Zinc Plated	Standard	<b>COL-02225-038-14-CZ</b>
41.28 (1.63")	12.7 (0.50")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-02223-041-13-1C-S4</b>
41.28 (1.63")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-02223-041-13-1C-CBO</b>
41.28 (1.63")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-02223-041-13-2C-S4</b>
41.28 (1.63")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	<b>COL-02223-041-13-2C-AL</b>
41.28 (1.63")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-02223-041-13-2C-CBO</b>
41.30 (1.63")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	<b>COL-02223-041-13-1C-AL</b>
41.30 (1.63")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	<b>COL-02223-041-13-1C-S3</b>
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - One Piece	<b>COL-02223-041-13-1C-CS</b>
41.30 (1.63")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	<b>COL-02223-041-13-2C-S3</b>
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - Two Piece	<b>COL-02223-041-13-2C-CS</b>
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	<b>COL-02223-047-51-GF-AB</b>
47.40 (1.87")	50.8 (2.00")	304 Stainless Steel	Gripfast	* COL-02223-047-51-GF-S4
47.60 (1.87")	12.7 (0.50")	Stainless Steel	Hinged	<b>COL-02223-048-13-HG-S3</b>
47.60 (1.87")	12.7 (0.50")	Carbon Steel	Hinged	<b>COL-02223-048-13-HG-CS</b>
50.90 (2.00")	12.7 (0.50")	Mild Steel	Hex Bore - One Piece	<b>COH-02223-051-13-1P-CS</b>
50.90 (2.00")	12.7 (0.50")	Mild Steel	Hex Bore - Two Piece	<b>COH-02223-051-13-2P-CS</b>
<b>23.813mm (0.938 in.) Inside Diameter</b>				
41.28 (1.63")	14.3 (0.56")	304 Stainless Steel	Standard	<b>COL-02381-041-14-S4</b>
41.28 (1.63")	14.3 (0.56")	Steel, Zinc Plated	Standard	<b>COL-02381-041-14-CZ</b>
44.45 (1.75")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-02381-044-13-2C-CBO</b>
44.50 (1.75")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	<b>COL-02381-044-13-2C-S3</b>
44.50 (1.75")	12.7 (0.50")	Steel	Clamp Type - Two Piece	<b>COL-02381-044-13-2C-CS</b>
<b>24.000mm (0.945 in.) Inside Diameter</b>				
40.00 (1.57")	15.0 (0.59")	Mild Steel	Standard	* COL-02400-040-15-MS
40.00 (1.57")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	* COL-02400-040-54-LS-MS
45.00 (1.77")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-02400-045-15-1C-S3
45.00 (1.77")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	* COL-02400-045-15-1C-CS
45.00 (1.77")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-02400-045-15-2C-S3
45.00 (1.77")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	* COL-02400-045-15-2C-CS
<b>25.000mm (0.984 in.) Inside Diameter</b>				
37.00 (1.46")	45.0 (1.77")		Fastlock	* COL-02500-037-45-FL-S3
40.00 (1.57")	15.0 (0.59")	Mild Steel	Standard	* COL-02500-040-15-MS

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production  
\* Large Minimum Quantities     \*\* Available only while stock lasts    
**Page 15 of 27**     **EOE**

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>25.000mm (0.984 in.) Inside Diameter</b>				
40.00 (1.57")	16.0 (0.63")	304 Stainless Steel	Standard	<b>COL-02500-040-16-S4</b>
40.00 (1.57")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	* COL-02500-040-54-LS-MS
44.50 (1.75")	22.2 (0.87")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	* COL-02500-045-22-ADJ-S3
44.50 (1.75")	22.2 (0.87")	Carbon Steel, Black Oxide	Stroke Adjustment	* COL-02500-045-22-ADJ-CB
45.00 (1.77")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-02500-045-15-1C-S3
45.00 (1.77")	15.0 (0.59")	Steel	Clamp Type - One Piece	<b>COL-02500-045-15-1C-CS</b>
45.00 (1.77")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-02500-045-15-2C-S3
45.00 (1.77")	15.0 (0.59")	Steel	Clamp Type - Two Piece	<b>COL-02500-045-15-2C-CS</b>
45.00 (1.77")	15.0 (0.59")	Stainless Steel	Hinged	* COL-02500-045-15-HG-S3
45.00 (1.77")	15.0 (0.59")	Carbon Steel	Hinged	* COL-02500-045-15-HG-CS
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	* COL-02500-047-51-GF-AB
50.00 (1.97")	15.0 (0.59")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-02500-050-15-1C-S4</b>
50.00 (1.97")	15.0 (0.59")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-02500-050-15-2C-S4</b>
50.00 (1.97")	20.0 (0.79")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	* COL-02500-050-20-1C-S4P
50.00 (1.97")	20.0 (0.79")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-02500-050-20-1C-CBP
50.00 (1.97")	20.0 (0.79")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	* COL-02500-050-20-2C-CBP
<b>25.400mm (1.000 in.) Inside Diameter</b>				
36.80 (1.45")	45.2 (1.78")		Fastlock	* COL-02540-037-45-FL-S3
41.28 (1.63")	15.9 (0.63")	Nylon	Standard - Nylon	<b>COL-02540-041-16-NY</b>
41.28 (1.63")	15.9 (0.63")	304 Stainless Steel	Standard	<b>COL-02540-041-16-S4</b>
41.28 (1.63")	15.9 (0.63")	Steel, Black Oxide Coated	Standard	<b>COL-02540-041-16-CBO</b>
41.30 (1.63")	15.9 (0.63")	Stainless Steel	Standard	<b>COL-02540-041-16-S3</b>
41.30 (1.63")	15.9 (0.63")	Steel, Zinc Plated	Standard	<b>COL-02540-041-16-CZ</b>
44.45 (1.75")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	<b>COL-02540-044-13-1C-AL</b>
44.45 (1.75")	12.7 (0.50")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-02540-044-13-1C-S4</b>
44.45 (1.75")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-02540-044-13-1C-CBO</b>
44.45 (1.75")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-02540-044-13-2C-S4</b>
44.45 (1.75")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	<b>COL-02540-044-13-2C-AL</b>
44.45 (1.75")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-02540-044-13-2C-CBO</b>
44.50 (1.75")	12.7 (0.50")	316 Stainless Steel	Clamp Type - One Piece	* COL-02540-044-13-1C-S6
44.50 (1.75")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	<b>COL-02540-044-13-1C-S3</b>
44.50 (1.75")	12.7 (0.50")	Steel	Clamp Type - One Piece	<b>COL-02540-044-13-1C-CS</b>
44.50 (1.75")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	<b>COL-02540-044-13-2C-S3</b>
44.50 (1.75")	12.7 (0.50")	316 Stainless Steel	Clamp Type - Two Piece - 316 Stainless Steel	* COL-02540-044-13-2C-S6
44.50 (1.75")	12.7 (0.50")	Steel	Clamp Type - Two Piece	<b>COL-02540-044-13-2C-CS</b>
44.50 (1.75")	12.7 (0.50")	316 Stainless Steel	Standard	* COL-02540-044-13-S6
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	<b>COL-02540-047-51-GF-AB</b>
47.40 (1.87")	50.8 (2.00")	304 Stainless Steel	Gripfast	* COL-02540-047-51-GF-S4
50.80 (2.00")	12.7 (0.50")	Stainless Steel	Hinged	<b>COL-02540-051-13-HG-S3</b>
50.80 (2.00")	12.7 (0.50")	Carbon Steel	Hinged	<b>COL-02540-051-13-HG-CS</b>
50.80 (2.00")	15.9 (0.63")	303 Stainless Steel	With Integral Shim	* COL-02539-051-16-IS-S3
54.00 (2.13")	12.7 (0.50")	303 Stainless Steel	Hex Bore - One Piece	<b>COH-02540-054-13-1P-S3</b>
54.00 (2.13")	12.7 (0.50")	Mild Steel	Hex Bore - One Piece	<b>COH-02540-054-13-1P-CS</b>
54.00 (2.13")	12.7 (0.50")	303 Stainless Steel	Hex Bore - Two Piece	<b>COH-02540-054-13-2P-S3</b>
54.00 (2.13")	12.7 (0.50")	Mild Steel	Hex Bore - Two Piece	<b>COH-02540-054-13-2P-CS</b>



# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>26.000mm (1.024 in.) Inside Diameter</b>				
40.00 (1.57")	15.0 (0.59")	Mild Steel	Standard	* COL-02600-040-15-MS
40.00 (1.57")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	* COL-02600-040-54-LS-MS
<b>26.988mm (1.063 in.) Inside Diameter</b>				
34.90 (1.37")	11.1 (0.44")	Stainless Steel	Clamp Type - One Piece	<b>COL-02698-035-11-1C-S3</b>
34.90 (1.37")	11.1 (0.44")	Steel	Clamp Type - One Piece	<b>COL-02698-035-11-1C-CS</b>
44.45 (1.75")	15.9 (0.63")	304 Stainless Steel	Standard	<b>COL-02699-044-16-S4</b>
44.45 (1.75")	15.9 (0.63")	Steel, Black Oxide Coated	Standard	<b>COL-02699-044-16-CBO</b>
44.50 (1.75")	15.9 (0.63")	Steel, Zinc Plated	Standard	<b>COL-02699-044-16-CZ</b>
47.60 (1.87")	12.7 (0.50")	Steel	Clamp Type - One Piece	<b>COL-02698-048-13-1C-CS</b>
47.60 (1.87")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	<b>COL-02699-048-13-2C-S3</b>
47.60 (1.87")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	<b>COL-02699-048-13-2C-AL</b>
47.60 (1.87")	12.7 (0.50")	Steel	Clamp Type - Two Piece	<b>COL-02699-048-13-2C-CS</b>
47.63 (1.88")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-02699-048-13-2C-S4</b>
47.63 (1.88")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-02699-048-13-2C-CBO</b>
<b>27.000mm (1.063 in.) Inside Diameter</b>				
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	<b>COL-02699-047-51-GF-AB</b>
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	* COL-02700-047-51-GF-AB
<b>28.000mm (1.102 in.) Inside Diameter</b>				
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	* COL-02800-047-51-GF-AB
48.00 (1.89")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-02800-048-15-1C-S3
48.00 (1.89")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	* COL-02800-048-15-1C-CS
48.00 (1.89")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-02800-048-15-2C-S3
48.00 (1.89")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	* COL-02800-048-15-2C-CS
50.00 (1.97")	15.0 (0.59")	Mild Steel	Standard	* COL-02800-050-15-MS
50.00 (1.97")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	* COL-02800-050-54-LS-MS
<b>28.575mm (1.125 in.) Inside Diameter</b>				
44.50 (1.75")	15.9 (0.63")	Steel, Zinc Plated	Standard	<b>COL-02860-044-16-CZ</b>
47.60 (1.87")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	<b>COL-02858-048-13-1C-AL</b>
47.60 (1.87")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	<b>COL-02858-048-13-1C-S3</b>
47.60 (1.87")	12.7 (0.50")	Steel	Clamp Type - One Piece	<b>COL-02858-048-13-1C-CS</b>
47.60 (1.87")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	<b>COL-02858-048-13-2C-S3</b>
47.60 (1.87")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	<b>COL-02858-048-13-2C-AL</b>
47.60 (1.87")	12.7 (0.50")	Steel	Clamp Type - Two Piece	<b>COL-02858-048-13-2C-CS</b>
47.63 (1.88")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-02858-048-13-1C-CBO</b>
47.63 (1.88")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-02858-048-13-2C-S4</b>
47.63 (1.88")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-02858-048-13-2C-CBO</b>
54.00 (2.13")	12.7 (0.50")	Carbon Steel	Hinged	<b>COL-02858-054-13-HG-CS</b>
<b>29.000mm (1.142 in.) Inside Diameter</b>				
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	* COL-02900-047-51-GF-AB
<b>30.000mm (1.181 in.) Inside Diameter</b>				
50.00 (1.97")	15.0 (0.59")	Mild Steel	Standard	* COL-03000-050-15-MS
50.00 (1.97")	45.0 (1.77")		Fastlock	* COL-03000-050-45-FL-S3
50.00 (1.97")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	* COL-03000-050-54-LS-MS
52.40 (2.06")	25.4 (1.00")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	* COL-03000-052-25-ADJ-S3
52.40 (2.06")	25.4 (1.00")	Carbon Steel, Black Oxide	Stroke Adjustment	* COL-03000-052-25-ADJ-CB
54.00 (2.13")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-03000-054-15-1C-S3
54.00 (2.13")	15.0 (0.59")	Steel	Clamp Type - One Piece	<b>COL-03000-054-15-1C-CS</b>
54.00 (2.13")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-03000-054-15-2C-S3

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production  
\* Large Minimum Quantities     \*\* Available only while stock lasts    
**Page 17 of 27**     **EOE**

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>30.000mm (1.181 in.) Inside Diameter</b>				
54.00 (2.13")	15.0 (0.59")	Steel	Clamp Type - Two Piece	<b>COL-03000-054-15-2C-CS</b>
54.00 (2.13")	15.0 (0.59")	Stainless Steel	Hinged	* COL-03000-054-15-HG-S3
54.00 (2.13")	15.0 (0.59")	Carbon Steel	Hinged	* COL-03000-054-15-HG-CS
54.60 (2.15")	46.4 (1.83")	ABS Plastic	Gripfast	* COL-03000-055-46-GF-AB
<b>30.163mm (1.188 in.) Inside Diameter</b>				
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - One Piece	<b>COL-03015-041-13-1C-CS</b>
44.45 (1.75")	15.9 (0.63")	304 Stainless Steel	Standard	<b>COL-03016-044-16-S4</b>
44.45 (1.75")	15.9 (0.63")	Steel, Black Oxide Coated	Standard	<b>COL-03016-044-16-CBO</b>
50.80 (2.00")	17.5 (0.69")	304 Stainless Steel	Standard	<b>COL-03016-051-17-S4</b>
50.80 (2.00")	17.5 (0.69")	Steel, Zinc Plated	Standard	<b>COL-03016-051-17-CZ</b>
52.39 (2.06")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-03016-052-13-1C-CBO</b>
52.39 (2.06")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-03016-052-13-2C-S4</b>
52.39 (2.06")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-03016-052-13-2C-CBO</b>
52.40 (2.06")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	<b>COL-03015-052-13-1C-AL</b>
52.40 (2.06")	12.7 (0.50")	Steel	Clamp Type - One Piece	<b>COL-03015-052-13-1C-CS</b>
52.40 (2.06")	12.7 (0.50")	Steel	Clamp Type - Two Piece	<b>COL-03016-052-13-2C-CS</b>
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-03016-083-19-2C-CS</b>
<b>31.750mm (1.250 in.) Inside Diameter</b>				
50.80 (2.00")	17.5 (0.69")	Nylon	Standard - Nylon	<b>COL-03175-051-17-NY</b>
50.80 (2.00")	17.5 (0.69")	304 Stainless Steel	Standard	<b>COL-03175-051-17-S4</b>
50.80 (2.00")	17.5 (0.69")	Steel, Black Oxide Coated	Standard	<b>COL-03175-051-17-CBO</b>
50.80 (2.00")	17.5 (0.69")	Steel, Zinc Plated	Standard	<b>COL-03175-051-17-CZ</b>
50.80 (2.00")	27.0 (1.06")	Stainless Steel	Standard	<b>COL-03178-051-27-S3</b>
50.80 (2.00")	27.0 (1.06")	Zinc Plated Steel	Standard	<b>COL-03178-051-27-CZ</b>
52.39 (2.06")	12.7 (0.50")	304 Stainless Steel	Clamp Type - One Piece	<b>COL-03175-052-13-1C-S4</b>
52.39 (2.06")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-03175-052-13-1C-CBO</b>
52.39 (2.06")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-03175-052-13-2C-S4</b>
52.39 (2.06")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	<b>COL-03175-052-13-2C-AL</b>
52.39 (2.06")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-03175-052-13-2C-CBO</b>
52.40 (2.06")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	<b>COL-03175-052-13-1C-AL</b>
52.40 (2.06")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	<b>COL-03175-052-13-1C-S3</b>
52.40 (2.06")	12.7 (0.50")	Steel	Clamp Type - One Piece	<b>COL-03175-052-13-1C-CS</b>
52.40 (2.06")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	<b>COL-03175-052-13-2C-S3</b>
52.40 (2.06")	12.7 (0.50")	Steel	Clamp Type - Two Piece	<b>COL-03175-052-13-2C-CS</b>
55.00 (2.17")	46.4 (1.83")	ABS Plastic	Gripfast	<b>COL-03175-055-46-GF-AB</b>
55.90 (2.20")	45.7 (1.80")	304 Stainless Steel	Gripfast	* COL-03175-056-46-GF-S4
56.60 (2.23")	47.5 (1.87")		Fastlock	* COL-03175-057-47-FL-S3
57.20 (2.25")	12.7 (0.50")	Carbon Steel	Hinged	<b>COL-03175-057-13-HG-CS</b>
57.20 (2.25")	19.1 (0.75")	303 Stainless Steel	With Integral Shim	* COL-03174-057-19-IS-S3
<b>32.000mm (1.260 in.) Inside Diameter</b>				
54.00 (2.13")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-03200-054-15-1C-S3
54.00 (2.13")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	* COL-03200-054-15-1C-CS
54.00 (2.13")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-03200-054-15-2C-S3
54.00 (2.13")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	* COL-03200-054-15-2C-CS
54.60 (2.15")	46.4 (1.83")	ABS Plastic	Gripfast	* COL-03200-055-46-GF-AB
57.00 (2.24")	48.0 (1.89")		Fastlock	* COL-03200-057-48-FL-S3
<b>33.338mm (1.313 in.) Inside Diameter</b>				
52.40 (2.06")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	<b>COL-03334-052-13-2C-S3</b>

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>33.338mm (1.313 in.) Inside Diameter</b>				
53.98 (2.13")	17.5 (0.69")	304 Stainless Steel	Standard	COL-03334-054-17-S4
53.98 (2.13")	17.5 (0.69")	Steel, Black Oxide Coated	Standard	COL-03334-054-17-CBO
53.98 (2.13")	17.5 (0.69")	Steel, Zinc Plated	Standard	COL-03334-054-17-CZ
54.00 (2.13")	14.3 (0.56")	Aluminium	Clamp Type - One Piece	COL-03333-054-14-1C-AL
54.00 (2.13")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03333-054-14-1C-CS
54.00 (2.13")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03334-054-14-2C-CS
57.15 (2.25")	14.3 (0.56")	304 Stainless Steel	Clamp Type - Two Piece	COL-03334-057-14-2C-S4
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03334-057-14-2C-CBO
<b>34.925mm (1.375 in.) Inside Diameter</b>				
53.98 (2.13")	19.1 (0.75")	304 Stainless Steel	Standard	COL-03493-054-19-S4
53.98 (2.13")	19.1 (0.75")	Steel, Zinc Plated	Standard	COL-03493-054-19-CZ
53.98 (2.13")	19.1 (0.75")	Steel, Black Oxide Coated	Standard	COL-03493-054-19-CBO
55.00 (2.17")	46.4 (1.83")	ABS Plastic	Gripfast	* COL-03493-055-46-GF-AB
55.90 (2.20")	45.7 (1.80")	304 Stainless Steel	Gripfast	* COL-03493-056-46-GF-S4
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-03493-057-14-1C-CBO
57.15 (2.25")	14.3 (0.56")	304 Stainless Steel	Clamp Type - Two Piece	COL-03493-057-14-2C-S4
57.15 (2.25")	14.3 (0.56")	Aluminium	Clamp Type - Two Piece	COL-03493-057-14-2C-AL
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03493-057-14-2C-CBO
57.20 (2.25")	14.3 (0.56")	Aluminium	Clamp Type - One Piece	* COL-03493-057-14-1C-AL
57.20 (2.25")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03493-057-14-1C-CS
57.20 (2.25")	14.3 (0.56")	303 Stainless	Clamp Type - Two Piece	COL-03493-057-14-2C-S3
57.20 (2.25")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03493-057-14-2C-CS
60.30 (2.37")	12.7 (0.50")	Carbon Steel	Hinged	COL-03493-060-13-HG-CS
<b>35.000mm (1.378 in.) Inside Diameter</b>				
54.60 (2.15")	46.4 (1.83")	ABS Plastic	Gripfast	* COL-03500-055-46-GF-AB
57.00 (2.24")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-03500-057-15-1C-S3
57.00 (2.24")	15.0 (0.59")	Steel	Clamp Type - One Piece	COL-03500-057-15-1C-CS
57.00 (2.24")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-03500-057-15-2C-S3
57.00 (2.24")	15.0 (0.59")	Steel	Clamp Type - Two Piece	COL-03500-057-15-2C-CS
57.00 (2.24")	15.0 (0.59")	Stainless Steel	Hinged	* COL-03500-057-15-HG-S3
57.00 (2.24")	15.0 (0.59")	Carbon Steel	Hinged	* COL-03500-057-15-HG-CS
57.00 (2.24")	48.0 (1.89")		Fastlock	* COL-03500-057-48-FL-S3
60.00 (2.36")	15.0 (0.59")	Mild Steel	Standard	* COL-03500-060-15-MS
60.00 (2.36")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	* COL-03500-060-54-LS-MS
<b>36.513mm (1.438 in.) Inside Diameter</b>				
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-03651-057-14-1C-CBO
57.15 (2.25")	14.3 (0.56")	304 Stainless Steel	Clamp Type - Two Piece	COL-03651-057-14-2C-S4
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03651-057-14-2C-CBO
57.15 (2.25")	19.1 (0.75")	304 Stainless Steel	Standard	COL-03651-057-19-S4
57.15 (2.25")	19.1 (0.75")	Steel, Zinc Plated	Standard	COL-03651-057-19-CZ
57.20 (2.25")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03650-057-14-1C-CS
57.20 (2.25")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03651-057-14-2C-CS
<b>38.000mm (1.496 in.) Inside Diameter</b>				
54.60 (2.15")	46.4 (1.83")	ABS Plastic	Gripfast	* COL-03800-055-46-GF-AB
<b>38.100mm (1.500 in.) Inside Diameter</b>				
55.00 (2.17")	46.4 (1.83")	ABS Plastic	Gripfast	COL-03810-055-46-GF-AB
55.90 (2.20")	45.7 (1.80")	304 Stainless Steel	Gripfast	* COL-03810-056-46-GF-S4
56.60 (2.23")	47.5 (1.87")		Fastlock	* COL-03810-057-47-FL-S3

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>38.100mm (1.500 in.) Inside Diameter</b>				
57.15 (2.25")	19.1 (0.75")	304 Stainless Steel	Standard	COL-03810-057-19-S4
57.15 (2.25")	19.1 (0.75")	Steel, Zinc Plated	Standard	COL-03810-057-19-CZ
57.15 (2.25")	19.1 (0.75")	Steel, Black Oxide Coated	Standard	COL-03810-057-19-CBO
57.20 (2.25")	19.1 (0.75")	Stainless Steel	Standard	COL-03813-057-19-S3
57.20 (2.25")	19.1 (0.75")	Zinc Plated Steel	Standard	COL-03813-057-19-CZ
60.30 (2.37")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03810-060-14-1C-CS
60.30 (2.37")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03810-060-14-2C-CS
60.33 (2.38")	14.3 (0.56")	Aluminium	Clamp Type - One Piece	COL-03810-060-14-1C-AL
60.33 (2.38")	14.3 (0.56")	304 Stainless Steel	Clamp Type - One Piece	COL-03810-060-14-1C-S4
60.33 (2.38")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-03810-060-14-1C-CBO
60.33 (2.38")	14.3 (0.56")	304 Stainless Steel	Clamp Type - Two Piece	COL-03810-060-14-2C-S4
60.33 (2.38")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03810-060-14-2C-CBO
63.50 (2.50")	12.7 (0.50")	Carbon Steel	Hinged	COL-03810-064-13-HG-CS
<b>39.688mm (1.563 in.) Inside Diameter</b>				
60.30 (2.37")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03968-060-14-1C-CS
60.30 (2.37")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03969-060-14-2C-CS
60.33 (2.38")	20.6 (0.81")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03969-060-21-2C-CBO
63.50 (2.50")	14.3 (0.56")	Steel, Zinc Plated	Standard	COL-03969-064-14-CZ
<b>40.000mm (1.575 in.) Inside Diameter</b>				
60.00 (2.36")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	* COL-04000-060-15-1C-S3
60.00 (2.36")	15.0 (0.59")	Steel	Clamp Type - One Piece	COL-04000-060-15-1C-CS
60.00 (2.36")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	* COL-04000-060-15-2C-S3
60.00 (2.36")	15.0 (0.59")	Steel	Clamp Type - Two Piece	COL-04000-060-15-2C-CS
60.00 (2.36")	15.0 (0.59")	Stainless Steel	Hinged	* COL-04000-060-15-HG-S3
60.00 (2.36")	15.0 (0.59")	Carbon Steel	Hinged	* COL-04000-060-15-HG-CS
60.00 (2.36")	15.0 (0.59")	Mild Steel	Standard	* COL-04000-060-15-MS
60.00 (2.36")	48.0 (1.89")		Fastlock	* COL-04000-060-48-FL-S3
60.00 (2.36")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	* COL-04000-060-54-LS-MS
63.00 (2.48")	18.0 (0.71")	Zinc Plated Steel	Standard	COL-04000-063-18-ZP
<b>41.275mm (1.625 in.) Inside Diameter</b>				
59.70 (2.35")	47.5 (1.87")		Fastlock	* COL-04128-060-47-FL-S3
63.50 (2.50")	20.6 (0.81")	Steel, Black Oxide Coated	Standard	COL-04128-064-21-CBO
63.50 (2.50")	20.6 (0.81")	Steel, Zinc Plated	Standard	COL-04128-064-21-CZ
66.68 (2.63")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-04128-067-17-1C-CBO
66.68 (2.63")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	COL-04128-067-17-2C-S4
66.68 (2.63")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-04128-067-17-2C-CBO
66.70 (2.63")	17.5 (0.69")	Steel	Clamp Type - One Piece	COL-04128-067-17-1C-CS
66.70 (2.63")	17.5 (0.69")	Steel	Clamp Type - Two Piece	COL-04128-067-17-2C-CS
66.70 (2.63")	27.0 (1.06")	Aluminium	Clamp Type - One Piece	COL-04128-067-27-1C-AL
69.90 (2.75")	15.9 (0.63")	Carbon Steel	Hinged	COL-04128-070-16-HG-CS
<b>42.863mm (1.688 in.) Inside Diameter</b>				
63.50 (2.50")	20.6 (0.81")	Steel, Zinc Plated	Standard	COL-04286-064-21-CZ
69.85 (2.75")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-04286-070-17-2C-CBO
69.90 (2.75")	17.5 (0.69")	Steel	Clamp Type - One Piece	COL-04286-070-17-1C-CS
69.90 (2.75")	17.5 (0.69")	Steel	Clamp Type - Two Piece	COL-04286-070-17-2C-CS
73.00 (2.87")	17.5 (0.69")	Steel	Clamp Type - One Piece	COL-04286-073-17-1C-CS
<b>44.450mm (1.750 in.) Inside Diameter</b>				
69.10 (2.72")	47.5 (1.87")		Fastlock	* COL-04445-069-47-FL-S3

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>44.450mm (1.750 in.) Inside Diameter</b>				
69.10 (2.72")	52.7 (2.07")	304 Stainless Steel	Gripfast	* COL-04445-069-53-GF-S4
69.20 (2.72")	52.5 (2.07")	ABS Plastic	Gripfast	* COL-04445-069-52-GF-AB
69.85 (2.75")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-04445-070-17-1C-CBO</b>
69.85 (2.75")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-04445-070-17-2C-S4</b>
69.85 (2.75")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-04445-070-17-2C-CBO</b>
69.85 (2.75")	22.2 (0.87")	304 Stainless Steel	Standard	<b>COL-04445-070-22-S4</b>
69.85 (2.75")	22.2 (0.87")	Steel, Zinc Plated	Standard	<b>COL-04445-070-22-CZ</b>
69.85 (2.75")	22.2 (0.87")	Steel, Black Oxide Coated	Standard	<b>COL-04445-070-22-CBO</b>
69.90 (2.75")	17.5 (0.69")	Aluminium	Clamp Type - Two Piece	<b>COL-04445-070-17-2C-AL</b>
69.90 (2.75")	17.5 (0.69")	Steel	Clamp Type - Two Piece	<b>COL-04445-070-17-2C-CS</b>
69.90 (2.75")	22.2 (0.87")	Zinc Plated Steel	Standard	<b>COL-04448-070-22-CZ</b>
69.90 (2.75")	27.0 (1.06")	Aluminium	Clamp Type - One Piece	<b>COL-04445-070-27-1C-AL</b>
76.20 (3.00")	15.9 (0.63")	Carbon Steel	Hinged	<b>COL-04445-076-16-HG-CS</b>
<b>45.000mm (1.772 in.) Inside Diameter</b>				
70.00 (2.76")	15.0 (0.59")	Mild Steel	Standard	* COL-04500-070-15-MS
73.00 (2.87")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	* COL-04500-073-19-1C-S3
73.00 (2.87")	19.0 (0.75")	Steel	Clamp Type - One Piece	<b>COL-04500-073-19-1C-CS</b>
73.00 (2.87")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	* COL-04500-073-19-2C-S3
73.00 (2.87")	19.0 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-04500-073-19-2C-CS</b>
73.00 (2.87")	19.0 (0.75")	Stainless Steel	Hinged	* COL-04500-073-19-HG-S3
73.00 (2.87")	19.0 (0.75")	Carbon Steel	Hinged	* COL-04500-073-19-HG-CS
<b>46.038mm (1.813 in.) Inside Diameter</b>				
69.85 (2.75")	22.2 (0.87")	Steel, Zinc Plated	Standard	<b>COL-04604-070-22-CZ</b>
73.00 (2.87")	17.5 (0.69")	Steel	Clamp Type - Two Piece	<b>COL-04604-073-17-2C-CS</b>
<b>47.625mm (1.875 in.) Inside Diameter</b>				
69.85 (2.75")	22.2 (0.87")	Steel, Zinc Plated	Standard	<b>COL-04763-070-22-CZ</b>
73.00 (2.87")	17.5 (0.69")	Steel	Clamp Type - One Piece	<b>COL-04763-073-17-1C-CS</b>
73.00 (2.87")	17.5 (0.69")	Steel	Clamp Type - Two Piece	<b>COL-04763-073-17-2C-CS</b>
73.03 (2.88")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-04763-073-17-2C-S4</b>
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-04763-076-17-1C-CBO</b>
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-04763-076-17-2C-CBO</b>
<b>49.213mm (1.938 in.) Inside Diameter</b>				
76.20 (3.00")	17.5 (0.69")	Steel	Clamp Type - One Piece	<b>COL-04921-076-17-1C-CS</b>
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-04921-076-17-1C-CBO</b>
76.20 (3.00")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-04921-076-17-2C-S4</b>
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-04921-076-17-2C-CBO</b>
76.20 (3.00")	17.5 (0.69")	Steel	Clamp Type - Two Piece	<b>COL-04921-076-17-2C-CS</b>
76.20 (3.00")	22.2 (0.87")	304 Stainless Steel	Standard	<b>COL-04921-076-22-S4</b>
76.20 (3.00")	22.2 (0.87")	Steel, Zinc Plated	Standard	<b>COL-04921-076-22-CZ</b>
<b>50.000mm (1.969 in.) Inside Diameter</b>				
69.10 (2.72")	53.0 (2.09")	ABS Plastic	Gripfast	* COL-05000-069-53-GF-AB
70.00 (2.76")	15.0 (0.59")	Mild Steel	Standard	* COL-05000-070-15-MS
78.00 (3.07")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	* COL-05000-078-19-1C-S3
78.00 (3.07")	19.0 (0.75")	Steel	Clamp Type - One Piece	<b>COL-05000-078-19-1C-CS</b>
78.00 (3.07")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	* COL-05000-078-19-2C-S3
78.00 (3.07")	19.0 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-05000-078-19-2C-CS</b>
78.00 (3.07")	19.0 (0.75")	Stainless Steel	Hinged	* COL-05000-078-19-HG-S3
78.00 (3.07")	19.0 (0.75")	Carbon Steel	Hinged	* COL-05000-078-19-HG-CS

Stocked or Short Delivery    
  Usually Available Short Delivery    
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>50.800mm (2.000 in.) Inside Diameter</b>				
69.10 (2.72")	52.7 (2.07")	304 Stainless Steel	Gripfast	* COL-05080-069-53-GF-S4
69.20 (2.72")	52.5 (2.07")	ABS Plastic	Gripfast	<b>COL-05080-069-52-GF-AB</b>
74.90 (2.95")	47.5 (1.87")		Fastlock	* COL-05080-075-47-FL-S3
76.20 (3.00")	14.3 (0.56")	303 Stainless	Clamp Type - Two Piece	<b>COL-05080-076-14-2C-S3</b>
76.20 (3.00")	17.5 (0.69")	Steel	Clamp Type - One Piece	<b>COL-05080-076-17-1C-CS</b>
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-05080-076-17-1C-CBO</b>
76.20 (3.00")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-05080-076-17-2C-S4</b>
76.20 (3.00")	17.5 (0.69")	Aluminium	Clamp Type - Two Piece	<b>COL-05080-076-17-2C-AL</b>
76.20 (3.00")	17.5 (0.69")	Steel	Clamp Type - Two Piece	<b>COL-05080-076-17-2C-CS</b>
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-05080-076-17-2C-CBO</b>
76.20 (3.00")	22.2 (0.87")	304 Stainless Steel	Standard	<b>COL-05080-076-22-S4</b>
76.20 (3.00")	22.2 (0.87")	Steel, Zinc Plated	Standard	<b>COL-05080-076-22-CZ</b>
76.20 (3.00")	22.2 (0.87")	Steel, Black Oxide Coated	Standard	<b>COL-05080-076-22-CBO</b>
76.20 (3.00")	27.0 (1.06")	Aluminium	Clamp Type - One Piece	<b>COL-05080-076-27-1C-AL</b>
76.20 (3.00")	27.0 (1.06")	Stainless Steel	Clamp Type - One Piece	<b>COL-05080-076-27-1C-S3</b>
82.60 (3.25")	15.9 (0.63")	Carbon Steel	Hinged	<b>COL-05080-083-16-HG-CS</b>
<b>53.975mm (2.125 in.) Inside Diameter</b>				
76.20 (3.00")	22.2 (0.87")	Steel, Zinc Plated	Standard	<b>COL-05398-076-22-CZ</b>
82.55 (3.25")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-05398-083-19-2C-CBO</b>
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - One Piece	<b>COL-05398-083-19-1C-CS</b>
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-05398-083-19-2C-CS</b>
<b>55.000mm (2.165 in.) Inside Diameter</b>				
82.00 (3.23")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	* COL-05500-082-19-1C-S3
82.00 (3.23")	19.0 (0.75")	Steel	Clamp Type - One Piece	<b>COL-05500-082-19-1C-CS</b>
82.00 (3.23")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	* COL-05500-082-19-2C-S3
82.00 (3.23")	19.0 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-05500-082-19-2C-CS</b>
90.00 (3.54")	20.0 (0.79")	Mild Steel	Standard	* COL-05500-090-20-MS
<b>55.563mm (2.188 in.) Inside Diameter</b>				
82.55 (3.25")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-05556-083-19-2C-CBO</b>
82.55 (3.25")	23.8 (0.94")	Steel, Zinc Plated	Standard	<b>COL-05556-083-24-CZ</b>
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - One Piece	<b>COL-05555-083-19-1C-CS</b>
<b>57.150mm (2.250 in.) Inside Diameter</b>				
82.55 (3.25")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-05715-083-19-1C-CBO</b>
82.55 (3.25")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-05715-083-19-2C-CBO</b>
82.55 (3.25")	23.8 (0.94")	Steel, Zinc Plated	Standard	<b>COL-05715-083-24-CZ</b>
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - One Piece	<b>COL-05715-083-19-1C-CS</b>
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-05715-083-19-2C-CS</b>
<b>58.738mm (2.313 in.) Inside Diameter</b>				
85.73 (3.38")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-05874-086-19-2C-CBO</b>
<b>60.000mm (2.362 in.) Inside Diameter</b>				
88.00 (3.46")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	* COL-06000-088-19-1C-S3
88.00 (3.46")	19.0 (0.75")	Steel	Clamp Type - One Piece	<b>COL-06000-088-19-1C-CS</b>
88.00 (3.46")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	* COL-06000-088-19-2C-S3
88.00 (3.46")	19.0 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-06000-088-19-2C-CS</b>
90.00 (3.54")	20.0 (0.79")	Mild Steel	Standard	* COL-06000-090-20-MS
<b>60.325mm (2.375 in.) Inside Diameter</b>				
82.55 (3.25")	23.8 (0.94")	Steel, Zinc Plated	Standard	<b>COL-06033-083-24-CZ</b>
88.90 (3.50")	19.1 (0.75")	Steel	Clamp Type - One Piece	<b>COL-06033-089-19-1C-CS</b>

Stocked or Short Delivery
  Usually Available Short Delivery
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>60.325mm (2.375 in.) Inside Diameter</b>				
88.90 (3.50")	19.1 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-06033-089-19-2C-CS</b>
88.90 (3.50")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-06033-089-19-2C-CBO</b>
<b>61.913mm (2.438 in.) Inside Diameter</b>				
88.90 (3.50")	19.1 (0.75")	Steel	Clamp Type - One Piece	<b>COL-06190-089-19-1C-CS</b>
88.90 (3.50")	19.1 (0.75")	304 Stainless Steel	Clamp Type - Two Piece	<b>COL-06191-089-19-2C-S4</b>
88.90 (3.50")	19.1 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-06191-089-19-2C-CS</b>
88.90 (3.50")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-06191-089-19-2C-CBO</b>
88.90 (3.50")	25.4 (1.00")	Steel, Zinc Plated	Standard	<b>COL-06191-089-25-CZ</b>
<b>63.500mm (2.500 in.) Inside Diameter</b>				
84.10 (3.31")	39.7 (1.56")	304 Stainless Steel	Gripfast	* COL-06350-084-40-GF-S4
85.00 (3.35")	39.9 (1.57")	ABS Plastic	Gripfast	* COL-06350-085-40-GF-AB
88.90 (3.50")	25.4 (1.00")	Steel, Zinc Plated	Standard	<b>COL-06350-089-25-CZ</b>
95.25 (3.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - One Piece	<b>COL-06350-095-22-1C-CBO</b>
95.25 (3.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-06350-095-22-2C-CBO</b>
95.30 (3.75")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-06350-095-22-2C-CS</b>
101.60 (4.00")	19.1 (0.75")	Carbon Steel	Hinged	<b>COL-06350-102-19-HG-CS</b>
<b>65.000mm (2.559 in.) Inside Diameter</b>				
93.00 (3.66")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	* COL-06500-093-19-1C-S3
93.00 (3.66")	19.0 (0.75")	Steel	Clamp Type - One Piece	<b>COL-06500-093-19-1C-CS</b>
93.00 (3.66")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	* COL-06500-093-19-2C-S3
93.00 (3.66")	19.0 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-06500-093-19-2C-CS</b>
98.00 (3.86")	24.0 (0.94")	Mild Steel	Standard	* COL-06500-098-24-MS
<b>65.088mm (2.563 in.) Inside Diameter</b>				
95.25 (3.75")	28.6 (1.13")	Steel, Zinc Plated	Standard	<b>COL-06509-095-29-CZ</b>
<b>66.675mm (2.625 in.) Inside Diameter</b>				
98.40 (3.87")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-06668-098-22-2C-CS</b>
<b>68.263mm (2.688 in.) Inside Diameter</b>				
101.60 (4.00")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-06826-102-22-2C-CS</b>
101.60 (4.00")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-06826-102-22-2C-CBO</b>
<b>69.850mm (2.750 in.) Inside Diameter</b>				
101.60 (4.00")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-06985-102-22-2C-CS</b>
101.60 (4.00")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-06985-102-22-2C-CBO</b>
101.60 (4.00")	28.6 (1.13")	Steel, Zinc Plated	Standard	<b>COL-06985-102-29-CZ</b>
<b>70.000mm (2.756 in.) Inside Diameter</b>				
95.90 (3.78")	50.8 (2.00")	ABS Plastic	Gripfast	* COL-07000-096-51-GF-AB
98.00 (3.86")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	* COL-07000-098-19-1C-S3
98.00 (3.86")	19.0 (0.75")	Steel	Clamp Type - One Piece	<b>COL-07000-098-19-1C-CS</b>
98.00 (3.86")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	* COL-07000-098-19-2C-S3
98.00 (3.86")	19.0 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-07000-098-19-2C-CS</b>
98.00 (3.86")	24.0 (0.94")	Mild Steel	Standard	* COL-07000-098-24-MS
<b>71.438mm (2.813 in.) Inside Diameter</b>				
101.60 (4.00")	22.2 (0.87")	Steel	Clamp Type - One Piece	<b>COL-07144-102-22-1C-CS</b>
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - One Piece	<b>COL-07144-108-22-1C-CS</b>
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-07144-108-22-2C-CS</b>
<b>73.025mm (2.875 in.) Inside Diameter</b>				
95.90 (3.78")	50.8 (2.00")	ABS Plastic	Gripfast	* COL-07303-096-51-GF-AB
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - One Piece	<b>COL-07303-108-22-1C-CS</b>
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-07303-108-22-2C-CS</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>74.613mm (2.938 in.) Inside Diameter</b>				
107.95 (4.25")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-07461-108-22-2C-CBO</b>
107.95 (4.25")	28.6 (1.13")	Steel, Zinc Plated	Standard	<b>COL-07461-108-29-CZ</b>
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - One Piece	<b>COL-07461-108-22-1C-CS</b>
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-07461-108-22-2C-CS</b>
<b>75.000mm (2.953 in.) Inside Diameter</b>				
103.00 (4.06")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	* COL-07500-103-19-1C-S3
103.00 (4.06")	19.0 (0.75")	Steel	Clamp Type - One Piece	<b>COL-07500-103-19-1C-CS</b>
103.00 (4.06")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	* COL-07500-103-19-2C-S3
103.00 (4.06")	19.0 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-07500-103-19-2C-CS</b>
108.00 (4.25")	24.0 (0.94")	Mild Steel	Standard	* COL-07500-108-24-MS
<b>76.000mm (2.992 in.) Inside Diameter</b>				
95.90 (3.78")	50.8 (2.00")	ABS Plastic	Gripfast	* COL-07600-096-51-GF-AB
<b>76.200mm (3.000 in.) Inside Diameter</b>				
95.90 (3.78")	50.3 (1.98")	ABS Plastic	Gripfast	<b>COL-07620-096-50-GF-AB</b>
95.90 (3.78")	50.8 (2.00")	304 Stainless Steel	Gripfast	* COL-07620-096-51-GF-S4
107.95 (4.25")	22.2 (0.87")	Aluminium	Clamp Type - Two Piece	<b>COL-07620-108-22-2C-AL</b>
107.95 (4.25")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-07620-108-22-2C-CBO</b>
107.95 (4.25")	28.6 (1.13")	Steel, Zinc Plated	Standard	<b>COL-07620-108-29-CZ</b>
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-07620-108-22-2C-CS</b>
114.30 (4.50")	19.1 (0.75")	Carbon Steel	Hinged	<b>COL-07620-114-19-HG-CS</b>
<b>80.000mm (3.150 in.) Inside Diameter</b>				
108.00 (4.25")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	* COL-08000-108-19-1C-S3
108.00 (4.25")	19.0 (0.75")	Steel	Clamp Type - One Piece	<b>COL-08000-108-19-1C-CS</b>
108.00 (4.25")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	* COL-08000-108-19-2C-S3
108.00 (4.25")	19.0 (0.75")	Steel	Clamp Type - Two Piece	<b>COL-08000-108-19-2C-CS</b>
108.00 (4.25")	24.0 (0.94")	Mild Steel	Standard	* COL-08000-108-24-MS
<b>80.963mm (3.188 in.) Inside Diameter</b>				
114.30 (4.50")	22.2 (0.87")	Steel	Clamp Type - One Piece	<b>COL-08095-114-22-1C-CS</b>
114.30 (4.50")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-08096-114-22-2C-CS</b>
<b>82.550mm (3.250 in.) Inside Diameter</b>				
114.30 (4.50")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-08255-114-22-2C-CBO</b>
<b>85.000mm (3.346 in.) Inside Diameter</b>				
118.00 (4.65")	24.0 (0.94")	Mild Steel	Standard	* COL-08500-118-24-MS
<b>87.313mm (3.438 in.) Inside Diameter</b>				
114.30 (4.50")	28.6 (1.13")	Steel, Zinc Plated	Standard	<b>COL-08731-114-29-CZ</b>
120.65 (4.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-08731-121-22-2C-CBO</b>
120.70 (4.75")	22.2 (0.87")	Steel	Clamp Type - Two Piece	<b>COL-08731-121-22-2C-CS</b>
<b>88.900mm (3.500 in.) Inside Diameter</b>				
120.65 (4.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-08890-121-22-2C-CBO</b>
<b>90.000mm (3.543 in.) Inside Diameter</b>				
118.00 (4.65")	24.0 (0.94")	Mild Steel	Standard	* COL-09000-118-24-MS
<b>100.000mm (3.937 in.) Inside Diameter</b>				
150.00 (5.91")	24.0 (0.94")	Mild Steel	Standard	* COL-10000-150-24-MS
<b>100.013mm (3.938 in.) Inside Diameter</b>				
133.35 (5.25")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-10001-133-22-2C-CBO</b>
<b>101.600mm (4.000 in.) Inside Diameter</b>				
133.35 (5.25")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-10160-133-22-2C-CBO</b>
<b>112.713mm (4.438 in.) Inside Diameter</b>				
146.05 (5.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	<b>COL-11271-146-22-2C-CBO</b>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts



# Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
<b>120.000mm (4.724 in.) Inside Diameter</b>				
180.00 (7.09")	24.0 (0.94")	Mild Steel	Standard	* COL-12000-180-24-MS
<b>150.000mm (5.906 in.) Inside Diameter</b>				
200.00 (7.87")	24.0 (0.94")	Mild Steel	Standard	* COL-15000-200-24-MS
<b>200.000mm (7.874 in.) Inside Diameter</b>				
250.00 (9.84")	24.0 (0.94")	Mild Steel	Standard	* COL-20000-250-24-MS



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# NOTES



## Distributed By

Miniature Bearings Australia  
<http://www.minibearings.com.au>  
[sales@minibearings.com.au](mailto:sales@minibearings.com.au)

Resellers: Please place your contact sticker over our details

## Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

# Shaft Collars - All Types