


MBA

2018

Timing Pulley Stock & Flanges

Aluminium - Carbon Steel - Stainless Steel



Pitch	Pulley Stock Page	Flange Page
1mm T01	3	23
2mm GT2	4-5	23-24
2.032mm MXL	5-6	24
2.073mm 40DP (LT)	6-7	Use MXL
2.5mm T2.5	7-8	24-25
3mm GT2	8-9	25
3mm HTD	9-11	25-26
5mm AT5	11	Use T5
5mm GT2	11-13	26-27
5mm HTD	13-14	27-28
5mm T5	15	28
5.08mm XL	15-18	28-29
8mm HTD	18	29-30
9.525mm L	18-20	30-31
10mm AT10	21	Use T10
10mm T10	21-22	31
12.7mm H	22-23	31-32

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

Prefixes and Suffixes



1 Pulleys Stock or Flange:

P: Pulley Stock
PFL: Pulley Flange

2 Pitch:

- 010T: 1mm T01 Trapezoidal
- 020G: 2mm GT2 Curvilinear
- MXL: 2.032mm MXL Trapezoidal
- 40D: 2.073 40DP Trapezoidal
- 025T: 2.5mm T2.5 Trapezoidal
- 030G: 3mm GT2 Curvilinear
- 030H: 3mm HTD Curvilinear
- 050A: 5mm AT5 Trapezoidal
- 050G: 5mm GT2 Curvilinear
- 050H: 5mm HTD Curvilinear
- 050T: 5mm T5 Trapezoidal
- XL: 5.08mm (1/5") XL Trapezoidal
- 080H: 8mm HTD Curvilinear
- L9: 9.525mm (3/8") Trapezoidal
- 100A: 10mm AT10 Trapezoidal
- 100T: 10mm T10 Trapezoidal
- H: 12.7mm H Trapezoidal

3 Number of teeth

4 Pulley Stock Useable Length in mm

5 Material:

A: Aluminium
C: Carbon Steel
S4: 304 Stainless Steel

Do not match T series belts with AT series pulleys & vice versa.

See TIPS at the back of catalogue for cross compatibility of curvilinear pitches.



Pulley Stock

Aluminium
Carbon Steel
Stainless Steel (Special Order)

Pulley Flanges


Aluminium
Carbon Steel




These are just some of the most commonly used suffixes. Please refer to MBA for information on suffixes not listed.

Pulley Stock - Timing - 1.000mm Pitch

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
18	38.0	5.73	Aluminium	P-010T-018-038A
19	38.0	6.05	Aluminium	P-010T-019-038A
20	38.0	6.37	Aluminium	P-010T-020-038A
21	38.0	6.68	Aluminium	P-010T-021-038A
22	50.8	7.00	Aluminium	P-010T-022-051A
23	50.8	7.32	Aluminium	P-010T-023-051A
24	50.8	7.64	Aluminium	P-010T-024-051A
25	50.8	7.96	Aluminium	P-010T-025-051A
26	50.8	8.28	Aluminium	P-010T-026-051A
27	50.8	8.59	Aluminium	P-010T-027-051A
28	76.2	8.91	Aluminium	P-010T-028-076A
29	76.2	9.23	Aluminium	P-010T-029-076A
30	76.2	9.55	Aluminium	P-010T-030-076A
31	76.2	9.87	Aluminium	P-010T-031-076A
32	76.2	10.19	Aluminium	P-010T-032-076A
33	76.2	10.50	Aluminium	P-010T-033-076A
34	76.2	10.82	Aluminium	P-010T-034-076A
35	76.2	11.14	Aluminium	P-010T-035-076A
36	76.2	11.46	Aluminium	P-010T-036-076A
37	76.2	11.78	Aluminium	P-010T-037-076A
38	76.2	12.10	Aluminium	P-010T-038-076A
39	101.6	12.41	Aluminium	P-010T-039-102A
40	101.6	12.73	Aluminium	P-010T-040-102A
41	101.6	13.05	Aluminium	P-010T-041-102A
42	101.6	13.37	Aluminium	P-010T-042-102A
43	101.6	13.69	Aluminium	P-010T-043-102A
44	101.6	14.01	Aluminium	P-010T-044-102A
45	101.6	14.32	Aluminium	P-010T-045-102A
46	101.6	14.64	Aluminium	P-010T-046-102A
47	101.6	14.96	Aluminium	P-010T-047-102A
48	127.0	15.28	Aluminium	P-010T-048-127A
49	127.0	15.60	Aluminium	P-010T-049-127A
50	127.0	15.92	Aluminium	P-010T-050-127A
51	127.0	16.23	Aluminium	P-010T-051-127A
52	127.0	16.55	Aluminium	P-010T-052-127A
53	127.0	16.87	Aluminium	P-010T-053-127A
54	152.4	17.19	Aluminium	P-010T-054-152A
55	152.4	17.51	Aluminium	P-010T-055-152A
56	152.4	17.83	Aluminium	P-010T-056-152A
57	152.4	18.14	Aluminium	P-010T-057-152A
58	152.4	18.46	Aluminium	P-010T-058-152A
59	152.4	18.78	Aluminium	P-010T-059-152A
60	152.4	19.10	Aluminium	P-010T-060-152A
61	152.4	19.42	Aluminium	P-010T-061-152A
62	152.4	19.74	Aluminium	P-010T-062-152A
63	152.4	20.05	Aluminium	P-010T-063-152A
64	152.4	20.37	Aluminium	P-010T-064-152A
65	152.4	20.69	Aluminium	P-010T-065-152A
66	152.4	21.01	Aluminium	P-010T-066-152A
67	152.4	21.33	Aluminium	P-010T-067-152A
68	152.4	21.65	Aluminium	P-010T-068-152A
69	152.4	21.96	Aluminium	P-010T-069-152A
70	152.4	22.28	Aluminium	P-010T-070-152A
71	152.4	22.60	Aluminium	P-010T-071-152A
72	152.4	22.92	Aluminium	P-010T-072-152A
73	152.4	23.24	Aluminium	P-010T-073-152A
74	152.4	23.55	Aluminium	P-010T-074-152A
75	152.4	23.87	Aluminium	P-010T-075-152A


 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 2.000mm Pitch - GT2

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
10	50.0	6.40	Aluminium	P-020G-010-050A
11	50.0	7.00	Aluminium	P-020G-011-050A
12	50.0	7.60	Aluminium	P-020G-012-050A
13	50.0	8.30	Aluminium	P-020G-013-050A
14	75.0	8.90	Aluminium	P-020G-014-075A
15	75.0	9.60	Aluminium	P-020G-015-075A
16	75.0	10.20	Aluminium	P-020G-016-075A
17	75.0	10.80	Aluminium	P-020G-017-075A
18	75.0	11.50	Aluminium	P-020G-018-075A
19	75.0	12.10	Aluminium	P-020G-019-075A
20	100.0	12.70	Aluminium	P-020G-020-100A
21	100.0	13.40	Aluminium	P-020G-021-100A
22	100.0	14.00	Aluminium	P-020G-022-100A
23	100.0	14.60	Aluminium	P-020G-023-100A
24	125.0	15.30	Aluminium	P-020G-024-125A
25	125.0	15.90	Aluminium	P-020G-025-125A
26	125.0	16.50	Aluminium	P-020G-026-125A
27	125.0	17.20	Aluminium	P-020G-027-125A
28	125.0	17.80	Aluminium	P-020G-028-125A
29	125.0	18.50	Aluminium	P-020G-029-125A
30	150.0	19.10	Aluminium	P-020G-030-150A
31	150.0	19.80	Aluminium	P-020G-031-150A
32	150.0	20.40	Aluminium	P-020G-032-150A
33	150.0	21.00	Aluminium	P-020G-033-150A
34	150.0	21.60	Aluminium	P-020G-034-150A
35	150.0	22.30	Aluminium	P-020G-035-150A
36	150.0	22.90	Aluminium	P-020G-036-150A
37	150.0	23.50	Aluminium	P-020G-037-150A
38	150.0	24.20	Aluminium	P-020G-038-150A
39	150.0	24.80	Aluminium	P-020G-039-150A
40	150.0	25.5	Aluminium	P-020G-040-150A
42	175.0	26.70	Aluminium	P-020G-042-175A
44	175.0	28.00	Aluminium	P-020G-044-175A
45	175.0	28.70	Aluminium	P-020G-045-175A
48	175.0	30.60	Aluminium	P-020G-048-175A
49	175.0	31.20	Aluminium	P-020G-049-175A
50	175.0	31.80	Aluminium	P-020G-050-175A
51	175.0	32.50	Aluminium	P-020G-051-175A
52	175.0	33.10	Aluminium	P-020G-052-175A
54	175.0	34.40	Aluminium	P-020G-054-175A
55	175.0	35.00	Aluminium	P-020G-055-175A
56	175.0	35.70	Aluminium	P-020G-056-175A
57	175.0	36.30	Aluminium	P-020G-057-175A
60	200.0	38.20	Aluminium	P-020G-060-200A
64	200.0	40.70	Aluminium	P-020G-064-200A
65	200.0	41.40	Aluminium	P-020G-065-200A
66	200.0	42.00	Aluminium	P-020G-066-200A
70	200.0	44.60	Aluminium	P-020G-070-200A
72	200.0	45.80	Aluminium	P-020G-072-200A
75	200.0	47.80	Aluminium	P-020G-075-200A
78	200.0	49.7	Aluminium	P-020G-078-200A
80	200.0	50.90	Aluminium	P-020G-080-200A
82	200.0	52.20	Aluminium	P-020G-082-200A
84	200.0	53.50	Aluminium	P-020G-084-200A
88	200.0	56.00	Aluminium	P-020G-088-200A
90	200.0	57.30	Aluminium	P-020G-090-200A
90	200.0	57.30	Stainless 304	P-020G-090-200-S4
96	200.0	61.10	Aluminium	P-020G-096-200A
98	200.0	62.40	Aluminium	P-020G-098-200A
100	200.0	63.70	Aluminium	P-020G-100-200A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 2.000mm Pitch - GT2


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
102	200.0	64.90	Aluminium	P-020G-102-200A
108	200.0	68.80	Aluminium	P-020G-108-200A
110	200.0	70.00	Aluminium	P-020G-110-200A
120	200.0	76.40	Aluminium	P-020G-120-200A
130	200.0	82.80	Aluminium	P-020G-130-200A
140	200.0	89.10	Aluminium	P-020G-140-200A
150	200.0	95.50	Aluminium	P-020G-150-200A
160	200.0	101.9	Aluminium	P-020G-160-200A

Pulley Stock - Timing - 2.032mm Pitch - MXL

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
10	50.0	6.50	Aluminium	P-MXL-010-050A
11	50.0	7.10	Aluminium	P-MXL-011-050A
12	50.0	7.80	Aluminium	P-MXL-012-050A
13	50.0	8.40	Aluminium	P-MXL-013-050A
14	75.0	9.10	Aluminium	P-MXL-014-075A
15	75.0	9.70	Aluminium	P-MXL-015-075A
16	75.0	10.30	Aluminium	P-MXL-016-075A
17	75.0	11.00	Aluminium	P-MXL-017-075A
18	75.0	11.60	Aluminium	P-MXL-018-075A
19	75.0	12.30	Aluminium	P-MXL-019-075A
20	100.0	12.90	Aluminium	P-MXL-020-100A
21	100.0	13.60	Aluminium	P-MXL-021-100A
22	100.0	14.20	Aluminium	P-MXL-022-100A
23	100.0	14.90	Aluminium	P-MXL-023-100A
24	125.0	15.50	Aluminium	P-MXL-024-125A
25	125.0	16.20	Aluminium	P-MXL-025-125A
26	125.0	16.80	Aluminium	P-MXL-026-125A
27	125.0	17.50	Aluminium	P-MXL-027-125A
28	125.0	18.10	Aluminium	P-MXL-028-125A
29	125.0	18.80	Aluminium	P-MXL-029-125A
30	150.0	19.40	Aluminium	P-MXL-030-150A
31	150.0	20.10	Aluminium	P-MXL-031-150A
32	150.0	20.70	Aluminium	P-MXL-032-150A
33	150.0	21.30	Aluminium	P-MXL-033-150A
34	150.0	22.00	Aluminium	P-MXL-034-150A
35	150.0	22.60	Aluminium	P-MXL-035-150A
36	150.0	23.30	Aluminium	P-MXL-036-150A
37	150.0	23.90	Aluminium	P-MXL-037-150A
38	150.0	24.60	Aluminium	P-MXL-038-150A
39	150.0	25.20	Aluminium	P-MXL-039-150A
40	175.0	25.90	Aluminium	P-MXL-040-175A
42	175.0	27.20	Aluminium	P-MXL-042-175A
44	175.0	28.50	Aluminium	P-MXL-044-175A
45	175.0	29.10	Aluminium	P-MXL-045-175A
48	175.0	31.00	Aluminium	P-MXL-048-175A
49	175.0	31.70	Aluminium	P-MXL-049-175A
50	175.0	32.30	Aluminium	P-MXL-050-175A
51	175.0	33.00	Aluminium	P-MXL-051-175A
52	175.0	33.60	Aluminium	P-MXL-052-175A
54	175.0	34.90	Aluminium	P-MXL-054-175A
55	175.0	35.60	Aluminium	P-MXL-055-175A
56	175.0	36.20	Aluminium	P-MXL-056-175A
57	175.0	36.90	Aluminium	P-MXL-057-175A
60	200.0	38.80	Aluminium	P-MXL-060-200A
64	200.0	41.40	Aluminium	P-MXL-064-200A
65	200.0	42.00	Aluminium	P-MXL-065-200A
66	200.0	42.70	Aluminium	P-MXL-066-200A
70	200.0	45.30	Aluminium	P-MXL-070-200A
72	200.0	46.60	Aluminium	P-MXL-072-200A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 2.032mm Pitch - MXL


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
75	200.0	48.50	Aluminium	P-MXL-075-200A
80	200.0	51.70	Aluminium	P-MXL-080-200A
82	200.0	53.00	Aluminium	P-MXL-082-200A
84	200.0	54.30	Aluminium	P-MXL-084-200A
88	200.0	56.90	Aluminium	P-MXL-088-200A
90	200.0	58.20	Aluminium	P-MXL-090-200A
96	200.0	62.10	Aluminium	P-MXL-096-200A
98	200.0	63.40	Aluminium	P-MXL-098-200A
100	200.0	64.70	Aluminium	P-MXL-100-200A
102	200.0	66.00	Aluminium	P-MXL-102-200A
108	200.0	69.90	Aluminium	P-MXL-108-200A
110	200.0	71.10	Aluminium	P-MXL-110-200A
120	200.0	77.60	Aluminium	P-MXL-120-200A
130	200.0	84.10	Aluminium	P-MXL-130-200A
140	200.0	90.60	Aluminium	P-MXL-140-200A
150	200.0	97.00	Aluminium	P-MXL-150-200A

Pulley Stock - Timing - 2.073mm Pitch - 40DP

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
10	50.8	6.60	Aluminium	P-40D-010-051A
11	50.8	7.26	Aluminium	P-40D-011-051A
12	50.8	7.93	Aluminium	P-40D-012-051A
13	50.8	8.59	Aluminium	P-40D-013-051A
14	50.8	9.25	Aluminium	P-40D-014-051A
14	75.0	9.25	Aluminium	P-40D-014-075A
15	76.2	9.91	Aluminium	P-40D-015-076A
16	76.2	10.57	Aluminium	P-40D-016-076A
17	76.2	11.23	Aluminium	P-40D-017-076A
18	76.2	11.89	Aluminium	P-40D-018-076A
19	76.2	12.55	Aluminium	P-40D-019-076A
20	101.6	13.21	Aluminium	P-40D-020-102A
21	101.6	13.87	Aluminium	P-40D-021-102A
22	101.6	14.53	Aluminium	P-40D-022-102A
23	101.6	15.19	Aluminium	P-40D-023-102A
24	127.0	15.85	Aluminium	P-40D-024-127A
25	127.0	16.51	Aluminium	P-40D-025-127A
26	127.0	17.17	Aluminium	P-40D-026-127A
27	127.0	17.83	Aluminium	P-40D-027-127A
28	127.0	18.49	Aluminium	P-40D-028-127A
29	127.0	19.15	Aluminium	P-40D-029-127A
30	152.4	19.81	Aluminium	P-40D-030-152A
31	152.4	20.47	Aluminium	P-40D-031-152A
32	152.4	21.13	Aluminium	P-40D-032-152A
33	152.4	21.79	Aluminium	P-40D-033-152A
34	152.4	22.45	Aluminium	P-40D-034-152A
35	152.4	23.11	Aluminium	P-40D-035-152A
36	152.4	23.77	Aluminium	P-40D-036-152A
37	152.4	24.44	Aluminium	P-40D-037-152A
38	152.4	25.10	Aluminium	P-40D-038-152A
39	152.4	25.76	Aluminium	P-40D-039-152A
40	177.8	26.42	Aluminium	P-40D-040-178A
42	177.8	27.74	Aluminium	P-40D-042-178A
44	177.8	29.06	Aluminium	P-40D-044-178A
45	177.8	29.72	Aluminium	P-40D-045-178A
48	177.8	31.70	Aluminium	P-40D-048-178A
49	177.8	32.36	Aluminium	P-40D-049-178A
50	177.8	33.02	Aluminium	P-40D-050-178A
51	177.8	33.68	Aluminium	P-40D-051-178A
52	177.8	34.34	Aluminium	P-40D-052-178A
54	177.8	35.66	Aluminium	P-40D-054-178A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 2.073mm Pitch - 40DP


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
55	177.8	36.32	Aluminium	P-40D-055-178A
56	177.8	36.98	Aluminium	P-40D-056-178A
57	177.8	37.64	Aluminium	P-40D-057-178A
60	203.2	39.62	Aluminium	P-40D-060-203A
64	203.2	42.27	Aluminium	P-40D-064-203A
65	203.2	42.93	Aluminium	P-40D-065-203A
66	203.2	43.59	Aluminium	P-40D-066-203A
70	203.2	46.23	Aluminium	P-40D-070-203A
72	203.2	47.55	Aluminium	P-40D-072-203A
75	203.2	49.53	Aluminium	P-40D-075-203A
80	203.2	52.83	Aluminium	P-40D-080-203A
82	203.2	54.15	Aluminium	P-40D-082-203A
84	203.2	55.47	Aluminium	P-40D-084-203A
88	203.2	58.12	Aluminium	P-40D-088-203A
90	203.2	59.44	Aluminium	P-40D-090-203A
96	203.2	63.40	Aluminium	P-40D-096-203A
98	203.2	64.72	Aluminium	P-40D-098-203A
100	203.2	66.04	Aluminium	P-40D-100-203A
102	203.2	67.36	Aluminium	P-40D-102-203A
108	203.2	71.32	Aluminium	P-40D-108-203A
110	203.2	72.64	Aluminium	P-40D-110-203A
120	203.2	79.25	Aluminium	P-40D-120-203A
130	203.2	85.85	Aluminium	P-40D-130-203A
140	203.2	92.46	Aluminium	P-40D-140-203A
150	203.2	99.06	Aluminium	P-40D-150-203A

Pulley Stock - Timing - 2.500mm Pitch - T2.5

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
10	50.0	8.05	Aluminium	P-025T-010-050A
12	50.0	9.60	Aluminium	P-025T-012-050A
13	50.0	10.40	Aluminium	P-025T-013-050A
14	50.0	11.20	Aluminium	P-025T-014-050A
15	50.0	12.00	Aluminium	P-025T-015-050A
16	50.0	12.80	Aluminium	P-025T-016-050A
17	50.0	13.60	Aluminium	P-025T-017-050A
18	50.0	14.40	Aluminium	P-025T-018-050A
19	90.0	15.20	Aluminium	P-025T-019-090A
20	90.0	16.00	Aluminium	P-025T-020-090A
21	90.0	16.80	Aluminium	P-025T-021-090A
22	125.0	17.60	Aluminium	P-025T-022-125A
24	125.0	19.15	Aluminium	P-025T-024-125A
26	125.0	20.75	Aluminium	P-025T-026-125A
27	125.0	21.55	Aluminium	P-025T-027-125A
28	125.0	22.35	Aluminium	P-025T-028-125A
29	125.0	23.15	Aluminium	P-025T-029-125A
30	125.0	23.95	Aluminium	P-025T-030-125A
32	125.0	25.55	Aluminium	P-025T-032-125A
34	125.0	27.15	Aluminium	P-025T-034-125A
35	132.0	27.95	Aluminium	P-025T-035-132A
36	132.0	28.75	Aluminium	P-025T-036-132A
38	132.0	30.30	Aluminium	P-025T-038-132A
40	132.0	31.90	Aluminium	P-025T-040-132A
42	132.0	33.50	Aluminium	P-025T-042-132A
44	132.0	35.10	Aluminium	P-025T-044-132A
45	132.0	35.90	Aluminium	P-025T-045-132A
46	132.0	36.60	Aluminium	P-025T-046-132A
48	132.0	38.30	Aluminium	P-025T-048-132A
50	160.0	39.89	Aluminium	P-025T-050-160A
60	160.0	47.85	Aluminium	P-025T-060-160A
65	160.0	51.80	Aluminium	P-025T-065-160A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 2.500mm Pitch - T2.5


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
70	160.0	55.80	Aluminium	P-025T-070-160A
72	160.0	57.40	Aluminium	P-025T-072-160A
90	160.0	71.72	Aluminium	P-025T-090-160A
100	160.0	79.68	Aluminium	P-025T-100-160A

Pulley Stock - Timing - 3.000mm Pitch - GT2

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
9	75.0	8.60	Aluminium	P-030G-009-075A
10	75.0	9.50	Aluminium	P-030G-010-075A
11	75.0	10.50	Aluminium	P-030G-011-075A
12	100.0	11.50	Aluminium	P-030G-012-100A
13	100.0	12.40	Aluminium	P-030G-013-100A
14	100.0	13.40	Aluminium	P-030G-014-100A
15	100.0	14.30	Aluminium	P-030G-015-100A
16	125.0	15.30	Aluminium	P-030G-016-125A
17	125.0	16.20	Aluminium	P-030G-017-125A
18	125.0	17.20	Aluminium	P-030G-018-125A
19	125.0	18.10	Aluminium	P-030G-019-125A
20	150.0	19.10	Aluminium	P-030G-020-150A
21	150.0	20.10	Aluminium	P-030G-021-150A
22	150.0	21.00	Aluminium	P-030G-022-150A
23	150.0	22.00	Aluminium	P-030G-023-150A
24	150.0	22.90	Aluminium	P-030G-024-150A
25	150.0	23.90	Aluminium	P-030G-025-150A
26	150.0	24.80	Aluminium	P-030G-026-150A
27	150.0	25.80	Aluminium	P-030G-027-150A
28	150.0	26.70	Aluminium	P-030G-028-150A
29	150.0	27.70	Aluminium	P-030G-029-150A
30	175.0	28.60	Aluminium	P-030G-030-175A
31	175.0	29.60	Aluminium	P-030G-031-175A
32	175.0	30.60	Aluminium	P-030G-032-175A
33	175.0	31.50	Aluminium	P-030G-033-175A
34	175.0	32.50	Aluminium	P-030G-034-175A
35	175.0	33.40	Aluminium	P-030G-035-175A
36	200.0	34.40	Aluminium	P-030G-036-200A
37	200.0	35.30	Aluminium	P-030G-037-200A
38	200.0	36.30	Aluminium	P-030G-038-200A
39	200.0	37.20	Aluminium	P-030G-039-200A
40	200.0	38.20	Aluminium	P-030G-040-200A
42	200.0	40.10	Aluminium	P-030G-042-200A
44	200.0	42.00	Aluminium	P-030G-044-200A
45	200.0	43.00	Aluminium	P-030G-045-200A
48	200.0	45.80	Aluminium	P-030G-048-200A
50	200.0	47.70	Aluminium	P-030G-050-200A
52	200.0	49.70	Aluminium	P-030G-052-200A
54	200.0	51.60	Aluminium	P-030G-054-200A
56	200.0	53.50	Aluminium	P-030G-056-200A
60	200.0	57.30	Aluminium	P-030G-060-200A
62	200.0	59.20	Aluminium	P-030G-062-200A
64	200.0	61.10	Aluminium	P-030G-064-200A
66	200.0	63.00	Aluminium	P-030G-066-200A
68	200.0	64.90	Aluminium	P-030G-068-200A
70	200.0	66.80	Aluminium	P-030G-070-200A
72	200.0	66.80	Aluminium	P-030G-072-200A
75	200.0	71.60	Aluminium	P-030G-075-200A
80	200.0	76.40	Aluminium	P-030G-080-200A
90	200.0	85.90	Aluminium	P-030G-090-200A
100	200.0	95.50	Aluminium	P-030G-100-200A
110	200.0	105.00	Aluminium	P-030G-110-200A
120	200.0	114.60	Aluminium	P-030G-120-200A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 3.000mm Pitch - GT2


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
130	200.0	124.10	Aluminium	P-030G-130-200A
140	200.0	133.70	Aluminium	P-030G-140-200A
150	200.0	143.20	Aluminium	P-030G-150-200A
160	200.0	452.80	Aluminium	P-030G-160-200A

Pulley Stock - Timing - 3.000mm Pitch - HTD

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
9	75.0	8.60	Aluminium	P-030H-009-075A
9	75.0	8.60	Carbon Steel	P-030H-009-075C
10	75.0	9.50	Aluminium	P-030H-010-075A
10	75.0	9.50	Carbon Steel	P-030H-010-075C
11	75.0	10.50	Aluminium	P-030H-011-075A
11	75.0	10.50	Carbon Steel	P-030H-011-075C
12	100.0	11.50	Aluminium	P-030H-012-100A
12	100.0	11.50	Carbon Steel	P-030H-012-100C
13	100.0	12.40	Aluminium	P-030H-013-100A
13	100.0	12.40	Carbon Steel	P-030H-013-100C
14	100.0	13.40	Aluminium	P-030H-014-100A
14	100.0	13.40	Carbon Steel	P-030H-014-100C
15	100.0	14.30	Aluminium	P-030H-015-100A
15	100.0	14.30	Carbon Steel	P-030H-015-100C
16	125.0	15.30	Aluminium	P-030H-016-125A
16	125.0	15.30	Carbon Steel	P-030H-016-125C
17	125.0	16.20	Aluminium	P-030H-017-125A
17	125.0	16.20	Carbon Steel	P-030H-017-125C
18	125.0	17.20	Aluminium	P-030H-018-125A
18	125.0	17.20	Carbon Steel	P-030H-018-125C
19	125.0	18.10	Aluminium	P-030H-019-125A
19	125.0	18.10	Carbon Steel	P-030H-019-125C
20	150.0	19.10	Aluminium	P-030H-020-150A
20	150.0	19.10	Carbon Steel	P-030H-020-150C
21	150.0	20.10	Aluminium	P-030H-021-150A
21	150.0	20.10	Carbon Steel	P-030H-021-150C
22	150.0	21.00	Aluminium	P-030H-022-150A
22	150.0	21.00	Carbon Steel	P-030H-022-150C
23	150.0	22.00	Aluminium	P-030H-023-150A
23	150.0	22.00	Carbon Steel	P-030H-023-150C
24	150.0	22.90	Aluminium	P-030H-024-150A
24	150.0	22.90	Carbon Steel	P-030H-024-150C
25	150.0	23.90	Aluminium	P-030H-025-150A
25	150.0	23.90	Carbon Steel	P-030H-025-150C
26	150.0	24.80	Aluminium	P-030H-026-150A
26	150.0	24.80	Carbon Steel	P-030H-026-150C
27	150.0	25.80	Aluminium	P-030H-027-150A
27	150.0	25.80	Carbon Steel	P-030H-027-150C
28	150.0	26.70	Aluminium	P-030H-028-150A
28	150.0	26.70	Carbon Steel	P-030H-028-150C
29	150.0	27.70	Aluminium	P-030H-029-150A
29	150.0	27.70	Carbon Steel	P-030H-029-150C
30	175.0	28.60	Aluminium	P-030H-030-175A
30	175.0	28.60	Carbon Steel	P-030H-030-175C
31	175.0	29.60	Aluminium	P-030H-031-175A
31	175.0	29.60	Carbon Steel	P-030H-031-175C
32	175.0	30.60	Aluminium	P-030H-032-175A
32	175.0	30.60	Carbon Steel	P-030H-032-175C
33	175.0	31.50	Aluminium	P-030H-033-175A
33	175.0	31.50	Carbon Steel	P-030H-033-175C
34	175.0	32.50	Aluminium	P-030H-034-175A
34	175.0	32.50	Carbon Steel	P-030H-034-175C
35	175.0	33.40	Aluminium	P-030H-035-175A


 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 3.000mm Pitch - HTD

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
35	175.0	33.40	Carbon Steel	P-030H-035-175C
36	200.0	34.40	Aluminium	P-030H-036-200A
36	200.0	34.40	Carbon Steel	P-030H-036-200C
37	200.0	35.30	Aluminium	P-030H-037-200A
37	200.0	35.30	Carbon Steel	P-030H-037-200C
38	200.0	36.30	Aluminium	P-030H-038-200A
38	200.0	36.30	Carbon Steel	P-030H-038-200C
39	200.0	37.20	Aluminium	P-030H-039-200A
39	200.0	37.20	Carbon Steel	P-030H-039-200C
40	200.0	38.20	Aluminium	P-030H-040-200A
40	200.0	38.20	Carbon Steel	P-030H-040-200C
42	200.0	40.10	Aluminium	P-030H-042-200A
42	200.0	40.10	Carbon Steel	P-030H-042-200C
44	200.0	42.00	Aluminium	P-030H-044-200A
44	200.0	42.00	Carbon Steel	P-030H-044-200C
45	200.0	43.00	Aluminium	P-030H-045-200A
45	200.0	43.00	Carbon Steel	P-030H-045-200C
48	200.0	45.80	Aluminium	P-030H-048-200A
48	200.0	45.80	Carbon Steel	P-030H-048-200C
50	200.0	47.70	Aluminium	P-030H-050-200A
50	200.0	47.70	Carbon Steel	P-030H-050-200C
52	200.0	49.70	Aluminium	P-030H-052-200A
52	200.0	49.70	Carbon Steel	P-030H-052-200C
54	200.0	51.60	Aluminium	P-030H-054-200A
54	200.0	51.60	Carbon Steel	P-030H-054-200C
56	200.0	53.50	Aluminium	P-030H-056-200A
56	200.0	53.50	Carbon Steel	P-030H-056-200C
60	200.0	57.30	Aluminium	P-030H-060-200A
60	200.0	57.30	Carbon Steel	P-030H-060-200C
62	200.0	59.20	Aluminium	P-030H-062-200A
62	200.0	59.20	Carbon Steel	P-030H-062-200C
64	200.0	61.10	Aluminium	P-030H-064-200A
64	200.0	61.10	Carbon Steel	P-030H-064-200C
65	200.0	62.05	Carbon Steel	P-030H-065-200C
66	200.0	63.00	Aluminium	P-030H-066-200A
66	200.0	63.00	Carbon Steel	P-030H-066-200C
68	200.0	64.90	Aluminium	P-030H-068-200A
68	200.0	64.90	Carbon Steel	P-030H-068-200C
70	200.0	66.80	Aluminium	P-030H-070-200A
70	200.0	66.80	Carbon Steel	P-030H-070-200C
72	200.0	68.80	Aluminium	P-030H-072-200A
72	200.0	68.80	Carbon Steel	P-030H-072-200C
75	200.0	71.60	Aluminium	P-030H-075-200A
75	200.0	71.60	Carbon Steel	P-030H-075-200C
78	200.0	74.46	Carbon Steel	P-030H-078-200C
80	200.0	76.40	Aluminium	P-030H-080-200A
80	200.0	76.40	Carbon Steel	P-030H-080-200C
90	200.0	85.90	Aluminium	P-030H-090-200A
90	200.0	85.90	Carbon Steel	P-030H-090-200C
100	200.0	95.50	Aluminium	P-030H-100-200A
100	200.0	95.50	Carbon Steel	P-030H-100-200C
110	200.0	105.00	Aluminium	P-030H-110-200A
110	200.0	105.00	Carbon Steel	P-030H-110-200C
120	200.0	114.60	Aluminium	P-030H-120-200A
120	200.0	114.60	Carbon Steel	P-030H-120-200C
130	200.0	124.10	Aluminium	P-030H-130-200A
130	200.0	124.10	Carbon Steel	P-030H-130-200C
140	200.0	133.70	Aluminium	P-030H-140-200A
140	200.0	133.70	Carbon Steel	P-030H-140-200C
144	200.0	137.52	Carbon Steel	P-030H-144-200C

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

Pulley Stock - Timing - 3.000mm Pitch - HTD


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
150	200.0	143.20	Aluminium	P-030H-150-200A
150	200.0	143.20	Carbon Steel	P-030H-150-200C
160	200.0	152.80	Aluminium	P-030H-160-200A
160	200.0	152.80	Carbon Steel	P-030H-160-200C

Pulley Stock - Timing - 5.000mm Pitch - AT5


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
12	140.0	19.09	Aluminium	P-050A-012-140A
13	140.0	20.68	Aluminium	P-050A-013-140A
14	140.0	22.27	Aluminium	P-050A-014-140A
15	140.0	23.86	Aluminium	P-050A-015-140A
16	140.0	25.45	Aluminium	P-050A-016-140A
17	140.0	27.04	Aluminium	P-050A-017-140A
18	140.0	28.64	Aluminium	P-050A-018-140A
19	140.0	30.23	Aluminium	P-050A-019-140A
20	160.0	31.82	Aluminium	P-050A-020-160A
21	160.0	33.41	Aluminium	P-050A-021-160A
22	160.0	35.00	Aluminium	P-050A-022-160A
23	160.0	36.59	Aluminium	P-050A-023-160A
24	160.0	38.18	Aluminium	P-050A-024-160A
25	160.0	39.77	Aluminium	P-050A-025-160A
26	160.0	41.36	Aluminium	P-050A-026-160A
27	160.0	42.95	Aluminium	P-050A-027-160A
28	160.0	44.54	Aluminium	P-050A-028-160A
29	160.0	46.13	Aluminium	P-050A-029-160A
30	160.0	47.73	Aluminium	P-050A-030-160A
31	160.0	49.32	Aluminium	P-050A-031-160A
32	160.0	50.91	Aluminium	P-050A-032-160A
33	160.0	52.50	Aluminium	P-050A-033-160A
34	160.0	54.09	Aluminium	P-050A-034-160A
35	160.0	55.68	Aluminium	P-050A-035-160A
36	160.0	57.27	Aluminium	P-050A-036-160A
38	160.0	60.45	Aluminium	P-050A-038-160A
40	160.0	63.63	Aluminium	P-050A-040-160A
42	160.0	66.82	Aluminium	P-050A-042-160A
44	160.0	70.00	Aluminium	P-050A-044-160A
45	160.0	71.59	Aluminium	P-050A-045-160A
46	160.0	73.18	Aluminium	P-050A-046-160A
48	160.0	76.36	Aluminium	P-050A-048-160A
50	160.0	79.54	Aluminium	P-050A-050-160A
52	160.0	82.72	Aluminium	P-050A-052-160A
54	160.0	85.91	Aluminium	P-050A-054-160A
55	160.0	87.50	Aluminium	P-050A-055-106A
56	160.0	89.09	Aluminium	P-050A-056-160A
58	160.0	92.27	Aluminium	P-050A-058-160A
60	160.0	95.45	Aluminium	P-050A-060-160A
62	160.0	98.63	Aluminium	P-050A-062-160A
64	160.0	101.81	Aluminium	P-050A-064-160A
65	160.0	103.40	Aluminium	P-050A-065-160A
70	160.0	111.36	Aluminium	P-050A-070-160A
72	160.0	114.54	Aluminium	P-050A-072-160A

Pulley Stock - Timing - 5.000mm Pitch - GT2

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
12	150.0	19.10	Aluminium	P-050G-012-150A
12	150.0	19.10	Carbon Steel	P-050G-012-150C
13	150.0	20.70	Aluminium	P-050G-013-150A
13	150.0	20.70	Carbon Steel	P-050G-013-150C
14	175.0	22.30	Aluminium	P-050G-014-175A


 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 5.000mm Pitch - GT2

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
14	175.0	22.30	Carbon Steel	P-050G-014-175C
15	175.0	23.90	Aluminium	P-050G-015-175A
15	175.0	23.90	Carbon Steel	P-050G-015-175C
16	175.0	25.50	Aluminium	P-050G-016-175A
16	175.0	25.50	Carbon Steel	P-050G-016-175C
17	175.0	27.10	Aluminium	P-050G-017-175A
17	175.0	27.10	Carbon Steel	P-050G-017-175C
18	175.0	28.60	Carbon Steel	P-050G-018-175C
18	200.0	28.60	Aluminium	P-050G-018-200A
19	200.0	30.20	Aluminium	P-050G-019-200A
19	200.0	30.20	Carbon Steel	P-050G-019-200C
20	200.0	31.80	Aluminium	P-050G-020-200A
20	200.0	31.80	Carbon Steel	P-050G-020-200C
21	200.0	33.40	Aluminium	P-050G-021-200A
21	200.0	33.40	Carbon Steel	P-050G-021-200C
22	200.0	35.00	Aluminium	P-050G-022-200A
22	200.0	35.00	Carbon Steel	P-050G-022-200C
23	200.0	36.60	Aluminium	P-050G-023-200A
23	200.0	36.60	Carbon Steel	P-050G-023-200C
24	200.0	38.20	Aluminium	P-050G-024-200A
24	200.0	38.20	Carbon Steel	P-050G-024-200C
25	200.0	39.80	Aluminium	P-050G-025-200A
25	200.0	39.80	Carbon Steel	P-050G-025-200C
26	200.0	41.40	Aluminium	P-050G-026-200A
26	200.0	41.40	Carbon Steel	P-050G-026-200C
27	200.0	43.00	Aluminium	P-050G-027-200A
27	200.0	43.00	Carbon Steel	P-050G-027-200C
28	200.0	44.60	Aluminium	P-050G-028-200A
28	200.0	44.60	Carbon Steel	P-050G-028-200C
29	200.0	46.20	Aluminium	P-050G-029-200A
29	200.0	46.20	Carbon Steel	P-050G-029-200C
30	200.0	47.70	Aluminium	P-050G-030-200A
30	200.0	47.70	Carbon Steel	P-050G-030-200C
31	200.0	49.30	Aluminium	P-050G-031-200A
31	200.0	49.30	Carbon Steel	P-050G-031-200C
32	200.0	50.90	Aluminium	P-050G-032-200A
32	200.0	50.90	Carbon Steel	P-050G-032-200C
33	200.0	52.50	Aluminium	P-050G-033-200A
33	200.0	52.50	Carbon Steel	P-050G-033-200C
34	200.0	54.10	Aluminium	P-050G-034-200A
34	200.0	54.10	Carbon Steel	P-050G-034-200C
35	200.0	55.70	Aluminium	P-050G-035-200A
35	200.0	55.70	Carbon Steel	P-050G-035-200C
36	200.0	57.30	Aluminium	P-050G-036-200A
36	200.0	57.30	Carbon Steel	P-050G-036-200C
38	200.0	60.50	Aluminium	P-050G-038-200A
38	200.0	60.50	Carbon Steel	P-050G-038-200C
40	200.0	63.70	Aluminium	P-050G-040-200A
40	200.0	63.70	Carbon Steel	P-050G-040-200C
42	200.0	66.80	Carbon Steel	P-050G-042-200C
42	200.0	66.82	Aluminium	P-050G-042-200A
44	200.0	70.00	Aluminium	P-050G-044-200A
44	200.0	70.00	Carbon Steel	P-050G-044-200C
45	200.0	71.59	Aluminium	P-050G-045-200A
45	200.0	71.60	Carbon Steel	P-050G-045-200C
46	200.0	73.18	Aluminium	P-050G-046-200A
46	200.0	73.20	Carbon Steel	P-050G-046-200C
48	200.0	76.36	Aluminium	P-050G-048-200A
48	200.0	76.40	Carbon Steel	P-050G-048-200C
50	200.0	79.54	Aluminium	P-050G-050-200A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 5.000mm Pitch - GT2


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
50	200.0	79.60	Carbon Steel	P-050G-050-200C
54	200.0	85.90	Carbon Steel	P-050G-054-200C
54	200.0	85.91	Aluminium	P-050G-054-200A
56	200.0	89.09	Aluminium	P-050G-056-200A
56	200.0	89.10	Carbon Steel	P-050G-056-200C
60	200.0	95.45	Aluminium	P-050G-060-200A
60	200.0	95.50	Carbon Steel	P-050G-060-200C
62	200.0	98.63	Aluminium	P-050G-062-200A
62	200.0	98.70	Carbon Steel	P-050G-062-200C
65	200.0	103.40	Aluminium	P-050G-065-200A
65	200.0	103.50	Carbon Steel	P-050G-065-200C
72	200.0	114.54	Aluminium	P-050G-072-200A
72	200.0	114.60	Carbon Steel	P-050G-072-200C
80	200.0	127.27	Aluminium	P-050G-080-200A
80	200.0	127.30	Carbon Steel	P-050G-080-200C
90	200.0	143.18	Aluminium	P-050G-090-200A
90	200.0	143.20	Carbon Steel	P-050G-090-200C
100	200.0	159.08	Aluminium	P-050G-100-200A
100	200.0	159.20	Carbon Steel	P-050G-100-200C
112	200.0	178.17	Aluminium	P-050G-112-200A
112	200.0	178.30	Carbon Steel	P-050G-112-200C
126	200.0	200.45	Aluminium	P-050G-126-200A
126	200.0	200.50	Carbon Steel	P-050G-126-200C

Pulley Stock - Timing - 5.000mm Pitch - HTD

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
12	150.0	19.10	Aluminium	P-050H-012-150A
12	150.0	19.10	Carbon Steel	P-050H-012-150C
13	150.0	20.70	Aluminium	P-050H-013-150A
13	150.0	20.70	Carbon Steel	P-050H-013-150C
14	175.0	22.30	Aluminium	P-050H-014-175A
14	175.0	22.30	Carbon Steel	P-050H-014-175C
15	175.0	23.90	Aluminium	P-050H-015-175A
15	175.0	23.90	Carbon Steel	P-050H-015-175C
16	175.0	25.50	Aluminium	P-050H-016-175A
16	175.0	25.50	Carbon Steel	P-050H-016-175C
17	175.0	27.10	Aluminium	P-050H-017-175A
17	175.0	27.10	Carbon Steel	P-050H-017-175C
18	200.0	28.60	Aluminium	P-050H-018-200A
18	200.0	28.60	Carbon Steel	P-050H-018-200C
19	200.0	30.20	Aluminium	P-050H-019-200A
19	200.0	30.20	Carbon Steel	P-050H-019-200C
20	200.0	31.80	Aluminium	P-050H-020-200A
20	200.0	31.80	Carbon Steel	P-050H-020-200C
21	200.0	33.40	Aluminium	P-050H-021-200A
21	200.0	33.40	Carbon Steel	P-050H-021-200C
22	200.0	35.00	Aluminium	P-050H-022-200A
22	200.0	35.00	Carbon Steel	P-050H-022-200C
23	200.0	36.60	Aluminium	P-050H-023-200A
23	200.0	36.60	Carbon Steel	P-050H-023-200C
24	200.0	38.20	Aluminium	P-050H-024-200A
24	200.0	38.20	Carbon Steel	P-050H-024-200C
25	200.0	39.80	Aluminium	P-050H-025-200A
25	200.0	39.80	Carbon Steel	P-050H-025-200C
26	200.0	41.40	Aluminium	P-050H-026-200A
26	200.0	41.40	Carbon Steel	P-050H-026-200C
27	200.0	43.00	Aluminium	P-050H-027-200A
27	200.0	43.00	Carbon Steel	P-050H-027-200C
28	200.0	44.60	Aluminium	P-050H-028-200A
28	200.0	44.60	Carbon Steel	P-050H-028-200C


 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 5.000mm Pitch - HTD

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
29	200.0	46.20	Aluminium	P-050H-029-200A
29	200.0	46.20	Carbon Steel	P-050H-029-200C
30	200.0	47.70	Aluminium	P-050H-030-200A
30	200.0	47.70	Carbon Steel	P-050H-030-200C
31	200.0	49.30	Aluminium	P-050H-031-200A
31	200.0	49.30	Carbon Steel	P-050H-031-200C
32	200.0	50.90	Aluminium	P-050H-032-200A
32	200.0	50.90	Carbon Steel	P-050H-032-200C
33	200.0	52.50	Aluminium	P-050H-033-200A
33	200.0	52.50	Carbon Steel	P-050H-033-200C
34	200.0	54.10	Aluminium	P-050H-034-200A
34	200.0	54.10	Carbon Steel	P-050H-034-200C
35	200.0	55.70	Aluminium	P-050H-035-200A
35	200.0	55.70	Carbon Steel	P-050H-035-200C
36	200.0	57.30	Aluminium	P-050H-036-200A
36	200.0	57.30	Carbon Steel	P-050H-036-200C
38	200.0	60.50	Aluminium	P-050H-038-200A
38	200.0	60.50	Carbon Steel	P-050H-038-200C
40	200.0	63.70	Aluminium	P-050H-040-200A
40	200.0	63.70	Carbon Steel	P-050H-040-200C
42	200.0	66.80	Aluminium	P-050H-042-200A
42	200.0	66.80	Carbon Steel	P-050H-042-200C
44	200.0	70.00	Aluminium	P-050H-044-200A
44	200.0	70.00	Carbon Steel	P-050H-044-200C
45	200.0	71.60	Aluminium	P-050H-045-200A
45	200.0	71.60	Carbon Steel	P-050H-045-200C
46	200.0	73.20	Aluminium	P-050H-046-200A
46	200.0	73.20	Carbon Steel	P-050H-046-200C
48	200.0	76.40	Aluminium	P-050H-048-200A
48	200.0	76.40	Carbon Steel	P-050H-048-200C
50	200.0	79.60	Aluminium	P-050H-050-200A
50	200.0	79.60	Carbon Steel	P-050H-050-200C
54	200.0	85.90	Aluminium	P-050H-054-200A
54	200.0	85.90	Carbon Steel	P-050H-054-200C
56	200.0	89.10	Aluminium	P-050H-056-200A
56	200.0	89.10	Carbon Steel	P-050H-056-200C
60	200.0	95.50	Aluminium	P-050H-060-200A
60	200.0	95.50	Carbon Steel	P-050H-060-200C
62	200.0	98.70	Aluminium	P-050H-062-200A
62	200.0	98.70	Carbon Steel	P-050H-062-200C
65	200.0	103.50	Aluminium	P-050H-065-200A
65	200.0	103.50	Carbon Steel	P-050H-065-200C
72	200.0	114.60	Aluminium	P-050H-072-200A
72	200.0	114.60	Carbon Steel	P-050H-072-200C
80	200.0	127.30	Aluminium	P-050H-080-200A
80	200.0	127.30	Carbon Steel	P-050H-080-200C
90	200.0	143.20	Aluminium	P-050H-090-200A
90	200.0	143.20	Carbon Steel	P-050H-090-200C
100	200.0	159.20	Aluminium	P-050H-100-200A
100	200.0	159.20	Carbon Steel	P-050H-100-200C
112	150.0	178.30	Aluminium	P-050H-112-150A
112	150.0	178.30	Carbon Steel	P-050H-112-150C
112	200.0	178.17	Aluminium	P-050H-112-200A
112	200.0	178.17	Carbon Steel	P-050H-112-200C
126	150.0	200.50	Aluminium	P-050H-126-150A
126	150.0	200.50	Carbon Steel	P-050H-126-150C
126	200.0	200.45	Aluminium	P-050H-126-200A
126	200.0	200.45	Carbon Steel	P-050H-126-200C

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 5.000mm Pitch - T5


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
10	125.0	15.05	Aluminium	P-050T-010-125A
11	125.0	16.65	Aluminium	P-050T-011-125A
12	125.0	18.25	Aluminium	P-050T-012-125A
13	125.0	19.85	Aluminium	P-050T-013-125A
14	132.0	21.45	Aluminium	P-050T-014-132A
15	132.0	23.05	Aluminium	P-050T-015-132A
16	140.0	24.60	Aluminium	P-050T-016-140A
17	140.0	26.20	Aluminium	P-050T-017-140A
18	140.0	27.80	Aluminium	P-050T-018-140A
19	140.0	29.40	Aluminium	P-050T-019-140A
20	160.0	31.00	Aluminium	P-050T-020-160A
21	160.0	32.70	Aluminium	P-050T-021-160A
22	160.0	34.25	Aluminium	P-050T-022-160A
23	160.0	35.85	Aluminium	P-050T-023-160A
24	160.0	37.40	Aluminium	P-050T-024-160A
25	160.0	39.00	Aluminium	P-050T-025-160A
26	160.0	40.60	Aluminium	P-050T-026-160A
27	160.0	42.20	Aluminium	P-050T-027-160A
28	160.0	43.75	Aluminium	P-050T-028-160A
29	160.0	45.35	Aluminium	P-050T-029-160A
30	160.0	46.95	Aluminium	P-050T-030-160A
32	160.0	50.10	Aluminium	P-050T-032-160A
34	160.0	53.25	Aluminium	P-050T-034-160A
35	160.0	54.85	Aluminium	P-050T-035-160A
36	160.0	56.45	Aluminium	P-050T-036-160A
37	160.0	58.06	Aluminium	P-050T-037-160A
38	160.0	59.65	Aluminium	P-050T-038-160A
40	160.0	62.85	Aluminium	P-050T-040-160A
42	160.0	66.00	Aluminium	P-050T-042-160A
44	160.0	69.20	Aluminium	P-050T-044-160A
45	160.0	70.80	Aluminium	P-050T-045-160A
46	160.0	72.40	Aluminium	P-050T-046-160A
48	160.0	75.55	Aluminium	P-050T-048-160A
50	160.0	78.75	Aluminium	P-050T-050-160A
60	160.0	94.65	Aluminium	P-050T-060-160A
60	250.0	94.65	Aluminium	P-050T-060-250A
72	160.0	113.75	Aluminium	P-050T-072-160A
80	160.0	126.48	Aluminium	P-050T-080-160A
90	160.0	142.40	Aluminium	P-050T-090-160A
100	160.0	158.31	Aluminium	P-050T-100-160A

Pulley Stock - Timing - 5.080mm Pitch - XL

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
8	150.0	12.93	Aluminium	P-XL-008-150A
8	200.0	12.90	Aluminium	P-XL-008-200A
10	150.0	16.16	Aluminium	P-XL-010-150A
10	150.0	16.20	Carbon Steel	P-XL-010-150C
10	200.0	16.20	Aluminium	P-XL-010-200A
11	150.0	17.78	Aluminium	P-XL-011-150A
11	150.0	17.80	Carbon Steel	P-XL-011-150C
11	200.0	17.80	Aluminium	P-XL-011-200A
12	200.0	19.40	Aluminium	P-XL-012-200A
12	200.0	19.40	Carbon Steel	P-XL-012-200C
13	200.0	21.00	Aluminium	P-XL-013-200A
13	200.0	21.01	Carbon Steel	P-XL-013-200C
14	200.0	22.60	Aluminium	P-XL-014-200A
14	200.0	22.63	Carbon Steel	P-XL-014-200C
15	200.0	24.24	Carbon Steel	P-XL-015-200C
15	200.0	24.30	Aluminium	P-XL-015-200A
16	200.0	25.86	Carbon Steel	P-XL-016-200C


 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 5.080mm Pitch - XL

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
16	200.0	25.90	Aluminium	P-XL-016-200A
17	200.0	27.48	Carbon Steel	P-XL-017-200C
17	200.0	27.50	Aluminium	P-XL-017-200A
18	200.0	29.09	Carbon Steel	P-XL-018-200C
18	200.0	29.10	Aluminium	P-XL-018-200A
18	300.0	29.09	Carbon Steel	P-XL-018-300C
18	300.0	29.10	Aluminium	P-XL-018-300A
19	200.0	30.70	Aluminium	P-XL-019-200A
19	200.0	30.71	Carbon Steel	P-XL-019-200C
19	300.0	30.70	Aluminium	P-XL-019-300A
19	300.0	30.71	Carbon Steel	P-XL-019-300C
20	200.0	32.30	Aluminium	P-XL-020-200A
20	200.0	32.33	Carbon Steel	P-XL-020-200C
20	300.0	32.30	Aluminium	P-XL-020-300A
20	300.0	32.33	Carbon Steel	P-XL-020-300C
21	200.0	33.94	Carbon Steel	P-XL-021-200C
21	200.0	34.00	Aluminium	P-XL-021-200A
21	300.0	33.94	Carbon Steel	P-XL-021-300C
21	300.0	34.00	Aluminium	P-XL-021-300A
22	200.0	35.56	Carbon Steel	P-XL-022-200C
22	200.0	35.60	Aluminium	P-XL-022-200A
22	300.0	35.56	Carbon Steel	P-XL-022-300C
22	300.0	35.60	Aluminium	P-XL-022-300A
23	200.0	37.17	Carbon Steel	P-XL-023-200C
23	200.0	37.20	Aluminium	P-XL-023-200A
23	300.0	37.17	Carbon Steel	P-XL-023-300C
23	300.0	37.20	Aluminium	P-XL-023-300A
24	200.0	38.79	Carbon Steel	P-XL-024-200C
24	200.0	38.80	Aluminium	P-XL-024-200A
24	300.0	38.79	Carbon Steel	P-XL-024-300C
24	300.0	38.80	Aluminium	P-XL-024-300A
25	200.0	40.40	Aluminium	P-XL-025-200A
25	200.0	40.41	Carbon Steel	P-XL-025-200C
25	300.0	40.40	Aluminium	P-XL-025-300A
25	300.0	40.41	Carbon Steel	P-XL-025-300C
26	200.0	42.00	Aluminium	P-XL-026-200A
26	200.0	42.02	Carbon Steel	P-XL-026-200C
26	300.0	42.00	Aluminium	P-XL-026-300A
26	300.0	42.02	Carbon Steel	P-XL-026-300C
27	200.0	43.64	Carbon Steel	P-XL-027-200C
27	200.0	43.70	Aluminium	P-XL-027-200A
27	300.0	43.64	Carbon Steel	P-XL-027-300C
27	300.0	43.70	Aluminium	P-XL-027-300A
28	200.0	45.26	Carbon Steel	P-XL-028-200C
28	200.0	45.30	Aluminium	P-XL-028-200A
28	300.0	45.26	Carbon Steel	P-XL-028-300C
28	300.0	45.30	Aluminium	P-XL-028-300A
29	200.0	46.89	Carbon Steel	P-XL-029-200C
29	200.0	46.90	Aluminium	P-XL-029-200A
29	300.0	46.87	Carbon Steel	P-XL-029-300C
29	300.0	46.90	Aluminium	P-XL-029-300A
30	200.0	48.49	Carbon Steel	P-XL-030-200C
30	200.0	48.50	Aluminium	P-XL-030-200A
30	300.0	48.49	Carbon Steel	P-XL-030-300C
30	300.0	48.50	Aluminium	P-XL-030-300A
31	200.0	50.10	Aluminium	P-XL-031-200A
31	200.0	50.10	Carbon Steel	P-XL-031-200C
31	300.0	50.10	Aluminium	P-XL-031-300A
31	300.0	50.10	Carbon Steel	P-XL-031-300C
32	200.0	51.70	Aluminium	P-XL-032-200A


 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 5.080mm Pitch - XL

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
32	200.0	51.72	Carbon Steel	P-XL-032-200C
32	300.0	51.70	Aluminium	P-XL-032-300A
32	300.0	51.72	Carbon Steel	P-XL-032-300C
33	200.0	53.34	Carbon Steel	P-XL-033-200C
33	200.0	53.40	Aluminium	P-XL-033-200A
33	300.0	53.34	Carbon Steel	P-XL-033-300C
33	300.0	53.40	Aluminium	P-XL-033-300A
34	200.0	54.95	Carbon Steel	P-XL-034-200C
34	200.0	55.00	Aluminium	P-XL-034-200A
34	300.0	54.95	Carbon Steel	P-XL-034-300C
34	300.0	55.00	Aluminium	P-XL-034-300A
35	200.0	56.57	Carbon Steel	P-XL-035-200C
35	200.0	56.60	Aluminium	P-XL-035-200A
35	300.0	56.57	Carbon Steel	P-XL-035-300C
35	300.0	56.60	Aluminium	P-XL-035-300A
36	200.0	58.19	Carbon Steel	P-XL-036-200C
36	200.0	58.20	Aluminium	P-XL-036-200A
36	300.0	58.19	Carbon Steel	P-XL-036-300C
36	300.0	58.20	Aluminium	P-XL-036-300A
37	200.0	59.80	Carbon Steel	P-XL-037-200C
37	200.0	59.80	Aluminium	P-XL-037-200A
37	300.0	59.80	Aluminium	P-XL-037-300A
37	300.0	59.80	Carbon Steel	P-XL-037-300C
38	200.0	61.40	Aluminium	P-XL-038-200A
38	200.0	61.42	Carbon Steel	P-XL-038-200C
38	300.0	61.40	Aluminium	P-XL-038-300A
38	300.0	61.42	Carbon Steel	P-XL-038-300C
39	300.0	63.10	Aluminium	P-XL-039-300A
39	300.0	63.10	Carbon Steel	P-XL-039-300-C
40	200.0	64.65	Carbon Steel	P-XL-040-200C
40	200.0	64.70	Aluminium	P-XL-040-200A
40	300.0	64.65	Carbon Steel	P-XL-040-300C
40	300.0	64.70	Aluminium	P-XL-040-300A
41	300.0	66.30	Aluminium	P-XL-041-300A
41	300.0	66.30	Carbon Steel	P-XL-041-300C
42	200.0	67.88	Carbon Steel	P-XL-042-200C
42	200.0	67.90	Aluminium	P-XL-042-200A
42	300.0	67.88	Carbon Steel	P-XL-042-300C
42	300.0	67.90	Aluminium	P-XL-042-300A
43	200.0	69.50	Carbon Steel	P-XL-043-200C
43	200.0	69.50	Aluminium	P-XL-043-200A
43	300.0	69.50	Carbon Steel	P-XL-043-300C
43	300.0	69.5	Aluminium	P-XL-043-300A
44	200.0	71.10	Aluminium	P-XL-044-200A
44	200.0	71.12	Carbon Steel	P-XL-044-200C
44	300.0	71.12	Carbon Steel	P-XL-044-300C
44	300.0	71.10	Aluminium	P-XL-044-300A
45	200.0	72.73	Carbon Steel	P-XL-045-200C
45	200.0	72.80	Aluminium	P-XL-045-200A
45	300.0	72.73	Carbon Steel	P-XL-045-300C
45	300.0	72.80	Aluminium	P-XL-045-300A
46	200.0	74.35	Aluminium	P-XL-046-200A
46	200.0	74.35	Carbon Steel	P-XL-046-200C
46	300.0	74.35	Carbon Steel	P-XL-046-300C
46	300.0	74.40	Aluminium	P-XL-046-300A
48	200.0	77.58	Carbon Steel	P-XL-048-200C
48	200.0	77.60	Aluminium	P-XL-048-200A
48	300.0	77.58	Carbon Steel	P-XL-048-300C
48	300.0	77.60	Aluminium	P-XL-048-300A
50	200.0	80.81	Carbon Steel	P-XL-050-200C

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

Pulley Stock - Timing - 5.080mm Pitch - XL


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
50	200.0	80.90	Aluminium	P-XL-050-200A
50	300.0	80.81	Carbon Steel	P-XL-050-300C
50	300.0	80.90	Aluminium	P-XL-050-300A
54	300.0	87.30	Aluminium	P-XL-054-300A
54	300.0	87.30	Carbon Steel	P-XL-054-300C
60	200.0	96.98	Carbon Steel	P-XL-060-200C
60	200.0	97.00	Aluminium	P-XL-060-200A
60	300.0	96.98	Carbon Steel	P-XL-060-300C
60	300.0	97.00	Aluminium	P-XL-060-300A
62	200.0	100.21	Carbon Steel	P-XL-062-200C
62	200.0	100.30	Aluminium	P-XL-062-200A
62	300.0	100.21	Aluminium	P-XL-062-300A
62	300.0	100.21	Carbon Steel	P-XL-062-300C
64	300.0	103.50	Aluminium	P-XL-064-300A
64	300.0	103.50	Carbon Steel	P-XL-064-300C
72	200.0	116.37	Carbon Steel	P-XL-072-200C
72	200.0	116.40	Aluminium	P-XL-072-200A
72	300.0	116.37	Carbon Steel	P-XL-072-300C
72	300.0	116.40	Aluminium	P-XL-072-300A
80	200.0	129.36	Carbon Steel	P-XL-080-200C
80	200.0	129.40	Aluminium	P-XL-080-200A
80	300.0	129.36	Aluminium	P-XL-080-300A

Pulley Stock - Timing - 8.000mm Pitch - HTD


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
20	250.0	50.91	Aluminium	P-080H-020-250A
21	250.0	53.45	Aluminium	P-080H-021-250A
22	250.0	56.00	Aluminium	P-080H-022-250A
23	250.0	58.54	Aluminium	P-080H-023-250A
24	250.0	61.09	Aluminium	P-080H-024-250A
25	250.0	63.63	Aluminium	P-080H-025-250A
26	250.0	66.18	Aluminium	P-080H-026-250A
28	250.0	71.27	Aluminium	P-080H-028-250A
30	250.0	76.36	Aluminium	P-080H-030-250A
32	250.0	81.45	Aluminium	P-080H-032-250A
34	250.0	86.54	Aluminium	P-080H-034-250A
35	250.0	89.09	Aluminium	P-080H-035-250A
36	250.0	91.63	Aluminium	P-080H-036-250A
38	250.0	96.72	Aluminium	P-080H-038-250A
40	250.0	101.81	Aluminium	P-080H-040-250A
42	250.0	106.90	Aluminium	P-080H-042-250A
44	250.0	111.99	Aluminium	P-080H-044-250A
45	250.0	114.54	Aluminium	P-080H-045-250A
48	200.0	122.18	Aluminium	P-080H-048-200A
49	200.0	124.72	Aluminium	P-080H-049-200A
50	200.0	127.27	Aluminium	P-080H-050-200A
56	200.0	142.54	Aluminium	P-080H-056-200A
60	200.0	152.72	Aluminium	P-080H-060-200A
62	200.0	157.81	Aluminium	P-080H-062-200A
64	200.0	162.90	Aluminium	P-080H-064-200A
65	200.0	165.45	Aluminium	P-080H-065-200A
70	200.0	178.17	Aluminium	P-080H-070-200A
72	200.0	183.26	Aluminium	P-080H-072-200A
75	200.0	190.90	Aluminium	P-080H-075-200A
80	200.0	203.63	Aluminium	P-080H-080-200A

Pulley Stock - Timing - 9.525mm Pitch - L

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
10	200.0	30.30	Aluminium	P-L9-010-200A


 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 9.525mm Pitch - L

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
10	200.0	30.30	Carbon Steel	P-L9-010-200C
11	200.0	33.40	Aluminium	P-L9-011-200A
11	200.0	33.40	Carbon Steel	P-L9-011-200C
12	200.0	36.40	Aluminium	P-L9-012-200A
12	200.0	36.40	Carbon Steel	P-L9-012-200C
12	300.0	36.40	Aluminium	P-L9-012-300A
12	300.0	36.40	Carbon Steel	P-L9-012-300C
13	200.0	39.40	Aluminium	P-L9-013-200A
13	200.0	39.40	Carbon Steel	P-L9-013-200C
13	300.0	39.40	Aluminium	P-L9-013-300A
13	300.0	39.40	Carbon Steel	P-L9-013-300C
14	200.0	42.40	Aluminium	P-L9-014-200A
14	200.0	42.40	Carbon Steel	P-L9-014-200C
14	300.0	42.40	Aluminium	P-L9-014-300A
14	300.0	42.40	Carbon Steel	P-L9-014-300C
15	200.0	45.50	Aluminium	P-L9-015-200A
15	200.0	45.50	Carbon Steel	P-L9-015-200C
15	300.0	45.50	Aluminium	P-L9-015-300A
15	300.0	45.50	Carbon Steel	P-L9-015-300C
16	200.0	48.50	Aluminium	P-L9-016-200A
16	200.0	48.50	Carbon Steel	P-L9-016-200C
16	300.0	48.50	Aluminium	P-L9-016-300A
16	300.0	48.50	Carbon Steel	P-L9-016-300C
17	200.0	51.50	Aluminium	P-L9-017-200A
17	200.0	51.50	Carbon Steel	P-L9-017-200C
17	300.0	51.52	Aluminium	P-L9-017-300A
17	300.0	51.52	Carbon Steel	P-L9-017-300C
18	200.0	54.60	Aluminium	P-L9-018-200A
18	200.0	54.60	Carbon Steel	P-L9-018-200C
18	300.0	54.60	Aluminium	P-L9-018-300A
18	300.0	54.60	Carbon Steel	P-L9-018-300C
19	200.0	57.60	Aluminium	P-L9-019-200A
19	200.0	57.60	Carbon Steel	P-L9-019-200C
19	300.0	57.58	Aluminium	P-L9-019-300A
19	300.0	57.58	Carbon Steel	P-L9-019-300C
20	200.0	60.60	Aluminium	P-L9-020-200A
20	200.0	60.60	Carbon Steel	P-L9-020-200C
20	300.0	60.60	Aluminium	P-L9-020-300A
20	300.0	60.60	Carbon Steel	P-L9-020-300C
21	200.0	63.70	Aluminium	P-L9-021-200A
21	200.0	63.70	Carbon Steel	P-L9-021-200C
21	300.0	63.70	Aluminium	P-L9-021-300A
21	300.0	63.70	Carbon Steel	P-L9-021-300C
22	200.0	66.70	Aluminium	P-L9-022-200A
22	200.0	66.70	Carbon Steel	P-L9-022-200C
22	300.0	66.70	Aluminium	P-L9-022-300A
22	300.0	66.70	Carbon Steel	P-L9-022-300C
23	200.0	69.70	Carbon Steel	P-L9-023-200C
23	200.0	69.70	Aluminium	P-L9-023-200A
23	250.0	69.70	Aluminium	P-L9-023-250A
23	300.0	69.70	Carbon Steel	P-L9-023-300C
23	300.0	69.70	Aluminium	P-L9-023-300A
24	200.0	72.80	Aluminium	P-L9-024-200A
24	200.0	72.80	Carbon Steel	P-L9-024-200C
24	300.0	72.80	Aluminium	P-L9-024-300A
24	300.0	72.80	Carbon Steel	P-L9-024-300C
25	200.0	75.76	Aluminium	P-L9-025-200A
25	200.0	75.76	Carbon Steel	P-L9-025-200C
25	300.0	75.76	Aluminium	P-L9-025-300A
25	300.0	75.76	Carbon Steel	P-L9-025-300C


 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 9.525mm Pitch - L

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
26	200.0	78.80	Aluminium	P-L9-026-200A
26	200.0	78.80	Carbon Steel	P-L9-026-200C
26	300.0	78.79	Aluminium	P-L9-026-300A
26	300.0	78.79	Carbon Steel	P-L9-026-300C
27	200.0	81.82	Aluminium	P-L9-027-200A
27	200.0	81.82	Carbon Steel	P-L9-027-200C
27	300.0	81.82	Aluminium	P-L9-027-300A
27	300.0	81.82	Carbon Steel	P-L9-027-300C
28	200.0	84.90	Aluminium	P-L9-028-200A
28	200.0	84.90	Carbon Steel	P-L9-028-200C
28	300.0	84.90	Aluminium	P-L9-028-300A
28	300.0	84.90	Carbon Steel	P-L9-028-300C
29	200.0	87.89	Aluminium	P-L9-029-200A
29	200.0	87.89	Carbon Steel	P-L9-029-200C
29	250.0	87.90	Aluminium	P-L9-029-250A
29	300.0	87.89	Aluminium	P-L9-029-300A
29	300.0	87.89	Carbon Steel	P-L9-029-300C
30	200.0	91.00	Aluminium	P-L9-030-200A
30	200.0	91.00	Carbon Steel	P-L9-030-200C
30	300.0	91.00	Aluminium	P-L9-030-300A
30	300.0	91.00	Carbon Steel	P-L9-030-300C
31	200.0	93.95	Aluminium	P-L9-031-200A
31	200.0	93.95	Carbon Steel	P-L9-031-200C
31	300.0	93.95	Aluminium	P-L9-031-300A
31	300.0	93.95	Carbon Steel	P-L9-031-300C
32	200.0	97.00	Aluminium	P-L9-032-200A
32	200.0	97.00	Carbon Steel	P-L9-032-200C
32	300.0	97.00	Aluminium	P-L9-032-300A
32	300.0	97.00	Carbon Steel	P-L9-032-300C
33	200.0	100.01	Aluminium	P-L9-033-200A
33	200.0	100.01	Carbon Steel	P-L9-033-200C
33	300.0	100.01	Aluminium	P-L9-033-300A
33	300.0	100.01	Carbon Steel	P-L9-033-300C
34	200.0	103.04	Carbon Steel	P-L9-034-200C
34	200.0	103.04	Aluminium	P-L9-034-200A
34	250.0	103.10	Aluminium	P-L9-034-250A
34	300.0	103.04	Carbon Steel	P-L9-034-300C
34	300.0	103.04	Aluminium	P-L9-034-300A
35	200.0	106.07	Aluminium	P-L9-035-200A
35	200.0	106.07	Carbon Steel	P-L9-035-200C
35	300.0	106.07	Aluminium	P-L9-035-300A
35	300.0	106.07	Carbon Steel	P-L9-035-300C
36	200.0	109.10	Aluminium	P-L9-036-200A
36	200.0	109.10	Carbon Steel	P-L9-036-200C
36	300.0	109.10	Aluminium	P-L9-036-300A
36	300.0	109.10	Carbon Steel	P-L9-036-300C
38	250.0	115.20	Aluminium	P-L9-038-250A
40	200.0	121.22	Aluminium	P-L9-040-200A
40	250.0	121.30	Aluminium	P-L9-040-250A
40	300.0	121.22	Aluminium	P-L9-040-300A
42	250.0	127.30	Aluminium	P-L9-042-250A
44	250.0	133.40	Aluminium	P-L9-044-250A
48	200.0	145.47	Aluminium	P-L9-048-200A
48	250.0	145.50	Aluminium	P-L9-048-250A
48	300.0	145.47	Aluminium	P-L9-048-300A
56	200.0	169.71	Aluminium	P-L9-056-200A
72	200.0	218.20	Aluminium	P-L9-072-200A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 10.000mm Pitch - AT10


Teeth (j)	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
15	160.0	47.73	Aluminium	P-100A-015-160A
16	160.0	50.91	Aluminium	P-100A-016-160A
17	160.0	54.09	Aluminium	P-100A-017-160A
18	160.0	57.27	Aluminium	P-100A-018-160A
19	160.0	60.45	Aluminium	P-100A-019-160A
20	160.0	63.63	Aluminium	P-100A-020-160A
21	160.0	66.82	Aluminium	P-100A-021-160A
22	160.0	70	Aluminium	P-100A-022-160A
23	160.0	73.18	Aluminium	P-100A-023-160A
24	160.0	76.36	Aluminium	P-100A-024-160A
25	160.0	79.54	Aluminium	P-100A-025-160A
26	160.0	82.72	Aluminium	P-100A-026-160A
27	160.0	85.91	Aluminium	P-100A-027-160A
28	160.0	89.09	Aluminium	P-100A-028-160A
29	160.0	92.27	Aluminium	P-100A-029-160A
30	160.0	95.45	Aluminium	P-100A-030-160A
31	160.0	98.63	Aluminium	P-100A-031-160A
32	160.0	101.81	Aluminium	P-100A-032-160A
33	160.0	105	Aluminium	P-100A-033-160A
34	160.0	108.18	Aluminium	P-100A-034-160A
35	160.0	111.36	Aluminium	P-100A-035-160A
36	160.0	114.54	Aluminium	P-100A-036-160A
37	160.0	117.72	Aluminium	P-100A-037-160A
38	160.0	120.9	Aluminium	P-100A-038-160A
40	160.0	127.27	Aluminium	P-100A-040-160A
41	160.0	130.45	Aluminium	P-100A-041-160A
42	160.0	133.63	Aluminium	P-100A-042-160A
44	160.0	139.99	Aluminium	P-100A-044-160A
45	160.0	143.18	Aluminium	P-100A-045-160A
46	160.0	146.36	Aluminium	P-100A-046-160A
48	160.0	152.72	Aluminium	P-100A-048-160A
50	160.0	159.08	Aluminium	P-100A-050-160A
51	160.0	162.27	Aluminium	P-100A-051-160A
52	160.0	165.45	Aluminium	P-100A-052-160A
54	160.0	171.81	Aluminium	P-100A-054-160A
55	160.0	174.99	Aluminium	P-100A-055-160A
56	160.0	178.17	Aluminium	P-100A-056-160A
57	160.0	181.36	Aluminium	P-100A-057-160A
58	160.0	184.54	Aluminium	P-100A-058-160A
59	160.0	187.72	Aluminium	P-100A-059-160A
60	160.0	190.9	Aluminium	P-100A-060-160A
62	160.0	197.26	Aluminium	P-100A-062-160A
70	160.0	222.72	Aluminium	P-100A-070-160A
75	160.0	238.63	Aluminium	P-100A-075-160A

Pulley Stock - Timing - 10.000mm Pitch - T10

Teeth (j)	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
10	140.0	29.98	Aluminium	P-100T-010-140A
11	140.0	33.16	Aluminium	P-100T-011-140A
12	140.0	36.35	Aluminium	P-100T-012-140A
13	140.0	39.50	Aluminium	P-100T-013-140A
14	160.0	42.70	Aluminium	P-100T-014-160A
15	160.0	45.90	Aluminium	P-100T-015-160A
16	160.0	49.05	Aluminium	P-100T-016-160A
17	160.0	52.25	Aluminium	P-100T-017-160A
18	160.0	55.45	Aluminium	P-100T-018-160A
19	160.0	58.60	Aluminium	P-100T-019-160A
20	160.0	61.60	Aluminium	P-100T-020-160A
21	160.0	65.00	Aluminium	P-100T-021-160A
22	160.0	68.15	Aluminium	P-100T-022-160A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Pulley Stock - Timing - 10.000mm Pitch - T10


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
23	160.0	71.35	Aluminium	P-100T-023-160A
24	160.0	74.55	Aluminium	P-100T-024-160A
26	160.0	80.90	Aluminium	P-100T-026-160A
28	160.0	87.25	Aluminium	P-100T-028-160A
30	160.0	93.65	Aluminium	P-100T-030-160A
32	160.0	100.00	Aluminium	P-100T-032-160A
34	160.0	106.40	Aluminium	P-100T-034-160A
36	160.0	112.75	Aluminium	P-100T-036-160A
38	160.0	119.10	Aluminium	P-100T-038-160A
40	160.0	125.45	Aluminium	P-100T-040-160A
45	160.0	141.40	Aluminium	P-100T-045-160A
48	160.0	150.95	Aluminium	P-100T-048-160A
60	160.0	189.10	Aluminium	P-100T-060-160A
72	160.0	227.29	Aluminium	P-100T-072-160A

Pulley Stock - Timing - 12.700mm Pitch - H

Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
12	250.0	48.49	Aluminum	P-H-012-250A
14	250.0	56.57	Carbon Steel	P-H-014-250C
14	250.0	56.57	Aluminum	P-H-014-250A
15	250.0	60.61	Carbon Steel	P-H-015-250C
15	250.0	60.61	Aluminum	P-H-015-250A
16	250.0	64.65	Carbon Steel	P-H-016-250C
16	250.0	64.65	Aluminum	P-H-016-250A
17	250.0	68.69	Carbon Steel	P-H-017-250C
17	250.0	68.69	Aluminum	P-H-017-250A
18	250.0	72.73	Carbon Steel	P-H-018-250C
18	250.0	72.73	Aluminum	P-H-018-250A
19	250.0	76.77	Carbon Steel	P-H-019-250C
19	250.0	76.77	Aluminum	P-H-019-250A
20	250.0	80.81	Carbon Steel	P-H-020-250C
20	250.0	80.81	Aluminum	P-H-020-250A
21	250.0	84.86	Carbon Steel	P-H-021-250C
21	250.0	84.86	Aluminum	P-H-021-250A
22	250.0	88.9	Carbon Steel	P-H-022-250C
22	250.0	88.9	Aluminum	P-H-022-250A
23	250.0	92.94	Carbon Steel	P-H-023-250C
23	250.0	92.94	Aluminum	P-H-023-250A
24	250.0	96.98	Carbon Steel	P-H-024-250C
24	250.0	96.98	Aluminum	P-H-024-250A
25	250.0	101.02	Carbon Steel	P-H-025-250C
25	250.0	101.02	Aluminum	P-H-025-250A
26	250.0	105.06	Aluminum	P-H-026-250A
26	250.0	105.06	Carbon Steel	P-H-026-250C
27	250.0	109.1	Carbon Steel	P-H-027-250C
27	250.0	109.1	Aluminum	P-H-027-250A
28	250.0	113.14	Carbon Steel	P-H-028-250C
28	250.0	113.14	Aluminum	P-H-028-250A
29	250.0	117.18	Carbon Steel	P-H-029-250C
29	250.0	117.18	Aluminum	P-H-029-250A
30	250.0	121.22	Carbon Steel	P-H-030-250C
30	250.0	121.22	Aluminum	P-H-030-250A
31	250.0	125.26	Carbon Steel	P-H-031-250C
31	250.0	125.26	Aluminum	P-H-031-250A
32	250.0	129.3	Carbon Steel	P-H-032-250C
32	250.0	129.3	Aluminum	P-H-032-250A
33	250.0	133.34	Carbon Steel	P-H-033-250C
33	250.0	133.34	Aluminum	P-H-033-250A
34	250.0	137.38	Carbon Steel	P-H-034-250C
34	250.0	137.38	Aluminum	P-H-034-250A

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

Pulley Stock - Timing - 12.700mm Pitch - H


Teeth ()	Min. Usable Length (L) (mm)	Pitch Diameter (PD) (mm)	Material	Part Number
35	250.0	141.43	Carbon Steel	P-H-035-250C
35	250.0	141.43	Aluminum	P-H-035-250A
36	250.0	145.47	Carbon Steel	P-H-036-250C
36	250.0	145.47	Aluminum	P-H-036-250A
37	250.0	149.51	Carbon Steel	P-H-037-250C
37	250.0	149.51	Aluminum	P-H-037-250A
38	250.0	153.55	Carbon Steel	P-H-038-250C
38	250.0	153.55	Aluminum	P-H-038-250A
39	250.0	157.59	Carbon Steel	P-H-039-250C
39	250.0	157.59	Aluminum	P-H-039-250A
40	250.0	161.63	Carbon Steel	P-H-040-250C
40	250.0	161.63	Aluminum	P-H-040-250A

Flanges - Timing Pulley - Suit 1.000mm Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
4.780	9.00	18 to 20	Aluminium Alloy	PFL-010T-020-A
5.436	11.43	21 to 22	Aluminium Alloy	PFL-010T-022-A
5.537	12.70	23 to 25	Aluminium Alloy	PFL-010T-025-A
6.198	12.70	26 to 30	Aluminium Alloy	PFL-010T-030-A
6.858	13.46	31 to 35	Aluminium Alloy	PFL-010T-035-A
8.180	14.73	36 to 40	Aluminium Alloy	PFL-010T-040-A
10.820	17.40	41 to 45	Aluminium Alloy	PFL-010T-045-A
11.480	18.80	46 to 49	Aluminium Alloy	PFL-010T-049-A
13.460	20.70	50 to 55	Aluminium Alloy	PFL-010T-055-A
14.100	21.30	56 to 58	Aluminium Alloy	PFL-010T-058-A
14.580	22.70	59	Aluminium Alloy	PFL-010T-059-A
15.900	24.00	60 to 64	Aluminium Alloy	PFL-010T-064-A
17.220	25.40	65 to 70	Aluminium Alloy	PFL-010T-070-A
17.880	26.00	71 to 75	Aluminium Alloy	PFL-010T-075-A

Flanges - Timing Pulley - Suit 2.000mm GT2 Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
4.800	10.80	10	Aluminium Alloy	PFL-020G-010-A
5.436	11.43	11	Aluminum alloy	PFL-020G-011-A
5.537	12.70	12	Aluminum alloy	PFL-020G-012-A
6.198	12.70	13	Aluminum alloy	PFL-020G-013-A
6.900	13.46	14	Aluminum alloy	PFL-020G-014-A
7.518	14.10	15	Aluminum alloy	PFL-020G-015-A
8.180	14.73	16	Aluminum alloy	PFL-020G-016-A
9.500	16.13	18	Aluminum alloy	PFL-020G-018-A
10.800	17.40	20	Aluminum alloy	PFL-020G-020-A
11.480	18.00	21	Aluminum alloy	PFL-020G-021-A
11.480	18.80	22	Aluminum alloy	PFL-020G-022-A
12.800	20.00	24	Aluminum alloy	PFL-020G-024-A
13.460	20.70	25	Aluminum alloy	PFL-020G-025-A
14.100	21.30	26	Aluminum alloy	PFL-020G-026-A
14.580	22.70	28	Aluminum alloy	PFL-020G-028-A
15.900	24.00	30	Aluminum alloy	PFL-020G-030-A
17.200	25.40	32	Aluminum alloy	PFL-020G-032-A
17.880	26.00	33	Aluminum alloy	PFL-020G-033-A
18.340	26.67	34	Aluminum alloy	PFL-020G-034-A
19.000	27.40	35	Aluminum alloy	PFL-020G-035-A
19.660	28.10	36	Aluminum alloy	PFL-020G-036-A
20.980	29.34	38	Aluminum alloy	PFL-020G-038-A
22.200	30.70	40	Aluminum alloy	PFL-020G-040-A
23.520	32.00	42	Aluminum alloy	PFL-020G-042-A
24.840	33.40	44	Aluminum alloy	PFL-020G-044-A
26.500	34.00	45	Aluminum alloy	PFL-020G-045-A

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

Flanges - Timing Pulley - Suit 2.000mm GT2 Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
26.873	36.07	48	Aluminum alloy	PFL-020G-048-A
28.194	37.34	50	Aluminum alloy	PFL-020G-050-A
30.480	40.01	54	Aluminum alloy	PFL-020G-054-A
34.442	43.94	60	Aluminum alloy	PFL-020G-060-A

Flanges - Timing Pulley - Suit 2.032mm MXL and 40DP Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
4.775	10.80	10	Aluminum alloy	PFL-MXL-010-A
5.436	11.43	11	Aluminum alloy	PFL-MXL-011-A
5.537	12.19	12	Aluminum alloy	PFL-MXL-012-A
6.198	12.80	13	Aluminum alloy	PFL-MXL-013-A
6.858	13.46	14	Aluminum alloy	PFL-MXL-014-A
7.518	14.10	15	Aluminum alloy	PFL-MXL-015-A
8.180	14.73	16	Aluminum alloy	PFL-MXL-016-A
9.500	16.13	18	Aluminum alloy	PFL-MXL-018-A
10.820	17.40	20	Aluminum alloy	PFL-MXL-020-A
11.480	18.00	21	Aluminum alloy	PFL-MXL-021-A
11.480	18.80	22	Aluminum alloy	PFL-MXL-022-A
12.800	20.00	24	Aluminum alloy	PFL-MXL-024-A
13.460	20.70	25	Aluminum alloy	PFL-MXL-025-A
14.100	21.30	26	Aluminum alloy	PFL-MXL-026-A
14.580	22.70	28	Aluminum alloy	PFL-MXL-028-A
15.900	24.00	30	Aluminum alloy	PFL-MXL-030-A
17.220	25.40	32	Aluminum alloy	PFL-MXL-032-A
17.880	26.00	33	Aluminum alloy	PFL-MXL-033-A
18.340	26.67	34	Aluminum alloy	PFL-MXL-034-A
19.000	27.40	35	Aluminum alloy	PFL-MXL-035-A
19.660	28.10	36	Aluminum alloy	PFL-MXL-036-A
20.980	29.34	38	Aluminum alloy	PFL-MXL-038-A
22.200	30.70	40	Aluminum alloy	PFL-MXL-040-A
23.520	32.00	42	Aluminum alloy	PFL-MXL-042-A
24.840	33.40	44	Aluminum alloy	PFL-MXL-044-A
26.500	34.00	45	Aluminum alloy	PFL-MXL-045-A
26.873	36.07	48	Aluminum alloy	PFL-MXL-048-A
28.194	37.34	50	Aluminum alloy	PFL-MXL-050-A
30.480	40.01	54	Aluminum alloy	PFL-MXL-054-A
34.442	43.94	60	Aluminum alloy	PFL-MXL-060-A

Flanges - Timing Pulley - Suit 2.500mm T2.5 Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
6.198	12.80	12	Aluminum alloy	PFL-025T-012-A
8.180	15.00	14	Aluminum alloy	PFL-025T-014-A
8.200	15.00	15	Aluminum alloy	PFL-025T-015-A
9.500	16.00	16	Aluminum alloy	PFL-025T-016-A
10.820	17.50	18	Aluminum alloy	PFL-025T-018-A
11.480	18.00	19	Aluminum alloy	PFL-025T-019-A
12.800	20.00	20	Aluminum alloy	PFL-025T-020-A
14.580	23.00	22	Aluminum alloy	PFL-025T-022-A
14.600	23.00	24	Aluminum alloy	PFL-025T-024-A
15.900	24.00	25	Aluminum alloy	PFL-025T-025-A
17.200	26.00	28	Aluminum alloy	PFL-025T-028-A
17.220	25.50	26	Aluminum alloy	PFL-025T-026-A
17.880	26.00	30	Aluminum alloy	PFL-025T-030-A
23.520	32.00	32	Aluminum alloy	PFL-025T-032-A
26.873	36.07	36	Aluminum alloy	PFL-025T-036-A
28.190	37.50	40	Aluminum alloy	PFL-025T-040-A

Stocked or Short Delivery

Usually Available Short Delivery


Long delivery or not in current production

Flanges - Timing Pulley - Suit 3.000mm GT2 Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
6.198	12.80	10	Aluminum alloy	PFL-030G-010-A
6.858	13.46	11	Aluminum alloy	PFL-030G-011-A
8.180	14.73	12	Aluminum alloy	PFL-030G-012-A
8.890	15.50	13	Aluminum alloy	PFL-030G-013-A
9.500	16.13	14	Aluminum alloy	PFL-030G-014-A
10.820	17.40	15	Aluminum alloy	PFL-030G-015-A
11.480	18.00	16	Aluminum alloy	PFL-030G-016-A
11.480	18.80	17	Aluminum alloy	PFL-030G-017-A
12.800	20.00	18	Aluminum alloy	PFL-030G-018-A
12.827	5.69	10	Carbon Steel	PFL-030G-010-C
13.460	20.70	19	Aluminum alloy	PFL-030G-019-A
13.462	6.86	11	Carbon Steel	PFL-030G-011-C
14.580	22.70	20	Aluminum alloy	PFL-030G-020-A
14.732	8.18	12	Carbon Steel	PFL-030G-012-C
15.494	8.89	13	Carbon Steel	PFL-030G-013-C
15.900	24.00	22	Aluminum alloy	PFL-030G-022-A
16.129	9.50	14	Carbon Steel	PFL-030G-014-C
17.399	10.82	15	Carbon Steel	PFL-030G-015-C
17.880	26.00	24	Aluminum alloy	PFL-030G-024-A
18.034	11.48	16	Carbon Steel	PFL-030G-016-C
18.750	26.90	25	Aluminum alloy	PFL-030G-025-A
18.796	11.48	17	Carbon Steel	PFL-030G-017-C
19.660	28.10	26	Aluminum alloy	PFL-030G-026-A
20.066	12.80	18	Carbon Steel	PFL-030G-018-C
20.701	13.46	19	Carbon Steel	PFL-030G-019-C
21.560	29.80	28	Aluminum alloy	PFL-030G-028-A
22.733	14.58	20	Carbon Steel	PFL-030G-020-C
23.520	32.00	30	Aluminum alloy	PFL-030G-030-A
24.003	15.90	22	Carbon Steel	PFL-030G-022-C
25.400	33.60	32	Aluminum alloy	PFL-030G-032-A
26.035	17.88	24	Carbon Steel	PFL-030G-024-C
26.924	18.75	25	Carbon Steel	PFL-030G-025-C
27.280	35.50	34	Aluminum alloy	PFL-030G-034-A
28.067	19.66	26	Carbon Steel	PFL-030G-026-C
29.180	37.40	36	Aluminum alloy	PFL-030G-036-A
29.794	21.57	28	Carbon Steel	PFL-030G-028-C
31.120	39.40	38	Aluminum alloy	PFL-030G-038-A
31.750	23.47	30	Carbon Steel	PFL-030G-030-C
33.020	41.30	40	Aluminum alloy	PFL-030G-040-A
33.604	25.38	32	Carbon Steel	PFL-030G-032-C
35.509	27.28	34	Carbon Steel	PFL-030G-034-C
36.830	45.10	44	Aluminum alloy	PFL-030G-044-A
37.414	29.19	36	Carbon Steel	PFL-030G-036-C
39.345	31.12	38	Carbon Steel	PFL-030G-038-C
41.275	33.02	40	Carbon Steel	PFL-030G-040-C
45.085	36.83	44	Carbon Steel	PFL-030G-044-C

Flanges - Timing Pulley - Suit 3.000mm HTD Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
6.198	12.80	10	Aluminum alloy	PFL-030H-010-A
6.198	12.80	10	Carbon steel	PFL-030H-010-C
6.858	13.46	11	Aluminum alloy	PFL-030H-011-A
6.858	13.46	11	Carbon steel	PFL-030H-011-C
8.180	14.73	12	Aluminum alloy	PFL-030H-012-A
8.180	14.73	12	Carbon steel	PFL-030H-012-C
8.890	15.50	13	Aluminum alloy	PFL-030H-013-A
8.890	15.50	13	Carbon steel	PFL-030H-013-C
9.500	16.13	14	Aluminum alloy	PFL-030H-014-A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Flanges - Timing Pulley - Suit 3.000mm HTD Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
9.500	16.13	14	Carbon steel	PFL-030H-014-C
10.820	17.40	15	Aluminum alloy	PFL-030H-015-A
10.820	17.40	15	Carbon steel	PFL-030H-015-C
11.480	18.00	16	Aluminum alloy	PFL-030H-016-A
11.480	18.00	16	Carbon steel	PFL-030H-016-C
11.480	18.80	17	Aluminum alloy	PFL-030H-017-A
11.480	18.80	17	Carbon steel	PFL-030H-017-C
12.800	20.00	18	Aluminum alloy	PFL-030H-018-A
12.800	20.00	18	Carbon steel	PFL-030H-018-C
13.460	20.70	19	Aluminum alloy	PFL-030H-019-A
13.460	20.70	19	Carbon steel	PFL-030H-019-C
14.580	22.70	20	Aluminum alloy	PFL-030H-020-A
14.580	22.70	20	Carbon steel	PFL-030H-020-C
15.900	24.00	22	Aluminum alloy	PFL-030H-022-A
15.900	24.00	22	Carbon steel	PFL-030H-022-C
17.880	26.00	24	Aluminum alloy	PFL-030H-024-A
17.880	26.00	24	Carbon steel	PFL-030H-024-C
18.750	26.90	25	Aluminum alloy	PFL-030H-025-A
18.750	26.90	25	Carbon steel	PFL-030H-025-C
19.660	28.10	26	Aluminum alloy	PFL-030H-026-A
19.660	28.10	26	Carbon steel	PFL-030H-026-C
21.560	29.80	28	Aluminum alloy	PFL-030H-028-A
21.560	29.80	28	Carbon steel	PFL-030H-028-C
23.470	31.80	30	Carbon steel	PFL-030H-030-C
23.520	32.00	30	Aluminum alloy	PFL-030H-030-A
25.400	33.60	32	Aluminum alloy	PFL-030H-032-A
25.400	33.60	32	Carbon steel	PFL-030H-032-C
27.280	35.50	34	Aluminum alloy	PFL-030H-034-A
27.280	35.50	34	Carbon steel	PFL-030H-034-C
29.180	37.40	36	Aluminum alloy	PFL-030H-036-A
29.180	37.40	36	Carbon steel	PFL-030H-036-C
31.120	39.40	38	Aluminum alloy	PFL-030H-038-A
31.120	39.40	38	Carbon steel	PFL-030H-038-C
33.020	41.30	40	Aluminum alloy	PFL-030H-040-A
33.020	41.30	40	Carbon steel	PFL-030H-040-C
36.830	45.10	44	Aluminum alloy	PFL-030H-044-A
36.830	45.10	44	Carbon steel	PFL-030H-044-C

Flanges - Timing Pulley - Suit 5.000mm GT2 Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
12.780	22.20	12	Aluminum alloy	PFL-050G-012-A
12.780	22.20	12	Carbon Steel	PFL-050G-012-C
14.270	23.80	13	Aluminum alloy	PFL-050G-013-A
14.270	23.80	13	Carbon Steel	PFL-050G-013-C
14.270	25.40	14	Aluminum alloy	PFL-050G-014-A
14.270	25.40	14	Carbon Steel	PFL-050G-014-C
15.880	27.00	15	Aluminum alloy	PFL-050G-015-A
15.880	27.00	15	Carbon Steel	PFL-050G-015-C
17.370	27.80	16	Aluminum alloy	PFL-050G-016-A
17.370	27.80	16	Carbon Steel	PFL-050G-016-C
19.000	30.20	17	Aluminum alloy	PFL-050G-017-A
19.000	30.20	17	Carbon Steel	PFL-050G-017-C
20.580	31.80	18	Aluminum alloy	PFL-050G-018-A
20.580	31.80	18	Carbon Steel	PFL-050G-018-C
22.530	33.30	19	Aluminum alloy	PFL-050G-019-A
22.530	33.30	19	Carbon Steel	PFL-050G-019-C
23.770	34.90	20	Aluminum alloy	PFL-050G-020-A
23.770	34.90	20	Carbon Steel	PFL-050G-020-C

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Flanges - Timing Pulley - Suit 5.000mm GT2 Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
25.400	36.50	21	Aluminum alloy	PFL-050G-021-A
25.400	36.50	21	Carbon Steel	PFL-050G-021-C
26.970	38.10	22	Aluminum alloy	PFL-050G-022-A
26.970	38.10	22	Carbon Steel	PFL-050G-022-C
28.580	39.70	23	Aluminum alloy	PFL-050G-023-A
28.580	39.70	23	Carbon Steel	PFL-050G-023-C
29.460	41.30	24	Aluminum alloy	PFL-050G-024-A
29.460	41.30	24	Carbon Steel	PFL-050G-024-C
31.040	42.80	25	Aluminum alloy	PFL-050G-025-A
31.040	42.80	25	Carbon Steel	PFL-050G-025-C
31.750	44.50	26	Aluminum alloy	PFL-050G-026-A
31.750	44.50	26	Carbon Steel	PFL-050G-026-C
34.210	47.60	28	Aluminum alloy	PFL-050G-028-A
34.210	47.60	28	Carbon Steel	PFL-050G-028-C
36.200	50.80	30	Aluminum alloy	PFL-050G-030-A
36.200	50.80	30	Carbon Steel	PFL-050G-030-C
39.370	54.00	32	Aluminum alloy	PFL-050G-032-A
39.370	54.00	32	Carbon Steel	PFL-050G-032-C
42.550	57.20	34	Aluminum alloy	PFL-050G-034-A
42.550	57.20	34	Carbon Steel	PFL-050G-034-C
46.330	60.30	36	Carbon Steel	PFL-050G-036-C
51.689	66.70	38	Carbon Steel	PFL-050G-038-C
53.848	69.90	40	Carbon Steel	PFL-050G-040-C
68.377	84.60	48	Carbon Steel	PFL-050G-048-C
68.377	84.60	50	Carbon Steel	PFL-050G-050-C
69.469	78.60	44	Carbon Steel	PFL-050G-044-C
69.469	78.60	45	Carbon Steel	PFL-050G-045-C
74.727	90.60	52	Carbon Steel	PFL-050G-052-C
77.902	96.50	56	Carbon Steel	PFL-050G-056-C
82.65	102.72	60	Carbon Steel	PFL-050G-060-C
85.852	105.90	64	Carbon Steel	PFL-050G-064-C
92.1177	114.80	68	Carbon Steel	PFL-050G-068-C
95.250	118.60	72	Carbon Steel	PFL-050G-072-C

Flanges - Timing Pulley - Suit 5.000mm HTD Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
12.780	22.20	12	Aluminum alloy	PFL-050H-012-A
12.780	22.20	12	Carbon steel	PFL-050H-012-C
14.270	23.80	13	Aluminum alloy	PFL-050H-013-A
14.270	23.80	13	Carbon steel	PFL-050H-013-C
14.270	25.40	14	Aluminum alloy	PFL-050H-014-A
14.270	25.40	14	Carbon steel	PFL-050H-014-C
15.880	27.00	15	Aluminum alloy	PFL-050H-015-A
15.880	27.00	15	Carbon steel	PFL-050H-015-C
17.370	27.80	16	Aluminum alloy	PFL-050H-016-A
17.370	27.80	16	Carbon steel	PFL-050H-016-C
19.000	30.20	17	Aluminum alloy	PFL-050H-017-A
19.000	30.20	17	Carbon steel	PFL-050H-017-C
20.580	31.80	18	Aluminum alloy	PFL-050H-018-A
20.580	31.80	18	Carbon steel	PFL-050H-018-C
22.530	33.30	19	Aluminum alloy	PFL-050H-019-A
22.530	33.30	19	Carbon steel	PFL-050H-019-C
23.770	34.90	20	Aluminum alloy	PFL-050H-020-A
23.770	34.90	20	Carbon steel	PFL-050H-020-C
25.400	36.50	21	Aluminum alloy	PFL-050H-021-A
25.400	36.50	21	Carbon steel	PFL-050H-021-C
26.970	38.10	22	Aluminum alloy	PFL-050H-022-A
26.970	38.10	22	Carbon steel	PFL-050H-022-C

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

Flanges - Timing Pulley - Suit 5.000mm HTD Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
28.580	39.70	23	Aluminum alloy	PFL-050H-023-A
28.580	39.70	23	Carbon steel	PFL-050H-023-C
29.460	41.30	24	Aluminum alloy	PFL-050H-024-A
29.460	41.30	24	Carbon steel	PFL-050H-024-C
31.040	42.80	25	Aluminum alloy	PFL-050H-025-A
31.040	42.80	25	Carbon steel	PFL-050H-025-C
31.750	44.50	26	Aluminum alloy	PFL-050H-026-A
31.750	44.50	26	Carbon steel	PFL-050H-026-C
34.210	47.60	28	Aluminum alloy	PFL-050H-028-A
34.210	47.60	28	Carbon steel	PFL-050H-028-C
36.200	50.80	30	Aluminum alloy	PFL-050H-030-A
36.200	50.80	30	Carbon steel	PFL-050H-030-C
39.370	54.00	32	Aluminum alloy	PFL-050H-032-A
39.370	54.00	32	Carbon steel	PFL-050H-032-C
42.550	57.20	34	Aluminum alloy	PFL-050H-034-A
42.550	57.20	34	Carbon steel	PFL-050H-034-C

Flanges - Timing Pulley - Suit 5.000mm T5 Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
12.000	20.00	10	Carbon Steel	PFL-050T-010-C
12.000	23.00	12	Carbon Steel	PFL-050T-012-C
12.800	20.00	10	Aluminum alloy	PFL-050T-010-A
14.580	23.00	12	Aluminum alloy	PFL-050T-012-A
15.000	25.00	14	Carbon Steel	PFL-050T-014-C
17.220	25.50	14	Aluminum alloy	PFL-050T-014-A
17.880	26.00	15	Aluminum alloy	PFL-050T-015-A
18.000	28.00	15	Carbon Steel	PFL-050T-015-C
21.500	32.00	16	Carbon Steel	PFL-050T-016-C
21.500	32.00	18	Carbon Steel	PFL-050T-018-C
23.520	32.00	16	Aluminum alloy	PFL-050T-016-A
25.000	36.00	19	Carbon Steel	PFL-050T-019-C
25.000	36.00	20	Carbon Steel	PFL-050T-020-C
26.873	36.07	19	Aluminum alloy	PFL-050T-019-A
28.000	38.00	22	Carbon Steel	PFL-050T-022-C
28.190	38.00	22	Aluminum alloy	PFL-050T-022-A
30.500	42.00	24	Carbon Steel	PFL-050T-024-C
31.040	42.80	24	Aluminum alloy	PFL-050T-024-A
31.040	44.50	25	Aluminum alloy	PFL-050T-025-A
33.000	44.00	25	Carbon Steel	PFL-050T-025-C
33.000	44.00	26	Carbon Steel	PFL-050T-026-C
34.210	47.60	27	Aluminum alloy	PFL-050T-027-A
36.200	50.80	30	Aluminum alloy	PFL-050T-030-A
37.000	48.00	27	Carbon Steel	PFL-050T-027-C
40.000	51.00	30	Carbon Steel	PFL-050T-030-C
40.080	53.90	32	Aluminum alloy	PFL-050T-032-A
43.000	54.00	32	Carbon Steel	PFL-050T-032-C
48.000	63.00	36	Carbon Steel	PFL-050T-036-C
48.510	63.50	36	Aluminum alloy	PFL-050T-036-A
51.680	66.50	40	Aluminum alloy	PFL-050T-040-A
52.000	66.00	40	Carbon Steel	PFL-050T-040-C
53.850	69.80	42	Aluminum alloy	PFL-050T-042-A

Flanges - Timing Pulley - Suit 5.080mm XL Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
12.780	22.20	10	Aluminum alloy	PFL-XL-010-A
12.780	22.20	10	Carbon steel	PFL-XL-010-C
14.270	23.80	11	Aluminum alloy	PFL-XL-011-A

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Flanges - Timing Pulley - Suit 5.080mm XL Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
14.270	23.80	11	Carbon steel	PFL-XL-011-C
14.270	25.40	12	Aluminum alloy	PFL-XL-012-A
14.270	25.40	12	Carbon steel	PFL-XL-012-C
15.880	27.00	13	Aluminum alloy	PFL-XL-013-A
15.880	27.00	13	Carbon steel	PFL-XL-013-C
17.370	27.80	14	Aluminum alloy	PFL-XL-014-A
17.370	27.80	14	Carbon steel	PFL-XL-014-C
19.000	30.20	15	Aluminum alloy	PFL-XL-015S-A
19.000	30.20	15	Carbon steel	PFL-XL-015S-C
20.580	31.80	16	Aluminum alloy	PFL-XL-016-A
20.580	31.80	16	Carbon steel	PFL-XL-016-C
20.670	30.20	15	Aluminum alloy	PFL-XL-015-A
20.670	30.20	15	Carbon steel	PFL-XL-015-C
22.530	33.30	17	Aluminum alloy	PFL-XL-017-A
22.530	33.30	17	Carbon steel	PFL-XL-017-C
23.770	34.90	18	Aluminum alloy	PFL-XL-018-A
23.770	34.90	18	Carbon steel	PFL-XL-018-C
25.400	36.50	19	Aluminum alloy	PFL-XL-019-A
25.400	36.50	19	Carbon steel	PFL-XL-019-C
26.970	38.10	20	Aluminum alloy	PFL-XL-020-A
26.970	38.10	20	Carbon steel	PFL-XL-020-C
28.580	39.70	21	Aluminum alloy	PFL-XL-021-A
28.580	39.70	21	Carbon steel	PFL-XL-021-C
29.460	41.30	22	Aluminum alloy	PFL-XL-022-A
29.460	41.30	22	Carbon steel	PFL-XL-022-C
31.040	42.80	23	Aluminum alloy	PFL-XL-023-A
31.040	42.80	23	Carbon steel	PFL-XL-023-C
31.040	44.50	24	Aluminum alloy	PFL-XL-024-A
31.040	44.50	24	Carbon steel	PFL-XL-024-C
31.750	46.00	25	Aluminum alloy	PFL-XL-025-A
31.750	46.00	25	Carbon steel	PFL-XL-025-C
34.210	47.60	26	Aluminum alloy	PFL-XL-026-A
34.210	47.60	26	Carbon steel	PFL-XL-026-C
36.200	50.80	28	Aluminum alloy	PFL-XL-028-A
36.200	50.80	28	Carbon steel	PFL-XL-028-C
39.370	54.00	30	Aluminum alloy	PFL-XL-030-A
39.370	54.00	30	Carbon steel	PFL-XL-030-C
42.550	57.20	32	Aluminum alloy	PFL-XL-032-A
42.550	57.20	32	Carbon steel	PFL-XL-032-C

Flanges - Timing Pulley - Suit 8.000mm HTD Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
39.776	59.82	20	Aluminium	PFL-080H-020-A
39.776	59.82	20	Carbon Steel	PFL-080H-020-C
44.780	65.00	22	Aluminium	PFL-080H-022-A
44.780	65.00	22	Carbon Steel	PFL-080H-022-C
49.784	70.00	24	Aluminium	PFL-080H-024-A
49.784	70.00	24	Carbon Steel	PFL-080H-024-C
54.762	75.01	26	Aluminium	PFL-080H-026-A
54.762	75.01	26	Carbon Steel	PFL-080H-026-C
59.715	80.01	28	Aluminium	PFL-080H-028-A
59.715	80.01	28	Carbon Steel	PFL-080H-028-C
64.719	84.99	30	Aluminium	PFL-080H-030-A
64.719	84.99	30	Carbon Steel	PFL-080H-030-C
69.698	89.99	32	Aluminium	PFL-080H-032-A
69.698	89.99	32	Carbon Steel	PFL-080H-032-C
76.708	97.00	34	Aluminium	PFL-080H-034-A
76.708	97.00	34	Carbon Steel	PFL-080H-034-C

 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Flanges - Timing Pulley - Suit 8.000mm HTD Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
79.705	100.03	36	Aluminium	PFL-080H-036-A
79.705	100.03	36	Carbon Steel	PFL-080H-036-C
84.912	105.56	38	Aluminium	PFL-080H-038-A
84.912	105.56	38	Carbon Steel	PFL-080H-038-C
89.662	110.01	40	Aluminium	PFL-080H-040-A
89.662	110.01	40	Carbon Steel	PFL-080H-040-C
100.660	121.01	44	Aluminium	PFL-080H-044-A
100.660	121.01	44	Carbon Steel	PFL-080H-044-C
129.616	151.00	56	Aluminium	PFL-080H-056-A
129.616	151.00	56	Carbon Steel	PFL-080H-056-C
149.581	172.01	64	Aluminium	PFL-080H-064-A
149.581	172.01	64	Carbon Steel	PFL-080H-064-C
169.545	192.41	72	Carbon Steel	PFL-080H-072-C
169.545	192.99	72	Aluminium	PFL-080H-072-A
187.503	213.00	80	Aluminium	PFL-080H-080-A
191.643	213.00	80	Carbon Steel	PFL-080H-080-C

Flanges - Timing Pulley - Suit 9.525mm L Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
24.790	36.50	10	Aluminum alloy	PFL-L9-010-A
24.790	36.50	10	Carbon steel	PFL-L9-010-C
27.960	38.90	11	Aluminum alloy	PFL-L9-011-A
27.960	38.90	11	Carbon steel	PFL-L9-011-C
31.140	42.00	12	Aluminum alloy	PFL-L9-012-A
31.140	42.00	12	Carbon steel	PFL-L9-012-C
32.410	45.20	13	Aluminum alloy	PFL-L9-013-A
32.410	45.20	13	Carbon steel	PFL-L9-013-C
35.580	48.40	14	Aluminum alloy	PFL-L9-014-A
35.580	48.40	14	Carbon steel	PFL-L9-014-C
38.630	51.60	15	Aluminum alloy	PFL-L9-015-A
38.630	51.60	15	Carbon steel	PFL-L9-015-C
40.080	53.90	16	Aluminum alloy	PFL-L9-016-A
40.080	53.90	16	Carbon steel	PFL-L9-016-C
43.200	57.10	17	Aluminum alloy	PFL-L9-017-A
43.200	57.10	17	Carbon steel	PFL-L9-017-C
46.320	60.30	18	Aluminum alloy	PFL-L9-018-A
46.320	60.30	18	Carbon steel	PFL-L9-018-C
48.510	63.50	19	Aluminum alloy	PFL-L9-019-A
48.510	63.50	19	Carbon steel	PFL-L9-019-C
51.680	66.60	20	Aluminum alloy	PFL-L9-020-A
51.680	66.60	20	Carbon steel	PFL-L9-020-C
53.850	69.80	21	Aluminum alloy	PFL-L9-021-A
53.850	69.80	21	Carbon steel	PFL-L9-021-C
56.920	73.00	22	Aluminum alloy	PFL-L9-022-A
56.920	73.00	22	Carbon steel	PFL-L9-022-C
60.320	78.50	24	Aluminum alloy	PFL-L9-024-A
60.320	78.50	24	Carbon steel	PFL-L9-024-C
66.294	85.73	25	Aluminum alloy	PFL-L9-025-A
66.294	85.73	25	Carbon steel	PFL-L9-025-C
68.377	84.58	26	Aluminum alloy	PFL-L9-026-A
68.377	84.58	26	Carbon steel	PFL-L9-026-C
74.727	90.58	28	Aluminum alloy	PFL-L9-028-A
74.727	90.58	28	Carbon steel	PFL-L9-028-C
77.902	96.52	30	Aluminum alloy	PFL-L9-030-A
77.902	96.52	30	Carbon steel	PFL-L9-030-C
82.652	102.72	32	Aluminum alloy	PFL-L9-032-A
82.652	102.72	32	Carbon steel	PFL-L9-032-C
92.177	114.81	36	Aluminum alloy	PFL-L9-036-A

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

Flanges - Timing Pulley - Suit 9.525mm L Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
92.177	114.81	36	Carbon steel	PFL-L9-036-C
101.702	126.92	40	Aluminum alloy	PFL-L9-040-A
101.702	126.92	40	Carbon steel	PFL-L9-040-C
114.402	139.04	44	Aluminum alloy	PFL-L9-044-A
114.402	139.04	44	Carbon steel	PFL-L9-044-C
127.102	151.13	48	Aluminum alloy	PFL-L9-048-A
127.102	151.13	48	Carbon steel	PFL-L9-048-C

Flanges - Timing Pulley - Suit 10.000mm T10 Series


Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
24.790	36.50	10	Aluminum alloy	PFL-100T-010-A
27.960	38.90	11	Aluminum alloy	PFL-100T-011-A
31.140	42.00	12	Aluminum alloy	PFL-100T-012-A
32.410	45.20	13	Aluminum alloy	PFL-100T-013-A
35.580	48.40	14	Aluminum alloy	PFL-100T-014-A
37.000	48.00	14	Carbon Steel	PFL-100T-014-C
38.630	51.60	15	Aluminum alloy	PFL-100T-015-A
40.000	51.00	15	Carbon Steel	PFL-100T-015-C
40.080	53.90	16	Aluminum alloy	PFL-100T-016-A
43.000	54.00	16	Carbon Steel	PFL-100T-016-C
43.200	57.10	17	Aluminum alloy	PFL-100T-017-A
46.320	60.30	18	Aluminum alloy	PFL-100T-018-A
47.000	60.00	18	Carbon Steel	PFL-100T-018-C
48.510	63.50	19	Aluminum alloy	PFL-100T-019-A
51.680	66.60	20	Aluminum alloy	PFL-100T-020-A
52.000	66.00	19	Carbon Steel	PFL-100T-019-C
52.000	66.00	20	Carbon Steel	PFL-100T-020-C
53.850	69.80	21	Aluminum alloy	PFL-100T-021-A
56.920	73.00	22	Aluminum alloy	PFL-100T-022-A
60.000	75.00	22	Carbon Steel	PFL-100T-022-C
60.320	78.50	23	Aluminum alloy	PFL-100T-023-A
68.000	83.00	24	Carbon Steel	PFL-100T-024-C
68.000	83.00	25	Carbon Steel	PFL-100T-025-C
72.000	87.00	26	Carbon Steel	PFL-100T-026-C
76.000	91.00	27	Carbon Steel	PFL-100T-027-C
83.000	97.00	30	Carbon Steel	PFL-100T-030-C
90.000	106.00	32	Carbon Steel	PFL-100T-032-C
103.000	119.00	36	Carbon Steel	PFL-100T-036-C
115.000	131.00	40	Carbon Steel	PFL-100T-040-C

Flanges - Timing Pulley - Suit 12.700mm H Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
44.552	62.51	14	Aluminium	PFL-H-014-A
44.552	62.51	14	Carbon Steel	PFL-H-014-C
54.077	70.61	16	Aluminium	PFL-H-016-A
54.077	70.61	16	Carbon Steel	PFL-H-016-C
60.427	78.74	18	Aluminium	PFL-H-018-A
60.427	78.74	18	Carbon Steel	PFL-H-018-C
63.602	82.70	19	Aluminium	PFL-H-019-A
63.602	82.70	19	Carbon Steel	PFL-H-019-C
66.777	86.87	20	Aluminium	PFL-H-020-A
66.777	86.87	20	Carbon Steel	PFL-H-020-C
71.552	90.78	21	Aluminium	PFL-H-021-A
71.552	90.78	21	Carbon Steel	PFL-H-021-C
76.302	94.87	22	Aluminium	PFL-H-022-A
76.302	94.87	22	Carbon Steel	PFL-H-022-C
85.827	102.87	24	Aluminium	PFL-H-024-A


 Stocked or Short Delivery

 Usually Available Short Delivery


 Long delivery or not in current production

Flanges - Timing Pulley - Suit 12.700mm H Series

Inside Diameter (d) (mm)	Outside Diameter (D) (mm)	Suits Pulley Grooves (No.)	Material	Part Number
85.827	102.87	24	Carbon Steel	PFL-H-024-C
92.177	110.97	26	Aluminium	PFL-H-026-A
92.177	110.97	26	Carbon Steel	PFL-H-026-C
95.352	119.05	28	Aluminium	PFL-H-028-A
95.352	119.05	28	Carbon Steel	PFL-H-028-C
101.702	127.13	30	Aluminium	PFL-H-030-A
101.702	127.13	30	Carbon Steel	PFL-H-030-C
114.402	135.13	32	Aluminium	PFL-H-032-A
114.402	135.13	32	Carbon Steel	PFL-H-032-C
128.702	151.36	36	Aluminium	PFL-H-036-A
128.702	151.36	36	Carbon Steel	PFL-H-036-C
142.977	167.64	40	Aluminium	PFL-H-040-A
142.977	167.64	40	Carbon Steel	PFL-H-040-C
158.852	183.67	44	Aluminium	PFL-H-044-A
158.852	183.67	44	Carbon Steel	PFL-H-044-C
174.727	199.82	48	Aluminium	PFL-H-048-A
174.727	199.82	48	Carbon Steel	PFL-H-048-C

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

TIPS

Pulley stock is used to make your own custom pulleys when a standard size is either not made or not currently available.

Flanges shown for a particular pitch may sometimes be used for other pitches so long as they can seat on the pulley stock and the outside diameter is above the belt.

Stainless steel pulley stock may be available in some sizes, but will usually require a minimum order quantity. Please enquire.

Ensure you select the correct pitch designation to suit your belt. All new applications should match the belt with the same pitch pulley. For replacement applications where the correct pitch is not available see the chart below for cross compatibility of curvilinear types (GT2 and HTD).

Cross Compatibility of GT2 and HTD Curvilinear Belts and Pulleys

Belt Type	Pitch	Will Run On	Notes
CTD	8mm, 14mm	Not Compatible	Conti Torque Drive
HTD®	3mm, 5mm, 8mm, 14mm	GT2® & HTD®	
PolyChain® GT	5mm	GT2® & HTD®	
PolyChain® GT	8mm	Not Compatible	PolyChain Only
PolyChain® GT	14mm	HTD®	
PolyChain® GT2®	14mm	GT2® & HTD®	
PolyChain® GT HTD	14mm	HTD®	
PowerGrip® GT2®	2mm	GT2®	
PowerGrip® GT2®	3mm, 5mm, 8mm, 14mm	GT2® & HTD®	
RPP	5mm, 8mm, 14mm	GT2® & HTD®	
STD	8mm	Not Compatible	Super Torque Drive

Gates®, GT2®, HTD®, PolyChain® and PowerGrip® are registered trademarks of Gates Corporation.



Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

Timing Pulley Stock & Flanges