

MBA

2022.1

Vibration Mounts

Bobbins & Buffers



A selection of metric and imperial bobbins and buffers from our extensive range of anti-vibration mounts.

INDEX

Bobbins

- Female 3-7
- Male 8-17
- Male / Female 18-25

Buffers

- Female 26-29
- Male 30-36

Special Types

- Square Base 17
- Concave Base 36
- Conical 36
- Other 37

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

Male - Male
Bobbin



Female - Female
Bobbin



Male - Female
Bobbin



Female Buffer
(Blank one end)



Male Buffer
(Blank one end)



Conical



Mounts - Bobbin - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
8.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M3x0.50	60	2.0 (0.08")	Natural Rubber	* CFF008-08-030M-R60
10.0 mm Nom. Body Dia. (D)					
10.0 (0.39")	M4x0.70	60	3.0 (0.12")	Natural Rubber	* CFF010-10-040M-R60
15.0 mm Nom. Body Dia. (D)					
7.0 (0.28")	M4x0.70	60	2.0 (0.08")	Natural Rubber	* CFF015-07-040M-R60
8.0 (0.31")	M4x0.70	60	2.0 (0.08")	Natural Rubber	* CFF015-08-040M-R60
10.0 (0.39")	M4x0.70	60	3.0 (0.12")	Natural Rubber	* CFF015-10-040M-R60
15.0 (0.59")	M4x0.70	70		Natural Rubber	CFF015-15-040M-R70
15.0 (0.59")	M5x0.80	60	4.0 (0.16")	Natural Rubber	** CFF015-15-050M-R60
15.0 (0.59")	M4x0.70	60		Natural Rubber	CFF015-15-040M-R60
15.0 (0.59")	M4x0.70	45		Natural Rubber	CFF015-15-040M-R45
20.0 (0.79")	M4x0.70	60	4.0 (0.16")	Natural Rubber	** CFF015-20-040M-R60
15.9 mm Nom. Body Dia. (D)					
12.7 (0.50")	8-32 UNC (32 TPI)	60	4.6 (0.18")	Natural Rubber	CFF016-13-042C-R60
16.0 mm Nom. Body Dia. (D)					
13.0 (0.51")	M4x0.70	60	5.0 (0.20")	Natural Rubber	CFF016-13-040M-R60
20.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M6x1.00	60	3.0 (0.12")	Natural Rubber	* CFF020-08-060M-R60
10.0 (0.39")	M6x1.00	60	3.0 (0.12")	Natural Rubber	* CFF020-10-060M-R60
15.0 (0.59")	M6x1.00	45		Natural Rubber	CFF020-15-060M-R45
15.0 (0.59")	M6x1.00	60		Natural Rubber	CFF020-15-060M-R60
15.0 (0.59")	M6x1.00	70		Natural Rubber	CFF020-15-060M-R70
20.0 (0.79")	M6x1.00	60		Natural Rubber	CFF020-20-060M-R60
20.0 (0.79")	M6x1.00	70		Natural Rubber	CFF020-20-060M-R70
20.0 (0.79")	M6x1.00	45		Natural Rubber	CFF020-20-060M-R45
25.0 (0.98")	M6x1.00	45		Natural Rubber	CFF020-25-060M-R45
25.0 (0.98")	M6x1.00	60		Natural Rubber	CFF020-25-060M-R60
25.0 (0.98")	M6x1.00	70		Natural Rubber	CFF020-25-060M-R70
30.0 (1.18")	M6x1.00	45		Natural Rubber	CFF020-30-060M-R45
30.0 (1.18")	M6x1.00	60		Natural Rubber	CFF020-30-060M-R60
30.0 (1.18")	M6x1.00	70		Natural Rubber	CFF020-30-060M-R70
25.0 mm Nom. Body Dia. (D)					
10.0 (0.39")	M6x1.00	60	3.0 (0.12")	Natural Rubber	* CFF025-10-060M-R60
15.0 (0.59")	M6x1.00	45		Natural Rubber	CFF025-15-060M-R45
15.0 (0.59")	M6x1.00	60		Natural Rubber	CFF025-15-060M-R60
15.0 (0.59")	M6x1.00	70		Natural Rubber	CFF025-15-060M-R70
20.0 (0.79")	M6x1.00	45		Natural Rubber	CFF025-20-060M-R45
20.0 (0.79")	M6x1.00	60		Natural Rubber	CFF025-20-060M-R60
20.0 (0.79")	M6x1.00	70		Natural Rubber	CFF025-20-060M-R70
25.0 (0.98")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	* CFF025-25-079C-D-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	* CFF025-25-079C-C-R60
25.0 (0.98")	M6x1.00	45		Natural Rubber	CFF025-25-060M-R45
25.0 (0.98")	M6x1.00	60		Natural Rubber	CFF025-25-060M-R60
25.0 (0.98")	M6x1.00	70		Natural Rubber	CFF025-25-060M-R70
25.0 (0.98")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	* CFF025-25-079C-A-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	* CFF025-25-079C-B-R60
25.0 (0.98")	M8x1.25	45		Natural Rubber	CFF025-25-080M-R45
25.0 (0.98")	M8x1.25	60		Natural Rubber	CFF025-25-080M-R60
25.0 (0.98")	M8x1.25	70		Natural Rubber	CFF025-25-080M-R70
30.0 (1.18")	M8x1.25	45		Natural Rubber	CFF025-30-080M-R45
30.0 (1.18")	M8x1.25	60		Natural Rubber	CFF025-30-080M-R60
30.0 (1.18")	M8x1.25	70		Natural Rubber	CFF025-30-080M-R70
25.4 mm Nom. Body Dia. (D)					
25.4 (1.00")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	CFF025-25-079C-E-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
30.0 mm Nom. Body Dia. (D)					
15.0 (0.59")	M8x1.25	60	4.0 (0.16")	Natural Rubber	* CFF030-15-080M-R60
20.0 (0.79")	M8x1.25	60		Natural Rubber	CFF030-20-080M-R60
20.0 (0.79")	M8x1.25	70		Natural Rubber	CFF030-20-080M-R70
20.0 (0.79")	M8x1.25	45		Natural Rubber	CFF030-20-080M-R45
25.0 (0.98")	M8x1.25	45		Natural Rubber	CFF030-25-080M-R45
25.0 (0.98")	M8x1.25	60		Natural Rubber	CFF030-25-080M-R60
25.0 (0.98")	M8x1.25	70		Natural Rubber	CFF030-25-080M-R70
30.0 (1.18")	M8x1.25	45		Natural Rubber	CFF030-30-080M-R45
30.0 (1.18")	M8x1.25	60		Natural Rubber	CFF030-30-080M-R60
30.0 (1.18")	M8x1.25	70		Natural Rubber	CFF030-30-080M-R70
35.0 (1.38")	M8x1.25	70		Natural Rubber	CFF030-35-080M-R70
35.0 (1.38")	M8x1.25	45		Natural Rubber	CFF030-35-080M-R45
35.0 (1.38")	M8x1.25	60		Natural Rubber	CFF030-35-080M-R60
40.0 (1.57")	M8x1.25	70		Natural Rubber	CFF030-40-080M-R70
40.0 (1.57")	M8x1.25	45		Natural Rubber	CFF030-40-080M-R45
40.0 (1.57")	M8x1.25	60		Natural Rubber	CFF030-40-080M-R60
38.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M8x1.25	60	5.0 (0.20")	Natural Rubber	CFF038-25-080M-R60
38.1 mm Nom. Body Dia. (D)					
25.4 (1.00")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	CFF038-25-079C-R60
40.0 mm Nom. Body Dia. (D)					
20.0 (0.79")	M8x1.25	45		Natural Rubber	CFF040-20-080M-R45
20.0 (0.79")	M8x1.25	60		Natural Rubber	CFF040-20-080M-R60
20.0 (0.79")	M8x1.25	70		Natural Rubber	CFF040-20-080M-R70
25.0 (0.98")	M8x1.25	60	8.0 (0.31")	Natural Rubber	* CFF040-25-080M-R60
25.0 (0.98")	M10x1.50	60	8.0 (0.31")	Natural Rubber	* CFF040-25-100M-R60
30.0 (1.18")	M8x1.25	45		Natural Rubber	CFF040-30-080M-R45
30.0 (1.18")	M10x1.50	70		Natural Rubber	CFF040-30-100M-R70
30.0 (1.18")	M10x1.50	60		Natural Rubber	CFF040-30-100M-R60
30.0 (1.18")	M10x1.50	45		Natural Rubber	CFF040-30-100M-R45
30.0 (1.18")	M8x1.25	60		Natural Rubber	CFF040-30-080M-R60
30.0 (1.18")	M8x1.25	70		Natural Rubber	CFF040-30-080M-R70
35.0 (1.38")	M10x1.50	70		Natural Rubber	CFF040-35-100M-R70
35.0 (1.38")	M8x1.25	45		Natural Rubber	CFF040-35-080M-R45
35.0 (1.38")	M8x1.25	60		Natural Rubber	CFF040-35-080M-R60
35.0 (1.38")	M8x1.25	70		Natural Rubber	CFF040-35-080M-R70
35.0 (1.38")	M10x1.50	45		Natural Rubber	CFF040-35-100M-R45
35.0 (1.38")	M10x1.50	60		Natural Rubber	CFF040-35-100M-R60
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFF040-40-100M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFF040-40-100M-R60
40.0 (1.57")	M8x1.25	45		Natural Rubber	CFF040-40-080M-R45
40.0 (1.57")	M8x1.25	60		Natural Rubber	CFF040-40-080M-R60
40.0 (1.57")	M8x1.25	70		Natural Rubber	CFF040-40-080M-R70
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFF040-40-100M-R70
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFF040-45-100M-R45
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFF040-45-100M-R60
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFF040-45-100M-R70

Stocked or Short Delivery

Usually Available Short Delivery


Long delivery or not in current production

* Large Minimum Quantities


** Available only while stock lasts

Mounts - Bobbin - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
50.0 mm Nom. Body Dia. (D)					
20.0 (0.79")	M10x1.50	60	8.0 (0.31")	Natural Rubber	* CFF050-20-100M-R60
25.0 (0.98")	M10x1.50	70		Natural Rubber	CFF050-25-100M-R70
25.0 (0.98")	M10x1.50	45		Natural Rubber	CFF050-25-100M-R45
25.0 (0.98")	M10x1.50	60		Natural Rubber	CFF050-25-100M-R60
30.0 (1.18")	M10x1.50	70		Natural Rubber	CFF050-30-100M-R70
30.0 (1.18")	M10x1.50	45		Natural Rubber	CFF050-30-100M-R45
30.0 (1.18")	M10x1.50	60		Natural Rubber	CFF050-30-100M-R60
35.0 (1.38")	M10x1.50	45		Natural Rubber	CFF050-35-100M-R45
35.0 (1.38")	M10x1.50	60		Natural Rubber	CFF050-35-100M-R60
35.0 (1.38")	M10x1.50	70		Natural Rubber	CFF050-35-100M-R70
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFF050-40-100M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFF050-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFF050-40-100M-R70
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFF050-45-100M-R45
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFF050-45-100M-R70
45.0 (1.77")	M8x1.25	70		Natural Rubber	CFF050-45-080M-R70
45.0 (1.77")	M8x1.25	60		Natural Rubber	CFF050-45-080M-R60
45.0 (1.77")	M8x1.25	45		Natural Rubber	CFF050-45-080M-R45
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFF050-45-100M-R60
50.0 (1.97")	M10x1.50	45		Natural Rubber	CFF050-50-100M-R45
50.0 (1.97")	M10x1.50	60		Natural Rubber	CFF050-50-100M-R60
50.0 (1.97")	M10x1.50	70		Natural Rubber	CFF050-50-100M-R70
60.0 (2.36")	M10x1.50	45		Natural Rubber	CFF050-60-100M-R45
60.0 (2.36")	M10x1.50	60		Natural Rubber	CFF050-60-100M-R60
60.0 (2.36")	M10x1.50	70		Natural Rubber	CFF050-60-100M-R70
50.8 mm Nom. Body Dia. (D)					
41.3 (1.63")	3/8 UNC (16 TPI)	60	11.4 (0.45")	Natural Rubber	CFF051-41-095C-R60
51.0 mm Nom. Body Dia. (D)					
41.0 (1.61")	M10x1.50	60	11.0 (0.43")	Natural Rubber	CFF051-41-100M-R60
60.0 mm Nom. Body Dia. (D)					
35.0 (1.38")	M12x1.75	70		Natural Rubber	CFF060-35-120M-R70
35.0 (1.38")	M12x1.75	45		Natural Rubber	CFF060-35-120M-R45
35.0 (1.38")	M12x1.75	60		Natural Rubber	CFF060-35-120M-R60
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFF060-40-100M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFF060-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFF060-40-100M-R70
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFF060-40-120M-R45
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFF060-40-120M-R60
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFF060-40-120M-R70
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFF060-45-100M-R45
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFF060-45-120M-R70
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFF060-45-120M-R60
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFF060-45-100M-R60
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFF060-45-100M-R70
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFF060-45-120M-R45
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFF060-50-120M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFF060-50-120M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFF060-50-120M-R70
65.0 mm Nom. Body Dia. (D)					
35.0 (1.38")	M12x1.75	45		Natural Rubber	CFF065-35-120M-R45
35.0 (1.38")	M12x1.75	60		Natural Rubber	CFF065-35-120M-R60
35.0 (1.38")	M12x1.75	70		Natural Rubber	CFF065-35-120M-R70

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
70.0 mm Nom. Body Dia. (D)					
30.0 (1.18")	M10x1.50	70		Natural Rubber	CFF070-30-100M-R70
30.0 (1.18")	M10x1.50	45		Natural Rubber	CFF070-30-100M-R45
30.0 (1.18")	M10x1.50	60		Natural Rubber	CFF070-30-100M-R60
35.0 (1.38")	M12x1.75	70		Natural Rubber	CFF070-35-120M-R70
35.0 (1.38")	M12x1.75	60		Natural Rubber	CFF070-35-120M-R60
35.0 (1.38")	M12x1.75	45		Natural Rubber	CFF070-35-120M-R45
35.0 (1.38")	M10x1.50	70		Natural Rubber	CFF070-35-100M-R70
35.0 (1.38")	M10x1.50	45		Natural Rubber	CFF070-35-100M-R45
35.0 (1.38")	M10x1.50	60		Natural Rubber	CFF070-35-100M-R60
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFF070-40-100M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFF070-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFF070-40-100M-R70
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFF070-45-120M-R45
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFF070-45-120M-R60
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFF070-45-120M-R70
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFF070-45-100M-R45
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFF070-45-100M-R70
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFF070-45-100M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFF070-50-120M-R70
50.0 (1.97")	M10x1.50	45		Natural Rubber	CFF070-50-100M-R45
50.0 (1.97")	M10x1.50	60		Natural Rubber	CFF070-50-100M-R60
50.0 (1.97")	M10x1.50	70		Natural Rubber	CFF070-50-100M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFF070-50-120M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFF070-50-120M-R60
60.0 (2.36")	M12x1.75	70		Natural Rubber	CFF070-60-120M-R70
60.0 (2.36")	M12x1.75	45		Natural Rubber	CFF070-60-120M-R45
60.0 (2.36")	M12x1.75	60		Natural Rubber	CFF070-60-120M-R60
70.0 (2.76")	M10x1.50	45		Natural Rubber	CFF070-70-100M-R45
70.0 (2.76")	M10x1.50	60		Natural Rubber	CFF070-70-100M-R60
70.0 (2.76")	M10x1.50	70		Natural Rubber	CFF070-70-100M-R70
75.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M12x1.75	60	12.0 (0.47")	Natural Rubber	* CFF075-25-120M-R60
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFF075-40-120M-R60
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFF075-40-120M-R70
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFF075-40-120M-R45
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFF075-45-120M-R45
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFF075-45-120M-R60
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFF075-45-120M-R70
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFF075-50-120M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFF075-50-120M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFF075-50-120M-R60
55.0 (2.17")	M12x1.75	70		Natural Rubber	CFF075-55-120M-R70
55.0 (2.17")	M12x1.75	60		Natural Rubber	CFF075-55-120M-R60
55.0 (2.17")	M12x1.75	45		Natural Rubber	CFF075-55-120M-R45
60.0 (2.36")	M12x1.75	45		Natural Rubber	CFF075-60-120M-R45
60.0 (2.36")	M12x1.75	60		Natural Rubber	CFF075-60-120M-R60
60.0 (2.36")	M12x1.75	70		Natural Rubber	CFF075-60-120M-R70
95.0 mm Nom. Body Dia. (D)					
75.0 (2.95")	M12x1.75	70		Natural Rubber	CFF095-75-120M-R70
75.0 (2.95")	M12x1.75	60		Natural Rubber	CFF095-75-120M-R60
75.0 (2.95")	M16x2.00	60		Natural Rubber	CFF095-75-160M-R60
75.0 (2.95")	M16x2.00	70		Natural Rubber	CFF095-75-160M-R70
75.0 (2.95")	M16x2.00	45		Natural Rubber	CFF095-75-160M-R45
75.0 (2.95")	M12x1.75	45		Natural Rubber	CFF095-75-120M-R45

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
100.0 mm Nom. Body Dia. (D)					
40.0 (1.57")	M16x2.00	60		Natural Rubber	CFF100-40-160M-R60
40.0 (1.57")	M16x2.00	70		Natural Rubber	CFF100-40-160M-R70
40.0 (1.57")	M16x2.00	45		Natural Rubber	CFF100-40-160M-R45
45.0 (1.77")	M16x2.00	60		Natural Rubber	CFF100-45-160M-R60
45.0 (1.77")	M16x2.00	70		Natural Rubber	CFF100-45-160M-R70
45.0 (1.77")	M16x2.00	45		Natural Rubber	CFF100-45-160M-R45
50.0 (1.97")	M16x2.00	45		Natural Rubber	CFF100-50-160M-R45
50.0 (1.97")	M16x2.00	60		Natural Rubber	CFF100-50-160M-R60
50.0 (1.97")	M16x2.00	70		Natural Rubber	CFF100-50-160M-R70
55.0 (2.17")	M16x2.00	70		Natural Rubber	CFF100-55-160M-R70
55.0 (2.17")	M16x2.00	60		Natural Rubber	CFF100-55-160M-R60
55.0 (2.17")	M16x2.00	45		Natural Rubber	CFF100-55-160M-R45
60.0 (2.36")	M16x2.00	45		Natural Rubber	CFF100-60-160M-R45
60.0 (2.36")	M16x2.00	60		Natural Rubber	CFF100-60-160M-R60
60.0 (2.36")	M16x2.00	70		Natural Rubber	CFF100-60-160M-R70
75.0 (2.95")	M16x2.00	60	16.0 (0.63")	Natural Rubber	* CFF100-75-160M-R60
100.0 (3.94")	M16x2.00	60		Natural Rubber	CFF100-100-160M-R60
100.0 (3.94")	M16x2.00	45		Natural Rubber	CFF100-100-160M-R45
100.0 (3.94")	M16x2.00	70		Natural Rubber	CFF100-100-160M-R70
105.0 mm Nom. Body Dia. (D)					
75.0 (2.95")	M16x2.00	45		Natural Rubber	CFF105-75-160M-R45
75.0 (2.95")	M16x2.00	60		Natural Rubber	CFF105-75-160M-R60
75.0 (2.95")	M16x2.00	70		Natural Rubber	CFF105-75-160M-R70
120.0 mm Nom. Body Dia. (D)					
75.0 (2.95")	M16x2.00	70		Natural Rubber	CFF120-75-160M-R70
75.0 (2.95")	M16x2.00	45		Natural Rubber	CFF120-75-160M-R45
75.0 (2.95")	M16x2.00	60		Natural Rubber	CFF120-75-160M-R60
150.0 mm Nom. Body Dia. (D)					
75.0 (2.95")	M20x2.50	45		Natural Rubber	CFF150-75-M20-R45
75.0 (2.95")	M20x2.50	70		Natural Rubber	CFF150-75-M20-R70
75.0 (2.95")	M20x2.50	60		Natural Rubber	CFF150-75-M20-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 7 of 39

E&OE

Mounts - Bobbin - Male

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
7.0 mm Nom. Body Dia. (D)					
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 (0.20")	Urethane	* CMM007-08-028C-H-U60
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 (0.20")	Urethane	* CMM007-08-028C-L-U60
8.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M3x0.50	45	6.0 (0.24")	Natural Rubber	CMM008-08-030M-R45
8.0 (0.31")	M3x0.50	60	6.0 (0.24")	Natural Rubber	CMM008-08-030M-R60
8.0 (0.31")	M3x0.50	70	6.0 (0.24")	Natural Rubber	CMM008-08-030M-R70
9.5 mm Nom. Body Dia. (D)					
12.7 (0.50")	8-32 UNC (32 TPI)	60	12.7 (0.50")	Natural Rubber	CMM010-13-042C-R60
10.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM010-08-040M-R45
8.0 (0.31")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM010-08-040M-R60
8.0 (0.31")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM010-08-040M-R70
10.0 (0.39")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM010-10-040M-R45
10.0 (0.39")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM010-10-040M-R60
10.0 (0.39")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM010-10-040M-R70
13.0 (0.51")	M4x0.70	60	13.0 (0.51")	Natural Rubber	CMM010-13-040M-R60
10.3 mm Nom. Body Dia. (D)					
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	* CMM010-13-035C-H-U60
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	* CMM010-13-035C-L-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	* CMM010-13-042C-H-U60
11.0 mm Nom. Body Dia. (D)					
11.0 (0.43")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM011-11-040M-R45
11.0 (0.43")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM011-11-040M-R60
11.0 (0.43")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM011-11-040M-R70
12.7 (0.50")	M4x0.7	60	7.0 (0.28")	Natural Rubber	* CMM011-13-040M07-A-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	* CMM011-13-042C-C-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	* CMM011-13-042C-B-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	* CMM011-13-042C-A-R60
12.7 (0.50")	M4x0.7	60	10.0 (0.39")	Natural Rubber	* CMM011-13-040M10-D-R60
12.7 (0.50")	M4x0.7	60	10.0 (0.39")	Natural Rubber	* CMM011-13-040M10-C-R60
12.7 (0.50")	M4x0.7	60	10.0 (0.39")	Natural Rubber	* CMM011-13-040M10-B-R60
12.7 (0.50")	M4x0.7	60	10.0 (0.39")	Natural Rubber	* CMM011-13-040M10-A-R60
12.7 (0.50")	M4x0.7	60	7.0 (0.28")	Natural Rubber	* CMM011-13-040M07-D-R60
12.7 (0.50")	M4x0.7	60	7.0 (0.28")	Natural Rubber	* CMM011-13-040M07-B-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	* CMM011-13-042C-D-R60
12.7 (0.50")	M4x0.7	60	7.0 (0.28")	Natural Rubber	* CMM011-13-040M07-C-R60
14.3 mm Nom. Body Dia. (D)					
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	* CMM014-13-042C-B-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	* CMM014-13-042C-C-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	* CMM014-13-042C-A-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	* CMM014-13-042C-D-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
15.0 mm Nom. Body Dia. (D)					
7.0 (0.28")	M4x0.70	60	10.0 (0.39")	Natural Rubber	* CMM015-07-040M-R60
8.0 (0.31")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM015-08-040M-R45
8.0 (0.31")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM015-08-040M-R60
8.0 (0.31")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM015-08-040M-R70
10.0 (0.39")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM015-10-040M-R45
10.0 (0.39")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM015-10-040M-R60
10.0 (0.39")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM015-10-040M-R70
15.0 (0.59")	M6x1.00	45	12.0 (0.47")	Natural Rubber	CMM015-15-060M-R45
15.0 (0.59")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM015-15-060M-R60
15.0 (0.59")	M5x0.80	70	15.0 (0.59")	Natural Rubber	CMM015-15-050M-R70
15.0 (0.59")	M5x0.80	60	15.0 (0.59")	Natural Rubber	CMM015-15-050M-R60
15.0 (0.59")	M5x0.80	45	15.0 (0.59")	Natural Rubber	CMM015-15-050M15-R45
15.0 (0.59")	M4x0.70	70	13.0 (0.51")	Natural Rubber	CMM015-15-040M-R70
15.0 (0.59")	M4x0.70	60	13.0 (0.51")	Natural Rubber	CMM015-15-040M-R60
15.0 (0.59")	M6x1.00	70	12.0 (0.47")	Natural Rubber	CMM015-15-060M-R70
15.0 (0.59")	M4x0.70	45	13.0 (0.51")	Natural Rubber	CMM015-15-040M-R45
15.0 (0.59")	M5x0.80	45	6.0 (0.24")	Natural Rubber	CMM015-15-050M06-R45
20.0 (0.79")	M4x0.70	60	13.0 (0.51")	Natural Rubber	* CMM015-20-040M-R60
25.0 (0.98")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM015-25-040M-R45
25.0 (0.98")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM015-25-040M-R60
25.0 (0.98")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM015-25-040M-R70
15.9 mm Nom. Body Dia. (D)					
12.7 (0.50")	8-32 UNC (32 TPI)	60	12.7 (0.50")	Natural Rubber	CMM016-13-042C-R60
16.0 mm Nom. Body Dia. (D)					
13.0 (0.51")	M4x0.70	60	13.0 (0.51")	Natural Rubber	CMM016-13-040M-R60
16.0 (0.63")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Urethane	* CMM016-16-064C-U60
19.0 mm Nom. Body Dia. (D)					
9.5 (0.37")	1/4 UNC (20 TPI)	60	10.4 (0.41")	Natural Rubber	* CMM019-10-064C-B-R60
9.5 (0.37")	1/4 UNC (20 TPI)	60	10.4 (0.41")	Natural Rubber	* CMM019-10-064C-A-R60
19.0 (0.75")	M6x1.00	60	13.0 (0.51")	Natural Rubber	CMM019-19-060M-R60
19.1 mm Nom. Body Dia. (D)					
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM019-19-064C-R60
20.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-08-060M-R45
8.0 (0.31")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-08-060M-R60
8.0 (0.31")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-08-060M-R70
10.0 (0.39")	M6x1.00	60	10.0 (0.39")	Natural Rubber	* CMM020-10-060M10-R60
10.0 (0.39")	M6x1.00	60	16.0 (0.63")	Natural Rubber	* CMM020-10-060M16-R60
10.0 (0.39")	M6x1.00	60	18.0 (0.71")	Natural Rubber	* CMM020-10-060M-R60
15.0 (0.59")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-15-060M-R70
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-15-060M-R60
15.0 (0.59")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-15-060M-R45
20.0 (0.79")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-20-060M-R45
20.0 (0.79")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-20-060M-R60
20.0 (0.79")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-20-060M-R70
25.0 (0.98")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-25-060M-R70
25.0 (0.98")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-25-060M-R45
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-25-060M-R60
30.0 (1.18")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-30-060M-R70
30.0 (1.18")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-30-060M-R45
30.0 (1.18")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-30-060M-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
25.0 mm Nom. Body Dia. (D)					
10.0 (0.39")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM025-10-060M-R45
10.0 (0.39")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM025-10-060M-R60
10.0 (0.39")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM025-10-060M-R70
13.5 (0.53")	M6x1.00	60	12.0 (0.47")	Natural Rubber	* CMM025-14-060M-D-R60
13.5 (0.53")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	* CMM025-14-064C-B-R60
13.5 (0.53")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	* CMM025-14-064C-C-R60
13.5 (0.53")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	* CMM025-14-064C-A-R60
13.5 (0.53")	M6x1.00	60	12.0 (0.47")	Natural Rubber	* CMM025-14-060M-B-R60
13.5 (0.53")	M6x1.00	60	12.0 (0.47")	Natural Rubber	* CMM025-14-060M-A-R60
13.5 (0.53")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	* CMM025-14-064C-D-R60
13.5 (0.53")	M6x1.00	60	12.0 (0.47")	Natural Rubber	* CMM025-14-060M-C-R60
15.0 (0.59")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM025-15-060M-R45
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM025-15-060M-R60
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Neoprene	CMM025-15-060M-N60
15.0 (0.59")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM025-15-060M-R70
19.0 (0.75")	M6x1.00	60	12.0 (0.47")	Natural Rubber	* CMM025-19-060M-C-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM025-19-079C-C-R60
19.0 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	* CMM025-19-064C-C-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM025-19-079C-B-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM025-19-079C-D-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM025-19-079C-A-R60
19.0 (0.75")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMM025-19-080M-R60
19.0 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	* CMM025-19-064C-D-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Urethane	* CMM025-19-079C-E-U60
19.0 (0.75")	M6x1.00	60	13.0 (0.51")	Natural Rubber	CMM025-19-060M-R60
19.0 (0.75")	M6x1.00	60	12.0 (0.47")	Natural Rubber	* CMM025-19-060M-D-R60
19.0 (0.75")	M6x1.00	60	12.0 (0.47")	Natural Rubber	* CMM025-19-060M-B-R60
19.0 (0.75")	M6x1.00	60	12.0 (0.47")	Natural Rubber	* CMM025-19-060M-H-R60
20.0 (0.79")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM025-20-060M-R70
20.0 (0.79")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM025-20-080M-R70
20.0 (0.79")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM025-20-080M-R60
20.0 (0.79")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM025-20-060M-R60
20.0 (0.79")	M6x1.00	55	18.0 (0.71")	Natural Rubber	CMM025-20-060M-R55
20.0 (0.79")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM025-20-060M-R45
20.0 (0.79")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM025-20-080M-R45
22.0 (0.87")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM025-22-080M-R45
22.0 (0.87")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM025-22-080M-R60
22.0 (0.87")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM025-22-080M-R70
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	* CMM025-25-060M-B-R60
25.0 (0.98")	M8x1.25	60	20.0 (0.79")	Natural Rubber	* CMM025-25-080M-B-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM025-25-079C-D-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM025-25-079C-C-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM025-25-079C-B-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM025-25-079C-A-R60
25.0 (0.98")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM025-25-060M-R70
25.0 (0.98")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM025-25-060M-R45
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMM025-25-080M-R60
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM025-25-060M-R60
30.0 (1.18")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM025-30-080M-R45
30.0 (1.18")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM025-30-060M-R45
30.0 (1.18")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM025-30-080M-R60
30.0 (1.18")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM025-30-060M-R70
30.0 (1.18")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM025-30-080M-R70
30.0 (1.18")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM025-30-060M-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
25.4 mm Nom. Body Dia. (D)					
12.7 (0.50")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-13-064C-R60
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-19-064C13-R60
19.1 (0.75")	1/4 UNC (20 TPI)	60	15.9 (0.63")	Natural Rubber	CMM025-19-064C15-R60
19.1 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM025-19-079C16-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM025-25-079C-R60
25.4 (1.00")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-25-064C-R60
30.0 mm Nom. Body Dia. (D)					
15.0 (0.59")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-15-080M-R45
15.0 (0.59")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-15-080M-R60
15.0 (0.59")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-15-080M-R70
20.0 (0.79")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-20-080M-R60
20.0 (0.79")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-20-080M-R70
20.0 (0.79")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-20-080M-R45
22.0 (0.87")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-22-080M-R60
22.0 (0.87")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-22-080M-R70
22.0 (0.87")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-22-080M-R45
25.0 (0.98")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-25-080M-R45
25.0 (0.98")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-25-080M-R60
25.0 (0.98")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-25-080M-R70
28.0 (1.10")	M8x1.25	40	20.0 (0.79")	Natural Rubber	CMM030-28-080M-R40
30.0 (1.18")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-30-080M-R60
30.0 (1.18")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-30-080M-R70
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	* CMM030-30-080M-A-R60
30.0 (1.18")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-30-080M-R45
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	* CMM030-30-080M-B-R60
40.0 (1.57")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-40-080M-R45
40.0 (1.57")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-40-080M-R60
40.0 (1.57")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-40-080M-R70
31.8 mm Nom. Body Dia. (D)					
19.1 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM032-19-079C-R60
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM032-19-064C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM032-25-079C-R60
32.0 mm Nom. Body Dia. (D)					
19.0 (0.75")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMM032-19-080M-R60
19.0 (0.75")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM032-19-080M-D-R60
19.0 (0.75")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM032-19-080M-C-R60
19.0 (0.75")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM032-19-080M-B-R60
19.0 (0.75")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM032-19-080M-A-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-19-079C-C-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-19-079C-B-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-19-079C-A-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-19-079C-D-R60
22.2 (0.87")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-22-079C-B-R60
22.2 (0.87")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-22-079C-A-R60
22.2 (0.87")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-22-079C-C-R60
22.2 (0.87")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-22-079C-D-R60
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMM032-25-080M-R60
32.0 (1.26")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM032-32-080M-D-R60
32.0 (1.26")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-32-079C-A-R60
32.0 (1.26")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-32-079C-B-R60
32.0 (1.26")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM032-32-080M-A-R60
32.0 (1.26")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-32-079C-C-R60
32.0 (1.26")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM032-32-079C-D-R60
32.0 (1.26")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM032-32-080M-C-R60
32.0 (1.26")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM032-32-080M-B-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male

Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
34.9 mm Nom. Body Dia. (D)					
25.4 (1.00")	5/16 UNC (18 TPI)	60	19.1 (0.75")	Natural Rubber	CMM035-25-079C19-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM035-25-079C16-R60
35.0 mm Nom. Body Dia. (D)					
16.0 (0.63")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM035-16-080M-D-R60
16.0 (0.63")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM035-16-080M-A-R60
16.0 (0.63")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM035-16-079C-D-R60
16.0 (0.63")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM035-16-080M-B-R60
16.0 (0.63")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM035-16-080M-C-R60
16.0 (0.63")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM035-16-079C-A-R60
16.0 (0.63")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM035-16-079C-B-R60
16.0 (0.63")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM035-16-079C-C-R60
25.0 (0.98")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM035-25-080M-C-R60
25.0 (0.98")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM035-25-080M-D-R60
25.0 (0.98")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM035-25-080M-B-R60
25.0 (0.98")	M8x1.25	60	13.5 (0.53")	Natural Rubber	* CMM035-25-080M-A-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM035-25-079C-D-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM035-25-079C-C-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM035-25-079C-B-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	* CMM035-25-079C-A-R60
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMM035-25-080M-R60
38.0 mm Nom. Body Dia. (D)					
19.0 (0.75")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMM038-19-080M-R60
38.1 mm Nom. Body Dia. (D)					
19.1 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM038-19-079C-R60
25.4 (1.00")	3/8 UNC (16 TPI)	60	15.9 (0.63")	Natural Rubber	** CMM038-25-095C-R60
39.7 mm Nom. Body Dia. (D)					
25.4 (1.00")	3/8 UNC (16 TPI)	60	15.9 / 28.6	Natural Rubber	CMM040-25-095C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM040-25-079C-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
40.0 mm Nom. Body Dia. (D)					
20.0 (0.79")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM040-20-080M-R70
20.0 (0.79")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-20-100M-R70
20.0 (0.79")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM040-20-080M-R45
20.0 (0.79")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-20-100M-R60
20.0 (0.79")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM040-20-080M-R60
20.0 (0.79")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-20-100M-R45
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-25-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-25-100M-R70
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-25-100M-R45
25.0 (0.98")	M10x1.50	60	28.0 (1.10")	Natural Rubber	* CMM040-25-100M-B-R60
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMM040-25-080M-R60
25.0 (0.98")	M8x1.25	60	13.0 (0.51")	Natural Rubber	* CMM040-25-080M-B-R60
28.0 (1.10")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-28-100M-R60
28.0 (1.10")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-28-100M-R70
28.0 (1.10")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-28-100M-R45
30.0 (1.18")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM040-30-080M-R45
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM040-30-080M-R60
30.0 (1.18")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM040-30-100M-R60
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-30-100M-R45
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-30-100M-R70
30.0 (1.18")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM040-30-080M-R70
35.0 (1.38")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM040-35-080M-R45
35.0 (1.38")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM040-35-080M-R60
35.0 (1.38")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM040-35-080M-R70
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-35-100M25-R60
35.0 (1.38")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM040-35-100M28-R60
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-35-100M-R45
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-35-100M-R70
40.0 (1.57")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM040-40-080M-R45
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-40-100M-R70
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-40-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-40-100M-R45
40.0 (1.57")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM040-40-080M-R60
40.0 (1.57")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM040-40-080M-R70
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-45-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-45-100M-R60
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-45-100M-R70

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male

Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
50.0 mm Nom. Body Dia. (D)					
20.0 (0.79")	M10x1.50	45	28.0 (1.10")	Natural Rubber	CMM050-20-100M-R45
20.0 (0.79")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM050-20-100M-R60
20.0 (0.79")	M10x1.50	70	28.0 (1.10")	Natural Rubber	CMM050-20-100M-R70
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM050-25-100M-R45
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM050-25-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM050-25-100M-R70
30.0 (1.18")	M10x1.50	45	28.0 (1.10")	Natural Rubber	CMM050-30-100M-R45
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM050-30-080M-R60
30.0 (1.18")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM050-30-080M-R70
30.0 (1.18")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM050-30-100M-R60
30.0 (1.18")	M10x1.50	70	28.0 (1.10")	Natural Rubber	CMM050-30-100M-R70
30.0 (1.18")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM050-30-080M-R45
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM050-35-100M-R60
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM050-35-100M-R45
35.0 (1.38")	M10x1.50	35	25.0 (0.98")	Natural Rubber	CMM050-35-100M-R35
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM050-35-100M-R70
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM050-40-100M-R45
40.0 (1.57")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM050-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM050-40-100M-R70
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM050-45-100M-R45
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM050-45-100M-R70
45.0 (1.77")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM050-45-100M-R60
50.0 (1.97")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM050-50-100M-R45
50.0 (1.97")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM050-50-100M-R60
50.0 (1.97")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM050-50-100M-R70
50.8 mm Nom. Body Dia. (D)					
19.1 (0.75")	3/8 UNC (16 TPI)	60	28.6 / 15.9	Natural Rubber	CMM051-19-095C-R60
26.2 (1.03")	1/2-20 UNF (20 TPI)	60	23.0 (0.91")	Natural Rubber	* CMM051-26-1270F-R60
41.3 (1.63")	3/8 UNC (16 TPI)	60	15.9 / 22.2	Natural Rubber	CMM051-41-095C-R60
51.0 mm Nom. Body Dia. (D)					
19.0 (0.75")	M10x1.50	60	29.0 (1.14")	Natural Rubber	CMM051-19-100M-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
60.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-25-100M-R70
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM060-25-100M-R60
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-25-100M-R45
30.0 (1.18")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM060-30-100M-R60
30.0 (1.18")	M12x1.75	60	37.0 (1.46")	Natural Rubber	* CMM060-30-120M-R60
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-30-100M-R45
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-30-100M-R70
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM060-35-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-35-100M-R70
35.0 (1.38")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM060-35-120M-R45
35.0 (1.38")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM060-35-120M-R60
35.0 (1.38")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM060-35-120M-R70
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-35-100M-R45
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-40-100M-R45
40.0 (1.57")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM060-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-40-100M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM060-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM060-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM060-40-120M-R70
45.0 (1.77")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM060-45-100M-R60
45.0 (1.77")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM060-45-120M-R70
45.0 (1.77")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM060-45-120M-R60
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-45-100M-R70
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-45-100M-R45
45.0 (1.77")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM060-45-120M-R45
50.0 (1.97")	M10x1.50	60	35.0 (1.38")	Natural Rubber	* CMM060-50-100M-R60
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM060-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM060-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM060-50-120M-R70
61.9 mm Nom. Body Dia. (D)					
31.8 (1.25")	1/2 UNC (13 TPI)	60	22.2 / 31.8	Natural Rubber	CMM062-32-127C-R60
65.0 mm Nom. Body Dia. (D)					
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM065-35-100M-R70
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM065-35-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM065-35-100M-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male

Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
70.0 mm Nom. Body Dia. (D)					
30.0 (1.18")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-30-120M-R45
30.0 (1.18")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-30-120M-R70
30.0 (1.18")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-30-120M-R60
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-30-100M-R45
30.0 (1.18")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM070-30-100M-R60
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-30-100M-R70
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-35-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM070-35-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-35-100M-R70
35.0 (1.38")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-35-120M-R45
35.0 (1.38")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-35-120M-R60
35.0 (1.38")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-35-120M-R70
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-40-100M-R70
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-40-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-40-120M-R45
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM070-40-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-40-100M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-40-120M-R60
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-45-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM070-45-100M-R60
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-45-100M-R70
45.0 (1.77")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-45-120M-R45
45.0 (1.77")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-45-120M-R60
45.0 (1.77")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-45-120M-R70
50.0 (1.97")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-50-100M-R70
50.0 (1.97")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-50-100M-R45
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-50-120M-R70
50.0 (1.97")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM070-50-100M-R60
75.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-25-120M-R45
25.0 (0.98")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-25-120M-R60
25.0 (0.98")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-25-120M-R70
35.0 (1.38")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-35-120M-R45
35.0 (1.38")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-35-120M-R60
35.0 (1.38")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-35-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-40-120M-R70
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-50-120M-R70
55.0 (2.17")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-55-120M-R45
55.0 (2.17")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-55-120M-R60
55.0 (2.17")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-55-120M-R70
79.0 mm Nom. Body Dia. (D)					
57.0 (2.24")	M12x1.75	60	35.0 (1.38")	Natural Rubber	CMM079-57-120M-R60
79.4 mm Nom. Body Dia. (D)					
57.2 (2.25")	1/2 UNC (13 TPI)	60	31.8 / 12.7	Natural Rubber	CMM079-57-1270C-R60
80.0 mm Nom. Body Dia. (D)					
30.0 (1.18")	M14x2.00	45	35.0 (1.38")	Natural Rubber	CMM080-30-140M-R45
30.0 (1.18")	M14x2.00	60	35.0 (1.38")	Natural Rubber	CMM080-30-140M-R60
30.0 (1.18")	M14x2.00	70	35.0 (1.38")	Natural Rubber	CMM080-30-140M-R70

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 16 of 39

E&OE

Mounts - Bobbin - Male

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
100.0 mm Nom. Body Dia. (D)					
30.0 (1.18")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-30-160M-R60
30.0 (1.18")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-30-160M-R70
30.0 (1.18")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-30-160M-R45
40.0 (1.57")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-40-160M-R45
40.0 (1.57")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-40-160M-R60
40.0 (1.57")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-40-160M-R70
50.0 (1.97")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-50-160M-R45
50.0 (1.97")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-50-160M-R60
50.0 (1.97")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-50-160M-R70
55.0 (2.17")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-55-160M-R70
55.0 (2.17")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-55-160M-R45
55.0 (2.17")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-55-160M-R60
60.0 (2.36")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-60-160M-R45
60.0 (2.36")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-60-160M-R60
60.0 (2.36")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-60-160M-R70
75.0 (2.95")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-75-160M-R45
75.0 (2.95")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-75-160M-R60
75.0 (2.95")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-75-160M-R70
100.0 (3.94")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-100-160M-R60
100.0 (3.94")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-100-160M-R70
100.0 (3.94")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-100-160M-R45
150.0 mm Nom. Body Dia. (D)					
75.0 (2.95")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM150-75-160M-R45
75.0 (2.95")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM150-75-160M-R60
75.0 (2.95")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM150-75-160M-R70

Mounts - Bobbin - Male - Square Base

Body Length (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
3.1 mm Body Square					
14.3 (0.05")	8-32 UNC (32 TPI)	60	14.3 (0.56")	Natural Rubber	** CMM013-14-042C-
3.8 mm Body Square					
14.3 (0.06")	8-32 UNC (32 TPI)	60	14.3 (0.56")	Natural Rubber	* CSQ004-01-0417C
5.4 mm Body Square					
14.3 (0.09")	8-32 UNC (32 TPI)	60	14.3 (0.56")	Natural Rubber	* CSQ005-02-0417C
6.5 mm Body Square					
14.3 (0.13")	8-32 UNC (32 TPI)	60	14.3 (0.56")	Natural Rubber	* CSQ007-03-0417C

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 17 of 39

E&OE

Mounts - Bobbin - Male to Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
7.0 mm Nom. Body Dia. (D)					
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 / 2.8	Urethane	* CMF007-08-028C-H-U60
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 / 2.8	Urethane	* CMF007-08-028C-L-U60
8.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M3x0.50	60	6.0 / 3.0	Natural Rubber	* CMF008-08-030M-R60
10.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M4x0.70	60	6.0 / 4.0	Natural Rubber	CMF010-08-040M06-R60
8.0 (0.31")	M4x0.70	60	10.0 / 4.0	Natural Rubber	CMF010-08-040M10-R60
8.0 (0.31")	M4x0.70	45	10.0 / 4.0	Natural Rubber	CMF010-08-040M-R45
8.0 (0.31")	M4x0.70	70	10.0 / 4.0	Natural Rubber	CMF010-08-040M-R70
10.0 (0.39")	M4x0.70	70	6.0 / 4.0	Natural Rubber	CMF010-10-040M-R70
10.0 (0.39")	M4x0.70	60	10.0 / 4.0	Natural Rubber	CMF010-10-040M-R60
10.0 (0.39")	M4x0.70	45	6.0 / 4.0	Natural Rubber	CMF010-10-040M-R45
12.0 (0.47")	M4x0.70	60	12.0 / 4.0	Natural Rubber	CMF010-12-040M-R60
10.3 mm Nom. Body Dia. (D)					
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 / 4.1	Urethane	* CMF010-13-035C-H-U60
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 / 4.1	Urethane	* CMF010-13-035C-L-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 / 4.1	Urethane	* CMF010-13-042C-H-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 / 4.1	Urethane	* CMF010-13-042C-L-U60
14.3 mm Nom. Body Dia. (D)					
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 / 6.0	Neoprene	* CMF014-13-042C-H-N60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 / 6.0	Neoprene	* CMF014-13-042C-L-N60
15.0 mm Nom. Body Dia. (D)					
13.0 (0.51")	M4x0.70	60	10.0 / 4.0	Natural Rubber	CMF015-13-040M-R60
13.0 (0.51")	M4x0.70	70	10.0 / 4.0	Natural Rubber	CMF015-13-040M-R70
13.0 (0.51")	M4x0.70	45	10.0 / 4.0	Natural Rubber	CMF015-13-040M-R45
15.0 (0.59")	M5x0.80	60	15.0 / 4.0	Natural Rubber	CMF015-15-050M-R60
15.0 (0.59")	M4x0.70	45	10.0 / 4.0	Natural Rubber	CMF015-15-040M-R45
15.0 (0.59")	M4x0.70	60	10.0 / 4.0	Natural Rubber	CMF015-15-040M-R60
15.0 (0.59")	M4x0.70	70	10.0 / 4.0	Natural Rubber	CMF015-15-040M-R70
20.0 (0.79")	M4x0.70	60	8.0 / 6.0	Natural Rubber	* CMF015-20-040M-R60
30.0 (1.18")	M4x0.70	60	10.0 / 5.0	Natural Rubber	* CMF015-30-040M-R60
15.9 mm Nom. Body Dia. (D)					
12.7 (0.50")	8-32 UNC (32 TPI)	60	12.7 / 4.6	Natural Rubber	CMF016-13-042C-R60
16.0 mm Nom. Body Dia. (D)					
13.0 (0.51")	M4x0.70	60	13.0 / 5.0	Natural Rubber	CMF016-13-040M-R60
16.0 (0.63")	1/4 UNC (20 TPI)	60	12.7 / 6.6	Urethane	* CMF016-16-064C-U60
20.0 mm Nom. Body Dia. (D)					
15.0 (0.59")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF020-15-060M-R45
15.0 (0.59")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF020-15-060M-R60
15.0 (0.59")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF020-15-060M-R70
20.0 (0.79")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF020-20-060M-R70
20.0 (0.79")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF020-20-060M-R45
20.0 (0.79")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF020-20-060M-R60
25.0 (0.98")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF020-25-060M-R70
25.0 (0.98")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF020-25-060M-R60
25.0 (0.98")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF020-25-060M-R45
25.0 (0.98")	M6x1.00	60	16.0 / 6.0	Natural Rubber	* CMF020-25-060M-H-R60
25.0 (0.98")	M6x1.00	60	18.0 / 6.0	Natural Rubber	* CMF020-25-060M-L-R60
30.0 (1.18")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF020-30-060M-R45
30.0 (1.18")	M6x1.00	60	16.0 / 6.0	Natural Rubber	CMF020-30-060M-R60
30.0 (1.18")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF020-30-060M-R70

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male to Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
25.0 mm Nom. Body Dia. (D)					
13.0 (0.51")	M6x1.00	60	13.0 / 5.0	Natural Rubber	CMF025-13-060M-R60
15.0 (0.59")	M6x1.00	60	15.0 / 6.0	Natural Rubber	CMF025-15-060M15-R60
15.0 (0.59")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF025-15-060M-R70
15.0 (0.59")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF025-15-060M18-R60
15.0 (0.59")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF025-15-060M-R45
19.0 (0.75")	1/4 UNC (20 TPI)	60	12.7 / 12.7	Neoprene	* CMF025-19-064C-H-N60
19.0 (0.75")	1/4 UNC (20 TPI)	60	12.7 / 12.7	Neoprene	* CMF025-19-064C-L-N60
19.0 (0.75")	5/16 UNC (18 TPI)	60	15.9 / 7.4	Urethane	* CMF025-19-079C-U60
19.1 (0.75")	M6x1.00	60	13.0 / 5.0	Natural Rubber	CMF025-19-060M-R60
20.0 (0.79")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF025-20-080M-R70
20.0 (0.79")	M6x1.00	60	18.0 / 8.0	Natural Rubber	* CMF025-20-060M-H-R60
20.0 (0.79")	M6x1.00	60	18.0 / 6.0	Natural Rubber	* CMF025-20-060M-L-R60
20.0 (0.79")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF025-20-080M-R60
20.0 (0.79")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF025-20-080M-R45
20.2 (0.80")	1/4 UNC (20 TPI)	60	12.7 / 12.7	Neoprene	* CMF025-20-064C-N60
25.0 (0.98")	M6x1.00	60	13.0 / 5.0	Natural Rubber	CMF025-25-060M-L-R60
25.0 (0.98")	M8x1.25	60	16.0 / 5.0	Natural Rubber	CMF025-25-080M-R60
25.0 (0.98")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF025-25-060M-R70
25.0 (0.98")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF025-25-060M-R45
25.0 (0.98")	M6x1.00	60	18.0 / 8.0	Natural Rubber	* CMF025-25-060M-H-R60
25.0 (0.98")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF025-25-060M-R60
30.0 (1.18")	M6x1.00	60	18.0 / 6.0	Natural Rubber	* CMF025-30-060M-L-R60
30.0 (1.18")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF025-30-080M-R70
30.0 (1.18")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF025-30-080M-R45
30.0 (1.18")	M6x1.00	60	18.0 / 8.0	Natural Rubber	* CMF025-30-060M-H-R60
30.0 (1.18")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF025-30-080M-R60
25.4 mm Nom. Body Dia. (D)					
12.7 (0.50")	1/4 UNC (20 TPI)	60	12.7 / 4.6	Natural Rubber	CMF025-13-064C-R60
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 / 4.6	Natural Rubber	CMF025-19-064C-R60
25.4 (1.00")	1/4 UNC (20 TPI)	60	12.7 / 4.6	Natural Rubber	CMF025-25-064C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 / 5.1	Natural Rubber	CMF025-25-079C-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male to Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
30.0 mm Nom. Body Dia. (D)					
15.0 (0.59")	M8x1.25	60	20.0 / 8.0	Natural Rubber	* CMF030-15-080M-H-R60
15.0 (0.59")	M8x1.25	60	18.0 / 8.0	Natural Rubber	* CMF030-15-080M-L-R60
15.0 (0.59")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF030-15-080M-R45
15.0 (0.59")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF030-15-080M-R60
15.0 (0.59")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF030-15-080M-R70
20.0 (0.79")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF030-20-080M-R60
20.0 (0.79")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF030-20-080M-R70
20.0 (0.79")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF030-20-080M-R45
20.0 (0.79")	M8x1.25	60	20.0 / 8.0	Natural Rubber	* CMF030-20-080M-L-R60
20.0 (0.79")	M8x1.25	60	23.0 / 6.0	Natural Rubber	* CMF030-20-080M23-H-R60
20.0 (0.79")	M8x1.25	60	14.0 / 6.0	Natural Rubber	* CMF030-20-080M14-H-R60
25.0 (0.98")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF030-25-080M-R45
25.0 (0.98")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF030-25-080M-R60
25.0 (0.98")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF030-25-080M-R70
25.0 (0.98")	M8x1.25	40	15.0 / 8.0	Natural Rubber	CMF030-25-080M-R40
30.0 (1.18")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF030-30-080M20-R60
30.0 (1.18")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF030-30-080M-R70
30.0 (1.18")	M8x1.25	60	23.0 / 10.0	Natural Rubber	* CMF030-30-080M23-R60
30.0 (1.18")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF030-30-080M-R45
40.0 (1.57")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF030-40-080M-R60
40.0 (1.57")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF030-40-080M-R70
40.0 (1.57")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF030-40-080M-R45
40.0 (1.57")	M8x1.25	60	23.0 / 10.0	Natural Rubber	* CMF030-40-080M23-R60
40.0 (1.57")	M8x1.25	60	20.0 / 8.0	Natural Rubber	* CMF030-40-080M20-R60
34.9 mm Nom. Body Dia. (D)					
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 / 5.1	Natural Rubber	CMF035-25-079C-R60
35.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M8x1.25	60	16.0 / 5.0	Natural Rubber	CMF035-25-080M-R60
38.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M8x1.25	60	13.5 / 9.5	Natural Rubber	* CMF038-25-080M-C-R60
25.0 (0.98")	M8x1.25	60	13.5 / 9.5	Natural Rubber	* CMF038-25-080M-B-R60
25.0 (0.98")	M8x1.25	60	13.5 / 9.5	Natural Rubber	* CMF038-25-080M-A-R60
25.0 (0.98")	M8x1.25	60	13.5 / 9.5	Natural Rubber	* CMF038-25-080M-D-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 / 10.2	Natural Rubber	* CMF038-25-079C-D-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 / 10.2	Natural Rubber	* CMF038-25-079C-A-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 / 10.2	Natural Rubber	* CMF038-25-079C-B-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 / 10.2	Natural Rubber	* CMF038-25-079C-C-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male to Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
40.0 mm Nom. Body Dia. (D)					
20.0 (0.79")	M8x1.25	45	23.0 / 10.0	Natural Rubber	CMF040-20-080M23-R45
20.0 (0.79")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF040-20-080M-R60
20.0 (0.79")	M8x1.25	70	23.0 / 10.0	Natural Rubber	CMF040-20-080M-R70
20.0 (0.79")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF040-20-100M-R45
20.0 (0.79")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF040-20-100M-R60
20.0 (0.79")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF040-20-100M-R70
20.0 (0.79")	M10x1.50	45	15.0 / 8.0	Natural Rubber	CMF040-20-080M15-R45
25.0 (0.98")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF040-25-080M-R45
25.0 (0.98")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF040-25-080M-R60
25.0 (0.98")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF040-25-080M-R70
30.0 (1.18")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF040-30-100M-R60
30.0 (1.18")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF040-30-100M-R70
30.0 (1.18")	M8x1.25	70	23.0 / 10.0	Natural Rubber	CMF040-30-080M-R70
30.0 (1.18")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF040-30-100M-R45
30.0 (1.18")	M10x1.50	60	23.0 / 8.0	Natural Rubber	* CMF040-30-100M23-R60
30.0 (1.18")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF040-30-080M-R60
30.0 (1.18")	M8x1.25	45	23.0 / 10.0	Natural Rubber	CMF040-30-080M-R45
30.0 (1.18")	M8x1.25	60	23.0 / 10.0	Natural Rubber	* CMF040-30-080M23-R60
30.0 (1.18")	M8x1.25	60	23.0 / 8.0	Natural Rubber	* CMF040-30-080M20-R60
30.0 (1.18")	M10x1.50	60	28.0 / 10.0	Natural Rubber	* CMF040-30-100M28-R60
35.0 (1.38")	M8x1.25	45	23.0 / 10.0	Natural Rubber	CMF040-35-080M-R45
35.0 (1.38")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF040-35-080M-R60
35.0 (1.38")	M8x1.25	70	23.0 / 10.0	Natural Rubber	CMF040-35-080M-R70
35.0 (1.38")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF040-35-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF040-35-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF040-35-100M-R70
40.0 (1.57")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF040-40-100M-R70
40.0 (1.57")	M8x1.25	60	28.0 / 10.0	Natural Rubber	* CMF040-40-080M28-R60
40.0 (1.57")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF040-40-080M-R45
40.0 (1.57")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF040-40-080M-R60
40.0 (1.57")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF040-40-080M-R70
40.0 (1.57")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF040-40-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF040-40-100M-R60
40.0 (1.57")	M8x1.25	60	23.0 / 10.0	Natural Rubber	* CMF040-40-080M23-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male to Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
50.0 mm Nom. Body Dia. (D)					
20.0 (0.79")	M10x1.50	60	28.0 / 10.0	Natural Rubber	CMF050-20-100M-R60
20.0 (0.79")	M10x1.50	70	28.0 / 10.0	Natural Rubber	CMF050-20-100M-R70
20.0 (0.79")	M10x1.50	45	28.0 / 10.0	Natural Rubber	CMF050-20-100M-R45
25.0 (0.98")	M10x1.50	60	28.0 / 10.0	Natural Rubber	CMF050-25-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-25-100M-R70
25.0 (0.98")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-25-100M-R45
30.0 (1.18")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF050-30-100M-R60
30.0 (1.18")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-30-100M-R70
30.0 (1.18")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-30-100M-R45
35.0 (1.38")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-35-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF050-35-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-35-100M-R70
40.0 (1.57")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-40-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF050-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-40-100M-R70
45.0 (1.77")	M10x1.50	70	28.0 / 10.0	Natural Rubber	CMF050-45-100M-R70
45.0 (1.77")	M10x1.50	60	28.0 / 10.0	Natural Rubber	CMF050-45-100M-R60
45.0 (1.77")	M10x1.50	45	28.0 / 10.0	Natural Rubber	CMF050-45-100M-R45
50.0 (1.97")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-50-100M-R45
50.0 (1.97")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-50-100M-R70
50.0 (1.97")	M10x1.50	60	30.0 / 10.0	Natural Rubber	CMF050-50-100M30-R60
50.0 (1.97")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF050-50-100M25-R60
50.8 mm Nom. Body Dia. (D)					
41.3 (1.63")	3/8 UNC (16 TPI)	60	15.9 / 11.4	Natural Rubber	CMF051-41-095C-R60
50.8 (2.00")	3/8 UNC (16 TPI)	60	28.6 / 11.4	Natural Rubber	CMF051-51-095C-R60
51.0 mm Nom. Body Dia. (D)					
41.0 (1.61")	M10x1.50	60	16.0 / 11.0	Natural Rubber	CMF051-41-100M-R60
51.0 (2.01")	M10x1.50	60	29.0 / 11.0	Natural Rubber	CMF051-51-100M-R60

Stocked or Short Delivery

Usually Available Short Delivery


Long delivery or not in current production

* Large Minimum Quantities


** Available only while stock lasts

Mounts - Bobbin - Male to Female

Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
60.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-25-100M-R70
25.0 (0.98")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-25-100M-R60
25.0 (0.98")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-25-100M-R45
30.0 (1.18")	M12x1.75	60	37.0 / 11.0	Natural Rubber	* CMF060-30-120M-R60
30.0 (1.18")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-30-100M-R70
30.0 (1.18")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-30-100M-R60
30.0 (1.18")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-30-100M-R45
35.0 (1.38")	M10x1.50	60	28.0 / 10.0	Natural Rubber	* CMF060-35-100M-R60
35.0 (1.38")	M12x1.75	60	25.0 / 12.0	Natural Rubber	CMF060-35-120M-R60
36.0 (1.42")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF060-36-120M-R70
36.0 (1.42")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-36-100M-R45
36.0 (1.42")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-36-100M-R60
36.0 (1.42")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-36-100M-R70
36.0 (1.42")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF060-36-120M-R60
36.0 (1.42")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF060-36-120M-R45
40.0 (1.57")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-40-100M-R45
40.0 (1.57")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF060-40-120M-R60
40.0 (1.57")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-40-100M-R60
40.0 (1.57")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF060-40-120M-R70
40.0 (1.57")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-40-100M-R70
40.0 (1.57")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF060-40-120M-R45
45.0 (1.77")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-45-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-45-100M-R60
45.0 (1.77")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-45-100M-R70
50.0 (1.97")	M10x1.50	60	35.0 / 10.0	Natural Rubber	* CMF060-50-100M-R60
50.0 (1.97")	M12x1.75	60	37.0 / 11.0	Natural Rubber	* CMF060-50-120M-R60
65.0 mm Nom. Body Dia. (D)					
35.0 (1.38")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF065-35-100M-R70
35.0 (1.38")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF065-35-100M-R60
35.0 (1.38")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF065-35-100M-R45
40.0 (1.57")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF065-40-120M-R45
40.0 (1.57")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF065-40-120M-R70
40.0 (1.57")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF065-40-120M-R60
45.0 (1.77")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF065-45-120M-R70
45.0 (1.77")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF065-45-120M-R60
45.0 (1.77")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF065-45-120M-R45
50.0 (1.97")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF065-50-120M-R45
50.0 (1.97")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF065-50-120M-R70
50.0 (1.97")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF065-50-120M-R60

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male to Female

Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
70.0 mm Nom. Body Dia. (D)					
30.0 (1.18")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-30-120M-R70
30.0 (1.18")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-30-120M-R45
30.0 (1.18")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-30-120M-R60
40.0 (1.57")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF070-40-100M-R70
40.0 (1.57")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF070-40-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF070-40-100M-R45
40.0 (1.57")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-40-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-40-120M-R45
45.0 (1.77")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-45-120M-R70
45.0 (1.77")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF070-45-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF070-45-100M-R60
45.0 (1.77")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF070-45-100M-R70
45.0 (1.77")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-45-120M-R45
45.0 (1.77")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-45-120M-R60
50.0 (1.97")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-50-120M-R70
50.0 (1.97")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-50-120M-R45
60.0 (2.36")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-60-120M-R45
60.0 (2.36")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-60-120M-R60
60.0 (2.36")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-60-120M-R70
75.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF075-25-120M-R45
25.0 (0.98")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF075-25-120M-R60
25.0 (0.98")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF075-25-120M-R70
40.0 (1.57")	M12x1.75	60	23.0 / 12.0	Natural Rubber	CMF075-40-120M23-R60
40.0 (1.57")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF075-40-120M37-R60
40.0 (1.57")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF075-40-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF075-40-120M-R45
50.0 (1.97")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF075-50-120M-R70
50.0 (1.97")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF075-50-120M-R60
50.0 (1.97")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF075-50-120M-R45
55.0 (2.17")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF075-55-120M-R70
55.0 (2.17")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF075-55-120M-R60
55.0 (2.17")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF075-55-120M-R45
79.0 mm Nom. Body Dia. (D)					
57.0 (2.24")	M12x1.75	60	32.0 / 14.0	Natural Rubber	CMF079-57-120M-R60
79.4 mm Nom. Body Dia. (D)					
57.2 (2.25")	1/2 UNC (13 TPI)	60	31.8 / 13.7	Natural Rubber	CMF079-57-1270C-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Bobbin - Male to Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
100.0 mm Nom. Body Dia. (D)					
30.0 (1.18")	M16x2.00	60	45.0 / 16.0	Natural Rubber	* CMF100-30-160M-R60
40.0 (1.57")	M16x2.00	60	41.0 / 16.0	Natural Rubber	* CMF100-40-160M41-R60
40.0 (1.57")	M16x2.00	60	45.0 / 16.0	Natural Rubber	* CMF100-40-160M45-R60
50.0 (1.97")	M16x2.00	70	44.0 / 16.0	Natural Rubber	CMF100-50-160M-R70
50.0 (1.97")	M16x2.00	45	44.0 / 16.0	Natural Rubber	CMF100-50-160M-R45
50.0 (1.97")	M16x2.00	60	44.0 / 16.0	Natural Rubber	CMF100-50-160M-R60
55.0 (2.17")	M16x2.00	60	45.0 / 16.0	Natural Rubber	* CMF100-55-160M45-R60
55.0 (2.17")	M16x2.00	45	44.0 / 16.0	Natural Rubber	CMF100-55-160M-R45
55.0 (2.17")	M16x2.00	60	44.0 / 16.0	Natural Rubber	CMF100-55-160M-R60
55.0 (2.17")	M16x2.00	70	44.0 / 16.0	Natural Rubber	CMF100-55-160M-R70
55.0 (2.17")	M16x2.00	60	41.0 / 16.0	Natural Rubber	* CMF100-55-160M41-R60
60.0 (2.36")	M16x2.00	60	41.0 / 16.0	Natural Rubber	* CMF100-60-160M41-R60
60.0 (2.36")	M16x2.00	60	45.0 / 16.0	Natural Rubber	* CMF100-60-160M45-R60
60.0 (2.36")	M16x2.00	45	44.0 / 16.0	Natural Rubber	CMF100-60-160M-R45
60.0 (2.36")	M16x2.00	60	44.0 / 16.0	Natural Rubber	CMF100-60-160M-R60
60.0 (2.36")	M16x2.00	70	44.0 / 16.0	Natural Rubber	CMF100-60-160M-R70
75.0 (2.95")	M16x2.00	45	32.0 / 16.0	Natural Rubber	CMF100-75-160M32-R45
75.0 (2.95")	M16x2.00	45	44.0 / 16.0	Natural Rubber	CMF100-75-160M44-R45
75.0 (2.95")	M16x2.00	60	44.0 / 16.0	Natural Rubber	CMF100-75-160M-R60
75.0 (2.95")	M16x2.00	70	44.0 / 16.0	Natural Rubber	CMF100-75-160M-R70
100.0 (3.94")	M16x2.00	60	44.0 / 16.0	Natural Rubber	CMF100-100-160M-R60
100.0 (3.94")	M16x2.00	45	44.0 / 16.0	Natural Rubber	CMF100-100-160M-R45
100.0 (3.94")	M16x2.00	70	44.0 / 16.0	Natural Rubber	CMF100-100-160M-R70
125.0 mm Nom. Body Dia. (D)					
55.0 (2.17")	M16x2.00	60	44.0 / 16.0	Natural Rubber	CMF125-55-160M-R60
55.0 (2.17")	M16x2.00	70	44.0 / 16.0	Natural Rubber	CMF125-55-160M-R70
55.0 (2.17")	M16x2.00	45	44.0 / 16.0	Natural Rubber	CMF125-55-160M-R45
150.0 mm Nom. Body Dia. (D)					
55.0 (2.17")	M16x2.00	45	44.0 / 16.0	Natural Rubber	CMF150-55-160M-R45
55.0 (2.17")	M16x2.00	60	44.0 / 16.0	Natural Rubber	CMF150-55-160M-R60
55.0 (2.17")	M16x2.00	70	44.0 / 16.0	Natural Rubber	CMF150-55-160M-R70
75.0 (2.95")	M16x2.00	70	44.0 / 16.0	Natural Rubber	CMF150-75-160M-R70
75.0 (2.95")	M16x2.00	60	44.0 / 16.0	Natural Rubber	CMF150-75-160M-R60
75.0 (2.95")	M16x2.00	45	44.0 / 16.0	Natural Rubber	CMF150-75-160M-R45

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Buffer - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
7.0 mm Nom. Body Dia. (D)					
8.1 (0.32")	4-40 UNC (40 TPI)	60	2.8 (0.11")	Urethane	* CFB007-08-028C-H-U60
8.1 (0.32")	4-40 UNC (40 TPI)	60	2.8 (0.11")	Urethane	* CFB007-08-028C-L-U60
10.0 mm Nom. Body Dia. (D)					
10.0 (0.39")	M4x0.70	60	4.0 (0.16")	Natural Rubber	* CFB010-10-040M-R60
15.0 (0.59")	M4x0.70	60	4.0 (0.16")	Natural Rubber	* CFB010-15-040M-R60
10.3 mm Nom. Body Dia. (D)					
12.7 (0.50")	6-32 UNC (32 TPI)	60	4.1 (0.16")	Urethane	* CFB010-13-035C-L-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	4.1 (0.16")	Urethane	* CFB010-13-042C-H-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	4.1 (0.16")	Urethane	* CFB010-13-042C-L-U60
12.7 (0.50")	6-32 UNC (32 TPI)	60	4.1 (0.16")	Urethane	* CFB010-13-035C-H-U60
15.0 mm Nom. Body Dia. (D)					
10.0 (0.39")	M4x0.70	60		Natural Rubber	CFB015-10-040M-R60
10.0 (0.39")	M4x0.70	70		Natural Rubber	CFB015-10-040M-R70
10.0 (0.39")	M4x0.70	45		Natural Rubber	CFB015-10-040M-R45
15.0 (0.59")	M4x0.70	60		Natural Rubber	CFB015-15-040M-R60
15.0 (0.59")	M4x0.70	70		Natural Rubber	CFB015-15-040M-R70
15.0 (0.59")	M4x0.70	45		Natural Rubber	CFB015-15-040M-R45
20.0 (0.79")	M4x0.70	70		Natural Rubber	CFB015-20-040M-R70
20.0 (0.79")	M4x0.70	45		Natural Rubber	CFB015-20-040M-R45
20.0 (0.79")	M4x0.70	60		Natural Rubber	CFB015-20-040M-R60
16.0 mm Nom. Body Dia. (D)					
16.0 (0.63")	1/4 UNC (20 TPI)	60	6.6 (0.26")	Urethane	** CFB016-16-064C-U60
20.0 mm Nom. Body Dia. (D)					
15.0 (0.59")	M6x1.00	45		Natural Rubber	CFB020-15-060M-R45
15.0 (0.59")	M6x1.00	60		Natural Rubber	CFB020-15-060M-R60
15.0 (0.59")	M6x1.00	70		Natural Rubber	CFB020-15-060M-R70
20.0 (0.79")	M6x1.00	60		Natural Rubber	CFB020-20-060M-R60
20.0 (0.79")	M6x1.00	45		Natural Rubber	CFB020-20-060M-R45
20.0 (0.79")	M6x1.00	70		Natural Rubber	CFB020-20-060M-R70
25.0 (0.98")	M6x1.00	70		Natural Rubber	CFB020-25-060M-R70
25.0 (0.98")	M6x1.00	60		Natural Rubber	CFB020-25-060M-R60
25.0 (0.98")	M6x1.00	45		Natural Rubber	CFB020-25-060M-R45
30.0 (1.18")	M6x1.00	60		Natural Rubber	CFB020-30-060M-R60
30.0 (1.18")	M6x1.00	45		Natural Rubber	CFB020-30-060M-R45
30.0 (1.18")	M6x1.00	70		Natural Rubber	CFB020-30-060M-R70
25.0 mm Nom. Body Dia. (D)					
10.0 (0.39")	M6x1.00	60	6.0 (0.24")	Natural Rubber	* CFB025-10-060M-R60
15.0 (0.59")	M6x1.00	70		Natural Rubber	CFB025-15-060M-R70
15.0 (0.59")	M6x1.00	45		Natural Rubber	CFB025-15-060M-R45
15.0 (0.59")	M6x1.00	60		Natural Rubber	CFB025-15-060M-R60
17.0 (0.67")	M6x1.00	60		Natural Rubber	CFB025-17-060M-R60
17.0 (0.67")	M6x1.00	70		Natural Rubber	CFB025-17-060M-R70
17.0 (0.67")	M6x1.00	45		Natural Rubber	CFB025-17-060M-R45
19.0 (0.75")	5/16 UNC (18 TPI)	60	7.4 (0.29")	Urethane	* CFB025-19-079C-U60
20.0 (0.79")	M6x1.00	45		Natural Rubber	CFB025-20-060M-R45
20.0 (0.79")	M6x1.00	60		Natural Rubber	CFB025-20-060M-R60
20.0 (0.79")	M6x1.00	70		Natural Rubber	CFB025-20-060M-R70
25.0 (0.98")	M6x1.00	70		Natural Rubber	CFB025-25-060M-R70
25.0 (0.98")	M6x1.00	60		Natural Rubber	CFB025-25-060M-R60
25.0 (0.98")	M6x1.00	45		Natural Rubber	CFB025-25-060M-R45
30.0 (1.18")	M6x1.00	70		Natural Rubber	CFB025-30-060M-R70
30.0 (1.18")	M6x1.00	60		Natural Rubber	CFB025-30-060M-R60
30.0 (1.18")	M6x1.00	45		Natural Rubber	CFB025-30-060M-R45

Stocked or Short Delivery

Usually Available Short Delivery


Long delivery or not in current production

* Large Minimum Quantities


** Available only while stock lasts

Mounts - Buffer - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
30.0 mm Nom. Body Dia. (D)					
15.0 (0.59")	M8x1.25	60		Natural Rubber	CFB030-15-080M-R60
15.0 (0.59")	M8x1.25	70		Natural Rubber	CFB030-15-080M-R70
15.0 (0.59")	M8x1.25	45		Natural Rubber	CFB030-15-080M-R45
17.0 (0.67")	M8x1.25	45		Natural Rubber	CFB030-17-080M-R45
17.0 (0.67")	M8x1.25	60		Natural Rubber	CFB030-17-080M-R60
17.0 (0.67")	M8x1.25	70		Natural Rubber	CFB030-17-080M-R70
20.0 (0.79")	M6x1.00	45		Natural Rubber	CFB030-20-060M-R45
20.0 (0.79")	M6x1.00	60		Natural Rubber	CFB030-20-060M-R60
20.0 (0.79")	M6x1.00	70		Natural Rubber	CFB030-20-060M-R70
20.0 (0.79")	M8x1.25	60	8.0 (0.31")	Natural Rubber	* CFB030-20-080M-R60
25.0 (0.98")	M8x1.25	60		Natural Rubber	CFB030-25-080M-R60
25.0 (0.98")	M8x1.25	70		Natural Rubber	CFB030-25-080M-R70
25.0 (0.98")	M8x1.25	45		Natural Rubber	CFB030-25-080M-R45
30.0 (1.18")	M8x1.25	45		Natural Rubber	CFB030-30-080M-R45
30.0 (1.18")	M8x1.25	60		Natural Rubber	CFB030-30-080M-R60
30.0 (1.18")	M8x1.25	70		Natural Rubber	CFB030-30-080M-R70
40.0 (1.57")	M8x1.25	70		Natural Rubber	CFB030-40-080M-R70
40.0 (1.57")	M8x1.25	60		Natural Rubber	CFB030-40-080M-R60
40.0 (1.57")	M8x1.25	45		Natural Rubber	CFB030-40-080M-R45
40.0 mm Nom. Body Dia. (D)					
20.0 (0.79")	M8x1.25	45		Natural Rubber	CFB040-20-080M-R45
20.0 (0.79")	M10x1.50	70		Natural Rubber	CFB040-20-100M-R70
20.0 (0.79")	M10x1.50	60		Natural Rubber	CFB040-20-100M-R60
20.0 (0.79")	M10x1.50	45		Natural Rubber	CFB040-20-100M-R45
20.0 (0.79")	M8x1.25	70		Natural Rubber	CFB040-20-080M-R70
20.0 (0.79")	M8x1.25	60		Natural Rubber	CFB040-20-080M-R60
25.0 (0.98")	M8x1.25	70		Natural Rubber	CFB040-25-080M-R70
25.0 (0.98")	M8x1.25	60		Natural Rubber	CFB040-25-080M-R60
25.0 (0.98")	M8x1.25	45		Natural Rubber	CFB040-25-080M-R45
27.0 (1.06")	M8x1.25	60		Natural Rubber	CFB040-27-080M-R60
27.0 (1.06")	M8x1.25	70		Natural Rubber	CFB040-27-080M-R70
27.0 (1.06")	M8x1.25	45		Natural Rubber	CFB040-27-080M-R45
28.0 (1.10")	M10x1.50	60		Natural Rubber	CFB040-28-100M-R60
28.0 (1.10")	M10x1.50	70		Natural Rubber	CFB040-28-100M-R70
28.0 (1.10")	M10x1.50	45		Natural Rubber	CFB040-28-100M-R45
30.0 (1.18")	M10x1.50	70		Natural Rubber	CFB040-30-100M-R70
30.0 (1.18")	M8x1.25	70		Natural Rubber	CFB040-30-080M-R70
30.0 (1.18")	M10x1.50	45		Natural Rubber	CFB040-30-100M-R45
30.0 (1.18")	M10x1.50	60		Natural Rubber	CFB040-30-100M-R60
30.0 (1.18")	M8x1.25	60		Natural Rubber	CFB040-30-080M-R60
30.0 (1.18")	M8x1.25	45		Natural Rubber	CFB040-30-080M-R45
35.0 (1.38")	M8x1.25	70		Natural Rubber	CFB040-35-080M-R70
35.0 (1.38")	M8x1.25	60		Natural Rubber	CFB040-35-080M-R60
35.0 (1.38")	M8x1.25	45		Natural Rubber	CFB040-35-080M-R45
40.0 (1.57")	M8x1.25	45		Natural Rubber	CFB040-40-080M-R45
40.0 (1.57")	M8x1.25	70		Natural Rubber	CFB040-40-080M-R70
40.0 (1.57")	M8x1.25	60		Natural Rubber	CFB040-40-080M-R60

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Buffer - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
50.0 mm Nom. Body Dia. (D)					
20.0 (0.79")	M10x1.50	60	10.0 (0.39")	Natural Rubber	* CFB050-20-100M-R60
21.0 (0.83")	M10x1.50	45		Natural Rubber	CFB050-21-100M-R45
21.0 (0.83")	M10x1.50	70		Natural Rubber	CFB050-21-100M-R70
21.0 (0.83")	M10x1.50	60		Natural Rubber	CFB050-21-100M-R60
25.0 (0.98")	M10x1.50	70		Natural Rubber	CFB050-25-100M-R70
25.0 (0.98")	M10x1.50	60		Natural Rubber	CFB050-25-100M-R60
25.0 (0.98")	M10x1.50	45		Natural Rubber	CFB050-25-100M-R45
30.0 (1.18")	M12x1.75	45		Natural Rubber	CFB050-30-120M-R45
30.0 (1.18")	M12x1.75	60		Natural Rubber	CFB050-30-120M-R60
30.0 (1.18")	M12x1.75	70		Natural Rubber	CFB050-30-120M-R70
30.0 (1.18")	M10x1.50	60	10.0 (0.39")	Natural Rubber	* CFB050-30-100M-R60
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFB050-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFB050-40-100M-R70
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFB050-40-100M-R45
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFB050-45-100M-R45
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFB050-45-100M-R60
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFB050-45-100M-R70
50.0 (1.97")	M10x1.50	45		Natural Rubber	CFB050-50-100M-R45
50.0 (1.97")	M10x1.50	60		Natural Rubber	CFB050-50-100M-R60
50.0 (1.97")	M10x1.50	70		Natural Rubber	CFB050-50-100M-R70
60.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M10x1.50	45		Natural Rubber	CFB060-25-100M-R45
25.0 (0.98")	M10x1.50	60		Natural Rubber	CFB060-25-100M-R60
25.0 (0.98")	M10x1.50	70		Natural Rubber	CFB060-25-100M-R70
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFB060-40-100M-R45
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFB060-40-120M-R70
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFB060-40-120M-R60
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFB060-40-120M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFB060-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFB060-40-100M-R70
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFB060-45-120M-R45
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFB060-45-120M-R60
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFB060-45-120M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFB060-50-120M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFB060-50-120M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFB060-50-120M-R70
70.0 mm Nom. Body Dia. (D)					
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFB070-40-120M-R60
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFB070-40-120M-R45
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFB070-40-100M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFB070-40-100M-R60
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFB070-40-120M-R70
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFB070-40-100M-R70
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFB070-45-100M-R45
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFB070-45-100M-R60
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFB070-45-100M-R70
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFB070-45-120M-R45
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFB070-45-120M-R60
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFB070-45-120M-R70
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFB070-50-120M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFB070-50-120M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFB070-50-120M-R45
50.0 (1.97")	M10x1.50	60		Natural Rubber	CFB070-50-100M-R60
50.0 (1.97")	M10x1.50	45		Natural Rubber	CFB070-50-100M-R45
50.0 (1.97")	M10x1.50	70		Natural Rubber	CFB070-50-100M-R70

Stocked or Short Delivery
 Usually Available Short Delivery
 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Buffer - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
75.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M12x1.75	45		Natural Rubber	CFB075-25-120M-R45
25.0 (0.98")	M12x1.75	60		Natural Rubber	CFB075-25-120M-R60
25.0 (0.98")	M12x1.75	70		Natural Rubber	CFB075-25-120M-R70
35.0 (1.38")	M12x1.75	55		Natural Rubber	CFB075-35-120M-R55
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFB075-40-120M-R60
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFB075-40-120M-R70
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFB075-40-120M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFB075-50-120M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFB075-50-120M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFB075-50-120M-R45
55.0 (2.17")	M12x1.75	45		Natural Rubber	CFB075-55-120M-R45
55.0 (2.17")	M12x1.75	60		Natural Rubber	CFB075-55-120M-R60
55.0 (2.17")	M12x1.75	70		Natural Rubber	CFB075-55-120M-R70
80.0 mm Nom. Body Dia. (D)					
40.0 (1.57")	M14x2.00	70		Natural Rubber	CFB080-40-140M-R70
40.0 (1.57")	M14x2.00	60		Natural Rubber	CFB080-40-140M-R60
40.0 (1.57")	M14x2.00	45		Natural Rubber	CFB080-40-140M-R45
80.0 (3.15")	M14x2.00	60		Natural Rubber	CFB080-80-140M-R60
80.0 (3.15")	M14x2.00	70		Natural Rubber	CFB080-80-140M-R70
80.0 (3.15")	M14x2.00	45		Natural Rubber	CFB080-80-140M-R45
100.0 mm Nom. Body Dia. (D)					
30.0 (1.18")	M12x1.75	55		Natural Rubber	CFB100-30-120M-R55
30.0 (1.18")	M16x2.00	45		Natural Rubber	CFB100-30-160M-R45
30.0 (1.18")	M16x2.00	60		Natural Rubber	CFB100-30-160M-R60
30.0 (1.18")	M16x2.00	70		Natural Rubber	CFB100-30-160M-R70
40.0 (1.57")	M16x2.00	70		Natural Rubber	CFB100-40-160M-R70
40.0 (1.57")	M16x2.00	45		Natural Rubber	CFB100-40-160M-R45
40.0 (1.57")	M16x2.00	60		Natural Rubber	CFB100-40-160M-R60
50.0 (1.97")	M16x2.00	70		Natural Rubber	CFB100-50-160M-R70
50.0 (1.97")	M16x2.00	45		Natural Rubber	CFB100-50-160M-R45
50.0 (1.97")	M16x2.00	60		Natural Rubber	CFB100-50-160M-R60
55.0 (2.17")	M16x2.00	70		Natural Rubber	CFB100-55-160M-R70
55.0 (2.17")	M16x2.00	60		Natural Rubber	CFB100-55-160M-R60
55.0 (2.17")	M16x2.00	45		Natural Rubber	CFB100-55-160M-R45
60.0 (2.36")	M16x2.00	70		Natural Rubber	CFB100-60-160M-R70
60.0 (2.36")	M16x2.00	45		Natural Rubber	CFB100-60-160M-R45
60.0 (2.36")	M16x2.00	60		Natural Rubber	CFB100-60-160M-R60
100.0 (3.94")	M16x2.00	45		Natural Rubber	CFB100-100-160M-R45
100.0 (3.94")	M16x2.00	60		Natural Rubber	CFB100-100-160M-R60
100.0 (3.94")	M16x2.00	70		Natural Rubber	CFB100-100-160M-R70



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Buffer - Male

Body Height (H) mm (In.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
7.0 mm Nom. Body Dia. (D)					
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 (0.20")	Urethane	* CMB007-08-028C-L-U60
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 (0.20")	Urethane	* CMB007-08-028C-H-U60
8.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M3x0.50	70	6.0 (0.24")	Natural Rubber	CMB008-08-030M-R70
8.0 (0.31")	M3x0.50	60	6.0 (0.24")	Natural Rubber	CMB008-08-030M-R60
8.0 (0.31")	M3x0.50	45	6.0 (0.24")	Natural Rubber	CMB008-08-030M-R45
10.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB010-08-040M-R45
8.0 (0.31")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMB010-08-040M-R70
8.0 (0.31")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB010-08-040M-R60
10.0 (0.39")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB010-10-040M-R45
10.0 (0.39")	M4x0.70	60	10.0 (0.39")	Natural Rubber	** CMB010-10-040M-R60
10.3 mm Nom. Body Dia. (D)					
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	* CMB010-13-035C-H-U60
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	* CMB010-13-035C-L-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	* CMB010-13-042C-H-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	* CMB010-13-042C-L-U60
15.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB015-08-040M-R45
8.0 (0.31")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB015-08-040M-R60
8.0 (0.31")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMB015-08-040M-R70
10.0 (0.39")	M4x0.70	60	10.0 (0.39")	Natural Rubber	* CMB015-10-040M-R60
13.0 (0.51")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB015-13-040M-R45
13.0 (0.51")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB015-13-040M-R60
13.0 (0.51")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMB015-13-040M-R70
15.0 (0.59")	M4x0.70	60	10.0 (0.39")	Natural Rubber	* CMB015-15-040M-R60
16.0 mm Nom. Body Dia. (D)					
16.0 (0.63")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Urethane	* CMB016-16-064C-U60
18.0 (0.71")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB016-18-040M-R45
18.0 (0.71")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB016-18-040M-R60
18.0 (0.71")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMB016-18-040M-R70
20.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-08-060M-R45
8.0 (0.31")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-08-060M-R60
8.0 (0.31")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-08-060M-R70
12.0 (0.47")	M5x0.80	60	15.0 (0.59")	Natural Rubber	CMB020-12-050M15-R60
12.0 (0.47")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-12-060M18-R60
12.0 (0.47")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-12-060M-R45
12.0 (0.47")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-12-060M-R70
15.0 (0.59")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-15-060M-R45
15.0 (0.59")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-15-060M-R70
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-15-060M-R60
20.0 (0.79")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-20-060M-R45
20.0 (0.79")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-20-060M-R60
20.0 (0.79")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-20-060M-R70
25.0 (0.98")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-25-060M-R45
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-25-060M-R60
25.0 (0.98")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-25-060M-R70
30.0 (1.18")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-30-060M-R70
30.0 (1.18")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-30-060M-R45
30.0 (1.18")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-30-060M-R60

Mounts - Buffer - Male

Body Height (H) mm (In.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
25.0 mm Nom. Body Dia. (D)					
8.0 (0.31")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-08-060M-R70
8.0 (0.31")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-08-060M-R45
8.0 (0.31")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-08-060M-R60
10.0 (0.39")	M6x1.00	60	18.0 (0.71")	Natural Rubber	* CMB025-10-060M-R60
10.0 (0.39")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB025-10-080M-R45
10.0 (0.39")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB025-10-080M-R60
10.0 (0.39")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB025-10-080M-R70
13.0 (0.51")	M6x1.00	60	13.0 (0.51")	Natural Rubber	CMB025-13-060M-R60
15.0 (0.59")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-15-060M-R70
15.0 (0.59")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-15-060M-R45
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-15-060M-R60
18.0 (0.71")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-18-060M-R45
18.0 (0.71")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-18-060M-R60
18.0 (0.71")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-18-060M-R70
19.0 (0.75")	M6x1.00	60	13.0 (0.51")	Natural Rubber	CMB025-19-060M-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Urethane	* CMB025-19-079C-U60
20.0 (0.79")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB025-20-080M-R70
20.0 (0.79")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-20-060M-R45
20.0 (0.79")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-20-060M-R60
20.0 (0.79")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-20-060M-R70
20.0 (0.79")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB025-20-080M-R45
20.0 (0.79")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB025-20-080M-R60
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMB025-25-080M-R60
25.0 (0.98")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-25-060M-R70
25.0 (0.98")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-25-060M-R45
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-25-060M-R60
30.0 (1.18")	M6x1.00	60	18.0 (0.71")	Natural Rubber	* CMB025-30-060M-R60
30.0 (1.18")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB025-30-080M-R60
30.0 (1.18")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB025-30-080M-R70
30.0 (1.18")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB025-30-080M-R45
25.4 mm Nom. Body Dia. (D)					
12.7 (0.50")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMB025-13-064C-R60
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMB025-19-064C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMB025-25-079C-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Buffer - Male

Body Height (H) mm (In.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
30.0 mm Nom. Body Dia. (D)					
12.0 (0.47")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-12-080M-R45
12.0 (0.47")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-12-080M-R60
12.0 (0.47")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-12-080M-R70
15.0 (0.59")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-15-080M-R60
15.0 (0.59")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-15-080M-R70
15.0 (0.59")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-15-080M-R45
17.0 (0.67")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-17-080M-R45
17.0 (0.67")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-17-080M-R60
17.0 (0.67")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-17-080M-R70
20.0 (0.79")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-20-080M-R45
20.0 (0.79")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-20-080M-R60
20.0 (0.79")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-20-080M-R70
22.0 (0.87")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-22-080M-R45
22.0 (0.87")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-22-080M-R60
22.0 (0.87")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-22-080M-R70
25.0 (0.98")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-25-080M-R60
25.0 (0.98")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-25-080M-R70
25.0 (0.98")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-25-080M-R45
30.0 (1.18")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-30-080M-R70
30.0 (1.18")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-30-080M-R45
30.0 (1.18")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-30-080M-R60
40.0 (1.57")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-40-080M-R70
40.0 (1.57")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-40-080M-R45
40.0 (1.57")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-40-080M-R60
45.0 (1.77")	M8x1.25	40	12.0 (0.47")	Natural Rubber	CMB030-45-080M-R40
38.0 mm Nom. Body Dia. (D)					
19.0 (0.75")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMB038-19-080M-R60
19.0 (0.75")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMB038-19-080M-R60-L23
38.1 mm Nom. Body Dia. (D)					
19.1 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMB038-19-079C-R60
39.7 mm Nom. Body Dia. (D)					
25.4 (1.00")	3/8 UNC (16 TPI)	60	15.9 (0.63")	Natural Rubber	CMB040-25-095C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMB040-25-079C-R60

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 32 of 39

E&OE

Mounts - Buffer - Male

Body Height (H) mm (in.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
40.0 mm Nom. Body Dia. (D)					
20.0 (0.79")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB040-20-100M-R45
20.0 (0.79")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMB040-20-080M-R45
20.0 (0.79")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMB040-20-080M-R60
20.0 (0.79")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMB040-20-080M-R70
20.0 (0.79")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB040-20-100M-R70
20.0 (0.79")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB040-20-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB040-25-100M-R70
25.0 (0.98")	M10x1.50	60	16.0 (0.63")	Natural Rubber	CMB040-25-100M-R60
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMB040-25-080M-R60
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB040-25-100M-R45
28.0 (1.10")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMB040-28-080M-R45
28.0 (1.10")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMB040-28-080M-R60
28.0 (1.10")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMB040-28-080M-R70
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMB040-30-080M-R60
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB040-30-100M-R70
30.0 (1.18")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB040-30-100M-R60
30.0 (1.18")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMB040-30-080M-R70
30.0 (1.18")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMB040-30-080M-R45
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB040-30-100M-R45
35.0 (1.38")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMB040-35-080M-R45
35.0 (1.38")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMB040-35-080M-R60
35.0 (1.38")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMB040-35-080M-R70
40.0 (1.57")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMB040-40-080M-R70
40.0 (1.57")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMB040-40-080M-R45
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB040-40-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB040-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB040-40-100M-R70
40.0 (1.57")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMB040-40-080M-R60

Stocked or Short Delivery

Usually Available Short Delivery


Long delivery or not in current production

* Large Minimum Quantities


** Available only while stock lasts

Mounts - Buffer - Male

Body Height (H) mm (In.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
50.0 mm Nom. Body Dia. (D)					
15.0 (0.59")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-15-100M-R45
15.0 (0.59")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-15-100M-R60
15.0 (0.59")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-15-100M-R70
18.0 (0.71")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-18-100M-R45
18.0 (0.71")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-18-100M-R60
18.0 (0.71")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-18-100M-R70
20.0 (0.79")	M10x1.50	45	28.0 (1.10")	Natural Rubber	CMB050-20-100M-R45
20.0 (0.79")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB050-20-100M-R60
20.0 (0.79")	M10x1.50	70	28.0 (1.10")	Natural Rubber	CMB050-20-100M-R70
21.0 (0.83")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-21-100M-R70
21.0 (0.83")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-21-100M-R45
21.0 (0.83")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-21-100M-R60
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-25-100M-R45
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-25-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-25-100M-R70
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-30-100M-R45
30.0 (1.18")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB050-30-100M-R60
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-30-100M-R70
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-40-100M-R70
40.0 (1.57")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB050-40-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-40-100M-R45
45.0 (1.77")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB050-45-100M-R60
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-45-100M-R70
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-45-100M-R45
50.0 (1.97")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-50-100M-R70
50.0 (1.97")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB050-50-100M-R60
50.0 (1.97")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-50-100M-R45
50.8 mm Nom. Body Dia. (D)					
19.1 (0.75")	3/8 UNC (16 TPI)	60	28.6 (1.13")	Natural Rubber	CMB051-19-095C-R60
41.3 (1.63")	3/8 UNC (16 TPI)	60	15.9 (0.63")	Natural Rubber	CMB051-41-095C-R60
51.0 mm Nom. Body Dia. (D)					
19.0 (0.75")	M10x1.50	60	29.0 (1.14")	Natural Rubber	CMB051-19-100M-R60
41.0 (1.61")	M10x1.50	60	16.0 (0.63")	Natural Rubber	CMB051-41-100M-R60
60.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB060-25-100M-R70
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB060-25-100M-R60
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB060-25-100M-R45
30.0 (1.18")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB060-30-120M-R45
30.0 (1.18")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB060-30-120M-R60
30.0 (1.18")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB060-30-120M-R70
36.0 (1.42")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB060-36-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB060-40-100M-R45
40.0 (1.57")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB060-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB060-40-100M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB060-40-120M-R45
40.0 (1.57")	M12x1.75	60	33.0 (1.30")	Natural Rubber	CMB060-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB060-40-120M-R70
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB060-50-120M-R70
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB060-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB060-50-120M-R60

 Stocked or Short Delivery

 Usually Available Short Delivery

 Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Buffer - Male

Body Height (H) mm (In.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
70.0 mm Nom. Body Dia. (D)					
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB070-35-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB070-35-100M-R70
35.0 (1.38")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB070-35-120M-R45
35.0 (1.38")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB070-35-120M-R60
35.0 (1.38")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB070-35-120M-R70
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB070-35-100M-R45
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB070-40-120M-R70
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB070-40-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB070-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB070-40-100M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB070-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB070-40-120M-R60
45.0 (1.77")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB070-45-120M-R45
45.0 (1.77")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB070-45-120M-R60
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB070-45-100M-R70
45.0 (1.77")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB070-45-100M-R60
45.0 (1.77")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB070-45-120M-R70
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB070-45-100M-R45
75.0 mm Nom. Body Dia. (D)					
25.0 (0.98")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-25-120M-R45
25.0 (0.98")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-25-120M-R70
25.0 (0.98")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-25-120M-R60
30.0 (1.18")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-30-120M-R45
30.0 (1.18")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-30-120M-R60
30.0 (1.18")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-30-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-40-120M-R70
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-50-120M-R70
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-50-120M-R45
55.0 (2.17")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-55-120M-R70
55.0 (2.17")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-55-120M-R60
55.0 (2.17")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-55-120M-R45
80.0 mm Nom. Body Dia. (D)					
30.0 (1.18")	M14x2.00	60	35.0 (1.38")	Natural Rubber	CMB080-30-140M-R60
30.0 (1.18")	M14x2.00	45	35.0 (1.38")	Natural Rubber	CMB080-30-140M-R45
30.0 (1.18")	M14x2.00	70	35.0 (1.38")	Natural Rubber	CMB080-30-140M-R70
80.0 (3.15")	M14x2.00	70	35.0 (1.38")	Natural Rubber	CMB080-80-140M-R70
80.0 (3.15")	M14x2.00	60	35.0 (1.38")	Natural Rubber	CMB080-80-140M-R60
80.0 (3.15")	M14x2.00	45	35.0 (1.38")	Natural Rubber	CMB080-80-140M-R45

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Mounts - Buffer - Male

Body Height (H) mm (in.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
100.0 mm Nom. Body Dia. (D)					
30.0 (1.18")	M16x2.00	70	41.0 (1.61")	Natural Rubber	CMB100-30-160M-R70
30.0 (1.18")	M16x2.00	60	41.0 (1.61")	Natural Rubber	CMB100-30-160M-R60
30.0 (1.18")	M16x2.00	45	41.0 (1.61")	Natural Rubber	CMB100-30-160M-R45
40.0 (1.57")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMB100-40-160M-R70
40.0 (1.57")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMB100-40-160M-R45
40.0 (1.57")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMB100-40-160M-R60
50.0 (1.97")	M16x2.00	60	41.0 (1.61")	Natural Rubber	CMB100-50-160M-R60
50.0 (1.97")	M16x2.00	70	41.0 (1.61")	Natural Rubber	CMB100-50-160M-R70
50.0 (1.97")	M16x2.00	45	41.0 (1.61")	Natural Rubber	CMB100-50-160M-R45
55.0 (2.17")	M16x2.00	60	41.0 (1.61")	Natural Rubber	CMB100-55-160M-R60
55.0 (2.17")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMB100-55-160M-R45
55.0 (2.17")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMB100-55-160M-R70
60.0 (2.36")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMB100-60-160M-R45
60.0 (2.36")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMB100-60-160M-R70
60.0 (2.36")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMB100-60-160M-R60
100.0 (3.94")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMB100-100-160M-R60
100.0 (3.94")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMB100-100-160M-R70
100.0 (3.94")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMB100-100-160M-R45

Mounts - Buffer - Male - Concave Base

Body Length (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
15.0 mm Nom. Body Dia. (D)					
14.0 (0.55")	M4x0.70	60	13.0 (0.51")	Natural Rubber	* CMBV015-14-M04
20.0 mm Nom. Body Dia. (D)					
17.0 (0.67")	M6x1.00	60	18.0 (0.71")	Natural Rubber	* CMBV020-17-M06
25.0 mm Nom. Body Dia. (D)					
18.5 (0.73")	M6x1.00	60	18.0 (0.71")	Natural Rubber	* CMBV025-19-M06
40.0 mm Nom. Body Dia. (D)					
28.8 (1.13")	M8x1.25	60	23.0 (0.91")	Natural Rubber	* CMBV040-29-M08
50.0 mm Nom. Body Dia. (D)					
28.0 (1.10")	M10x1.50	60	33.0 (1.30")	Natural Rubber	* CMBV050-28-M10
70.0 mm Nom. Body Dia. (D)					
43.0 (1.69")	M10x1.50	60	30.0 (1.18")	Natural Rubber	* CMBV070-43-M10
75.0 mm Nom. Body Dia. (D)					
37.0 (1.46")	M12x1.75	60	37.0 (1.46")	Natural Rubber	* CMBV075-37-M12
100.0 mm Nom. Body Dia. (D)					
50.0 (1.97")	M16x2.00	60	45.0 (1.77")	Natural Rubber	* CMBV100-50-M16

Mounts - Buffer - Male - Conical

Body Length (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
30.0 mm Nom. Body Dia. (D)					
41.0 (1.61")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMBC030-41-M08
30.2 mm Nom. Body Dia. (D)					
41.3 (1.63")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMBC030-41-079C
34.9 mm Nom. Body Dia. (D)					
41.3 (1.63")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMBC035-41-079C
35.0 mm Nom. Body Dia. (D)					
41.0 (1.61")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMBC035-41-M08
36.0 mm Nom. Body Dia. (D)					
27.0 (1.06")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMBC036-27-M08

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

Page 36 of 39

E&OE

Mounts - Buffer - Special Purpose

Body Length (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
23.8 mm Nom. Body Dia. (D)					
16.5 (0.65")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CSP-024-17-064C
24.0 mm Nom. Body Dia. (D)					
17.0 (0.67")	M6x1.00	60	13.0 (0.51")	Natural Rubber	CSP-024-17-M06



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

* Large Minimum Quantities

** Available only while stock lasts

NOTES

We also have many other styles available. The 5 styles listed in this catalogue are the main types of vibration mounts that we sell.

Please enquire if the item you need is not listed.

Below are some pictures of an assortment of other vibration mounts that we can offer.

Captive



Height Adjusters



Turret Mount



Levelling Feet



T Bush



Cone Mounts





Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

Vibration Mounts